Author Index

A

Aarden, L.A. *See* van der Pouw Kraan, Boeije, Smeenk, Wijdenes, and Aarden.

Abastado, J.-P. *See* Mottez, Langlade-Demoyen, Gournier, Martinon, Maryanski, Kourilsky, and Abastado.

Abbas, A.K. *See* Grupp, Mitchell, Schreiber, McKean, and Abbas.

— *See* Mitchell, Barnes, Grupp, Sanchez, Misulovin, Nussenzweig, and Abbas.

Abraham, C.R. *See* Mucke, Abraham, Ruppe, Rockenstein, Toggas, Mallory, Alford, and Masliah.

Abraham, E., Bursten, S., Shenkar, R., Allbee, J., Tuder, R., Woodson, P., Guidot, D.M., Rice, G., Singer, J.W., and Repine, J.E. Phosphatidic acid signaling mediates lung cytokine expression and lung inflammatory injury after hemorrhage in mice. 569.

Abromson-Leeman, S.R. *See* Lukacher, Ma, Carroll, Abromson-Leeman, Laning, Dorf, and Benjamin.

Acuto, O. *See* Padovan, Giachino, Cella, Valitutti, Acuto, and Lanzavecchia.

— *See* Thome, Duplay, Guttinger, and Acuto.

Adorini, L. *See* Trembleau, Penna, Bosi, Mortara, Gately, and Adorini.

Aebersold, R. *See* Isakov, Wange, Burgess, Watts, Aebersold, and Samelson.

Aguet, M. *See* Eng, Car, Schnyder, Lorenz, Lugli, Aguet, Anderson, Ryffel, and Quesniaux.

— *See* Fiette, Aubert, Müller, Huang, Aguet, Brahic, and Bureau.

— *See* Flesch, Hess, Huang, Aguet, Rothe, Bluethmann, and Kaufmann.

— *See* Swihart, Fruth, Messmer, Hug, Behin, Huang, Del Giudice, Aguet, and Louis.

Ahearn, J. *See* Rosen, Casciola-Rosen, and Ahearn.

Aiuti, F. *See* Paganelli, Scala, Ansotegui, Ausiello, Halapi, Fanales-Belasio, D'Offizi, Mezzaroma, Pandolfi, Fiorilli, Cassone, and Aiuti.

Aizawa, S. *See* Gross, Appleby, Chien, Nada, Bartelmez, Okada, Aizawa, and Perlmutter.

Ajmani, A.K., Satoh, M., Reap, E., Cohen, P.L., and Reeves, W.H. Absence of autoantigen Ku in mature human neutrophils and human promyelocytic leukemia line (HL-60) cells and lymphocytes undergoing apoptosis. 2049.

Akalin, E. *See* Sayegh, Akalin, Hancock, Russell, Carpenter, Linsley, and Turka.

Aktories, K. *See* Melamed, Turner, Aktories, Kaplan, and Gelfand.

— *See* Valitutti, Dessing, Aktories, Gallati, and Lanzavecchia.

Alam, R. *See* Pazdrak, Schreiber, Forsythe, Justement, and Alam.

Alarcon-Segovia, D. *See* Llorente, Zou, Levy, Richaud-Patin, Wijdenes, Alcocer-Varela, Morel-Fourrier, Brouet, Alarcon-Segovia, Galanaud, and Emilie.

Alcocer-Varela, J. *See* Llorente, Zou, Levy, Richaud-Patin, Wijdenes, Alcocer-Varela, Morel-Fourrier, Brouet, Alarcon-Segovia, Galanaud, and Emilie.

Alderson, M.R., Tough, T.W., Davis-Smith, T., Braddy, S., Falk, B., Schooley, K.A., Goodwin, R.G., Smith, C.A., Ramsdell, F., and Lynch, D.H. Fas ligand mediates activation-induced cell death in human T lymphocytes. 71.

Alessio, M. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.

Alford, M. *See* Mucke, Abraham, Ruppe, Rockenstein, Toggas, Mallory, Alford, and Masliah.

Allbee, J. *See* Abraham, Bursten, Shenkar, Allbee, Tuder, Woodson, Guidot, Rice, Singer, and Repine.

Allen, J. *See* Ren, Silverstein, Allen, and Savill.

Allen, P.M. *See* Hsu, Evavold, and Allen.

Allen, S.L. *See* Hashimoto, Dono, Wakai, Allen, Lichtman, Schulman, Vinciguerra, Ferrarini, Silver, and Chiorazzi.

Almeida, M.G.B. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.

Altmann, D.M., Douek, D.C., Frater, A.J., Hetherington, C.M., Inoko, H., and Elliot, J.I. The T cell response of HLA-DR transgenic mice to human myelin basic protein and other antigens in the presence and absence of human CD4. 867.

Amigorena, S., Webster, P., Drake, J., Newcomb, J., Cresswell, P., and Mellman, I. Invariant chain cleavage and peptide loading in major histocompatibility complex class II vesicles. 1729.

Anderson, T.D. *See* Eng, Car, Schnyder, Lorenz, Lugli, Aguet, Anderson, Ryffel, and Quesniaux.

Anderton, S.M., van der Zee, R., Prakken, B., Noordzij, A., and van Eden, W. Activation of T cells recognizing self 60-kD heat shock protein can protect against experimental arthritis. 943.

Andrée, S. *See* Machold, Andrée, Van Kaer, Ljunggren, and Ploegh.

Andrew, D.P. *See* Salmi, Andrew, Butcher, and Jalkanen.

Anhalt, G.J. *See* Foedinger, Anhalt, Boecskoer, Elbe, Wolff, and Rappersberger.

Ansari, A. *See* Van de Water, Ansari, Prindiville, Coppel, Ricalton, Kotzin, Liu, Roche, Krams, Munoz, and Gershwin.

Ansotegui, I.J. *See* Paganelli, Scala, Ansotegui, Ausiello, Halapi, Fanales-Belasio, D'Offizi, Mezzaroma, Pandolfi, Fiorilli, Cassone, and Aiuti.

Aoe, T., Okamoto, Y., and Saito, T. Activated macrophages induce structural abnormalities of the T cell receptor–CD3 complex. 1881.

Appella, E. *See* Sette, Southwood, Miller, and Appella.

Appleby, M.W. *See* Gross, Appleby, Chien, Nada, Bartelmez, Okada, Aizawa, and Perlmutter.

Arase, H., Arase, N., and Saito, T. Fas-mediated cytotoxicity by freshly isolated natural killer cells. 1235.

Arase, N. *See* Arase, Arase, and Saito.

Arbonés, M.L. *See* Ley, Bullard, Arbonés, Bosse, Vestweber, Tedder, and Beaudet.

Arese, M. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.

Arsura, M. *See* Lee, Arsura, Wu, Duyao, Buckler, and Sonenshein.

Arthur, C.D. *See* Sheehan, Pinckard, Arthur, Dehner, Goeddel, and Schreiber.

Aruffo, A. *See* Bowen, Patel, Li, Modrell, Malacko, Wang, Marquardt, Neubauer, Pesando, Francke, Haynes, and Aruffo.

— *See* Patel, Wee, Whichard, Bowen, Pesando, Aruffo, and Haynes.

Asano, Y. *See* Matsuoka, Asano, Sano, Kishimoto, Yamashita, Yorifuji, Utsuyama, Hirokawa, and Tada.

Ashton Rickardt, P.G. *See* van Santen, Woolsey, Ashton Rickardt, Van Kaer, Baas, Berns, Tonegawa, and Ploegh.

Ashwell, J.D. *See* Yang, Mercep, Ware, and Ashwell.

Aste-Amezaga, M. *See* D'Andrea, Ma, Aste-Amezaga, Paganin, and Trinchieri.

Aubert, C. *See* Fiette, Aubert, Müller, Huang, Aguet, Brahic, and Bureau.

Auffenberg, T. *See* Rogy, Auffenberg, Espat, Philip, Remick, Wollenberg, Copeland, and Moldawer.

Ausiello, C.M. *See* Paganelli, Scala, Ansotegui, Ausiello, Halapi, Fanales-Belasio, D'Offizi, Mezzaroma, Pandolfi, Fiorilli, Cassone, and Aiuti.

Austyn, J.M. *See* Roake, Rao, Morris, Larsen, Hankins, and Austyn.

B

Baas, E.J. *See* van Santen, Woolsey, Ashton Rickardt, Van Kaer, Baas, Berns, Tonegawa, and Ploegh.

Babi, L.F.S., Picker, L.J., Soler, M.T.P., Drzimalla, K., Flohr, P., Blaser, K., and Hauser, C. Circulating allergen-reactive T cells from patients with atopic dermatitis and allergic contact dermatitis express the skin-selective homing receptor, the cutaneous lymphocyte–associated antigen. 1935.

Bacelar, O. *See* Skeiky, Guderian, Benson, Bacelar, Carvalho, Kubin, Badaro, Trinchieri, and Reed.

Bach, J.F. *See* Larger, Bécourt, Bach, and Boitard.
Bacon, C.M., McVicar, D.W., Ortaldo, J.R., Rees, R.C., O'Shea, J.J., and Johnston, J.A. Interleukin 12 (IL-12) induces tyrosine phosphorylation of JAK2 and TYK2: differential use of Janus family tyrosine kinases by IL-2 and IL-12. 399.
Badaro, R. *See* Skeiky, Guderian, Benson, Bacelar, Carvalho, Kubin, Badaro, Trinchieri, and Reed.
Baird, S. *See* Tighe, Heaphy, Baird, Weigle, and Carson.
Bancroft, A. *See* Curry, Else, Jones, Bancroft, Grencis, and Dunne.
Barnaba, V. *See* Salemi, Caporossi, Boffa, Longobardi, and Barnaba.
Barnes, K.A., and Mitchell, R.N. Detection of functional class II–associated antigen: role of a low density endosomal compartment in antigen processing. 1715.
— *See* Mitchell, Barnes, Grupp, Sanchez, Misulovin, Nussenzweig, and Abbas.
Bartelmez, S.H. *See* Gross, Appleby, Chien, Nada, Bartelmez, Okada, Aizawa, and Perlmutter.
Barthold, S.W. *See* Fikrig, Telford, Wallich, Chen, Lobet, Matuschka, Kimsey, Kantor, Barthold, Spielman, and Flavell.
Bartke, I. *See* Bohuslav, Hořejší, Hansmann, Stöckl, Weidle, Majdic, Bartke, Knapp, and Stockinger.
Basile, F.G. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.
Baskar, S., Glimcher, L., Nabavi, N., Jones, R.T., and Ostrand-Rosenberg, S. Major histocompatibility complex class $II^+B7\text{-}1^+$ tumor cells are potent vaccines for stimulating tumor rejection in tumor-bearing mice. 619.
Baum, L.G., Pang, M., Perillo, N.L., Wu, T., Delegeane, A., Uittenbogaart, C.H., Fukuda, M., and Seilhamer, J.J. Human thymic epithelial cells express an endogenous lectin, galectin-1, which binds to core 2 O-glycans on thymocytes and T lymphoblastoid cells. 877.
Beall, A.C. *See* Munn, Beall, Song, Wrenn, and Throckmorton.
Beaudet, A.L. *See* Ley, Bullard, Arbonés, Bosse, Vestweber, Tedder, and Beaudet.
Becherer, J.D. *See* Irmler, Hertig, MacDonald, Sadoul, Becherer, Proudfoot, Solari, and Tschopp.
Beck, S. *See* Wright, White, Kelly, Beck, Trowsdale, and Ting.
Beck, Y., Satz, L., Takamiya, Y., Nakayama, S., Ling, L., Ishikawa, Y., Nagao, T., Uchida, H., Tokunaga, K., Müller, C., Juji, T., and Takiguchi, M. Polymorphism of human minor histocompatibility antigens: T cell recognition of human minor histocompatibility peptides presented by HLA-B35 subtype molecules. 2037.
Becken, E.T. *See* Rowley, Becken, and Stach.
Bécourt, C. *See* Larger, Bécourt, Bach, and Boitard.
Behin, R. *See* Swihart, Fruth, Messmer, Hug, Behin, Huang, Del Giudice, Aguet, and Louis.
Bell, J.I. *See* Lehner, Wang, Moss, Williams, Platt, Friedman, Bell, and Borysiewicz.
Bellese, G. *See* Puccetti, Madaio, Bellese, and Migliorini.
Benazzi, E. *See* Panina-Bordignon, Lang, van Endert, Benazzi, Felix, Pastore, Spinas, and Sinigaglia.
Bende, R.J. *See* Klein, van Baalen, Holwerda, Kerkhof Garde, Bende, Keet, Eeftinck-Schattenkerk, Osterhaus, Schuitemaker, and Miedema.
Bender, A., Ernst, N., Iglesias, A., Dornmair, K., Wekerle, H., and Hohlfeld, R. T cell receptor repertoire in polymyositis: clonal expansion of autoaggressive $CD8^+$ T cells. 1863.
Benjamin, T.L. *See* Lukacher, Ma, Carroll, Abromson-Leeman, Laning, Dorf, and Benjamin.
Benson, D.R. *See* Skeiky, Guderian, Benson, Bacelar, Carvalho, Kubin, Badaro, Trinchieri, and Reed.
Berns, A. *See* van Santen, Woolsey, Ashton Rickardt, Van Kaer, Baas, Berns, Tonegawa, and Ploegh.
Berthier, R. *See* Roux, Roullot, Schweitzer, Berthier, and Marguerie.
Bertrand, C. *See* Coyle, Erard, Bertrand, Walti, Pircher, and Le Gros.
Bhatia, S.K., Tygrett, L.T., Grabstein, K.H., and Waldschmidt, T.J. The effect of in vivo IL-7 deprivation on T cell maturation. 1399.
Binder, S. *See* Kain, Matsui, Exner, Binder, Schaffner, Sommer, and Kerjaschki.
Biron, C.A. *See* Orange, Salazar-Mather, Opal, Spencer, Miller, McEwen, and Biron.
Black, R.A. *See* Crowe, Walter, Mohler, Otten-Evans, Black, and Ware.
Blaser, K. *See* Babi, Picker, Soler, Drzimalla, Flohr, Blaser, and Hauser.
Blevins, T.L. *See* Fisk, Blevins, Wharton, and Ioannides.
Bluestone, J.A. *See* Lenschow, Ho, Sattar, Rhee, Gray, Nabavi, Herold, and Bluestone.
Bluethmann, H. *See* Flesch, Hess, Huang, Aguet, Rothe, Bluethmann, and Kaufmann.
Boecskoer, B. *See* Foedinger, Anhalt, Boecskoer, Elbe, Wolff, and Rappersberger.
Boeije, L.C.M. *See* van der Pouw Kraan, Boeije, Smeenk, Wijdenes, and Aarden.
Boen, E. *See* Hurley, Shimonkevitz, Hanagan, Enney, Boen, Malmstrom, Kotzin, and Matsumura.
Boffa, L. *See* Salemi, Caporossi, Boffa, Longobardi, and Barnaba.
Bohuslav, J., Hořejší, V., Hansmann, C., Stöckl, J., Weidle, U.H., Majdic, O., Bartke, I., Knapp, W., and Stockinger, H. Urokinase plasminogen activator receptor, $\beta 2$-integrins, and Src-kinases within a single receptor complex of human monocytes. 1381.
Boitard, C. *See* Larger, Bécourt, Bach, and Boitard.
Bona, C. *See* Isobe, Moran, Li, Young, Nathenson, Palese, and Bona.
Bona, C.A. *See* Katsuri, Hatakeyama, Spiera, and Bona.
Bonnemains, B. *See* Fandeur, Le Scanf, Bonnemains, Slomianny, and Mercereau-Puijalon.
Bonneville, M. *See* Davodeau, Peyrat, Romagné, Necker, Hallet, Vié, and Bonneville.
Bono, C.P. *See* Fu, Bono, Woulfe, Swearingen, Summers, Sinigaglia, Sette, Schwartz, and Karr.
Bono, E. *See* Hammer, Gallazzi, Bono, Karr, Guenot, Valsasnini, Nagy, and Sinigaglia.
Borysiewicz, L.K. *See* Lehner, Wang, Moss, Williams, Platt, Friedman, Bell, and Borysiewicz.
Bosi, E. *See* Trembleau, Penna, Bosi, Mortara, Gately, and Adorini.
Bosia, A. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.
Bosse, R. *See* Ley, Bullard, Arbonés, Bosse, Vestweber, Tedder, and Beaudet.
Bottomly, K. *See* Pfeiffer, Stein, Southwood, Ketelaar, Sette, and Bottomly.
Boucher, L.-M., Wiegmann, K., Fütterer, A., Pfeffer, K., Machleidt, T., Schütze, S., Mak, T.W., and Krönke, M. CD28 signals through acidic sphingomyelinase. 2059.
Boumpas, D.T. *See* Hama, Paliogianni, Fessler, and Boumpas.
Bourne, N. *See* Krause, Stanberry, Bourne, Connelly, Kurawadwala, Patel, and Straus.
Bowen, M.A., Patel, D.D., Li, X., Modrell, B., Malacko, A.R., Wang, W.C., Marquardt, H., Neubauer, M., Pesando, J.M., Francke, U., Haynes, B.F., and A. Aruffo. Cloning, mapping, and characterization of activated leukocyte–cell adhesion molecule (ALCAM), a CD6 ligand. 2213.
— *See* Patel, Wee, Whichard, Bowen, Pesando, Aruffo, and Haynes.
Bowers, F.S. *See* Leno, Simpson, Bowers, and Kindt.
Bozza, M. *See* Lu, Gerard, Kolakowski, Bozza, Zurakowski, Finco, Carroll, and Gerard.
Brach, M.A. *See* Kiehntopf, Herrmann, and Brach.
Braddy, S. *See* Alderson, Tough, Davis-Smith, Braddy, Falk, Schooley, Goodwin, Smith, Ramsdell, and Lynch.
Brahic, M. *See* Fiette, Aubert, Müller, Huang, Aguet, Brahic, and Bureau.
Brocker, T., and Karjalainen, K. Signals through T cell receptor–ζ chain alone are insufficient to prime resting T lymphocytes. 1653.
Brouet, J.-C. *See* Llorente, Zou, Levy, Richaud-Patin, Wijdenes, Alcocer-Varela, Morel-Fourrier, Brouet, Alarcon-Segovia, Galanaud, and Emilie.
Brown, M. *See* Rehermann, Fowler, Sidney, Person, Redeker, Brown, Moss, Sette, and Chisari.
Buckler, A.J. *See* Lee, Arsura, Wu, Duyao, Buckler, and Sonenshein.
Bukrinsky, M.I., Nottet, H.S.L.M., Schmidtmayerova, H., Dubrovsky, L., Flanagan, C.R., Mullins, M.E., Lipton, S.A., and Gendelman, H.E. Regulation of nitric oxide synthase activity in human immunodeficiency virus type 1 (HIV-1)–infected monocytes: implications for HIV-associated neurological disease. 735.
Bullard, D.C. *See* Ley, Bullard, Arbonés, Bosse, Vestweber, Tedder, and Beaudet.
Burakoff, S.J. *See* Irie, Ravichandran, and Burakoff.
— *See* Venkataraman, Burakoff, and Sen.

Burd, P.R., Thompson, W.C., Max, E.E., and Mills, F.C. Activated mast cells produce interleukin 13. 1373.
Burdach, S.E.G. *See* von Freeden-Jeffry, Vieira, Lucian, McNeil, Burdach, and Murray.
Bureau, J.-F. *See* Fiette, Aubert, Müller, Huang, Aguet, Brahic, and Bureau.
Burgess, W.H. *See* Isakov, Wange, Burgess, Watts, Aebersold, and Samelson.
Bursten, S. *See* Abraham, Bursten, Shenkar, Allbee, Tuder, Woodson, Guidot, Rice, Singer, and Repine.
Bussolino, F. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.
Butcher, E.C. *See* Salmi, Andrew, Butcher, and Jalkanen.

C

Cahalon, L. *See* Gilat, Hershkoviz, Goldkorn, Cahalon, Korner, Vlodavsky, and Lider.
Calcutt, N.A. *See* Gu, Wogensen, Calcutt, Xia, Zhu, Merlie, Fox, Lindstrom, Powell, and Sarvetnick.
Calzavara, P. *See* Manca, Piacentini, Gelmi, Calzavara, Manganoni, Glukhov, Gargiulo, De Francesco, Pirali, De Panfilis, and Turano.
Cambier, J.C. *See* Pani, Kozlowski, Cambier, Mills, and Siminovitch.
Camp, R.L. *See* Puré, Camp, Peritt, Panettieri, Lazaar, and Nayak.
Campana, D. *See* Kumagai, Coustan-Smith, Murray, Silvennoinen, Murti, Evans, Malavasi, and Campana.
Campbell, D.G. *See* Simitsek, Campbell, Lanzavecchia, Fairweather, and Watts.
Cao, L. *See* Loike, El Khoury, Cao, Richards, Rascoff, Mandeville, Maxfield, and Silverstein.
Caporossi, A.P. *See* Salemi, Caporossi, Boffa, Longobardi, and Barnaba.
Car, B.D. *See* Eng, Car, Schnyder, Lorenz, Lugli, Aguet, Anderson, Ryffel, and Quesniaux.
Carbone, F.R. *See* Lundberg, Heath, Köntgen, Carbone, and Shortman.
Carpenter, C.B. *See* Sayegh, Akalin, Hancock, Russell, Carpenter, Linsley, and Turka.
Carreras, I. *See* Gonnerman, Elliott-Bryant, Carreras, Sipe, and Cathcart.
Carroll, J.P. *See* Lukacher, Ma, Carroll, Abromson-Leeman, Laning, Dorf, and Benjamin.
Carroll, M.C. *See* Lu, Gerard, Kolakowski, Bozza, Zurakowski, Finco, Carroll, and Gerard.
Carsetti, R., Köhler, G., and Lamers, M.C. Transitional B cells are the target of negative selection in the B cell compartment. 2129.
Carson, D.A. *See* Tighe, Heaphy, Baird, Weigle, and Carson.
Carvalho, E.M. *See* Skeiky, Guderian, Benson, Bacelar, Carvalho, Kubin, Badaro, Trinchieri, and Reed.
Casadevall, A. *See* Mukherjee, Nussbaum, Scharff, and Casadevall.
Casamayor-Palleja, M., Khan, M., and MacLennan, I.C.M. A subset of $CD4^+$ memory T cells contains preformed CD40 ligand that is rapidly but transiently expressed on their surface after activation through the T cell receptor complex. 1293.
Casciola-Rosen, L. *See* Rosen, Casciola-Rosen, and Ahearn.
Cassone, A. *See* Paganelli, Scala, Ansotegui, Ausiello, Halapi, Fanales-Belasio, D'Offizi, Mezzaroma, Pandolfi, Fiorilli, Cassone, and Aiuti.
Castaño, A.R. *See* Holcombe, Castaño, Cheroutre, Teitell, Maher, Peterson, and Kronenberg.
Castedo, M. *See* Zamzami, Marchetti, Castedo, Zanin, Vayssière, Petit, and Kroemer.
Castelli, C., Storkus, W.J., Maeurer, M.J., Martin, D.M., Huang, E.C., Pramanik, B.N., Nagabhushan, T.L., Parmiani, G., and Lotze, M.T. Mass spectrometric identification of a naturally processed melanoma peptide recognized by $CD8^+$ cytotoxic T lymphocytes. 363.
Cathcart, E.S. *See* Gonnerman, Elliott-Bryant, Carreras, Sipe, and Cathcart.
Caton, A.J. *See* Roark, Kuntz, Nguyen, Caton, and Erikson.
Cella, M. *See* Padovan, Giachino, Cella, Valitutti, Acuto, and Lanzavecchia.
Cerny, J. *See* Miller, Stedra, Kelsoe, and Cerny.
Cerundolo, V. *See* Elliott, Willis, Cerundolo, and Townsend.
Chang, C.-H., and Flavell, R.A. Class II transactivator regulates the expression of multiple genes involved in antigen presentation. 765.
Chang, K.-S. *See* Liu, Mu, and Chang.
Chang, W. *See* Racila, Scheuermann, Picker, Yefenof, Tucker, Chang, Marches, Street, Vitetta, and Uhr.
Chen, A. *See* Sengupta, Chen, Zhong, Darnell, and Ivashkiv.
Chen, G., Shi, L., Litchfield, D.W., and Greenberg, A.H. Rescue from granzyme B–induced apoptosis by *Wee1* kinase. 2295.
Chen, M. *See* Fikrig, Telford, Wallich, Chen, Lobet, Matuschka, Kimsey, Kantor, Barthold, Spielman, and Flavell.
Cheroutre, H. *See* Holcombe, Castaño, Cheroutre, Teitell, Maher, Peterson, and Kronenberg.
Chervonsky, A. *See* Stebbins, Loss, Elias, Chervonsky, and Sant.
Chien, S. *See* Gross, Appleby, Chien, Nada, Bartelmez, Okada, Aizawa, and Perlmutter.
Chiorazzi, N. *See* Hashimoto, Dono, Wakai, Allen, Lichtman, Schulman, Vinciguerra, Ferrarini, Silver, and Chiorazzi.
Chisari, F.V. *See* Rehermann, Fowler, Sidney, Person, Redeker, Brown, Moss, Sette, and Chisari.
Choi, Y. *See* Park, Jung, Choi, and Winslow.
Chu, J.L., Ramos, P., Rosendorff, A., Nikolić-Žugić, J., Lacy, E., Matsuzawa, A., and Elkon, K.B. Massive upregulation of the Fas ligand in *lpr* and *gld* mice: implications for Fas regulation and the graft-versus-host disease–like wasting syndrome. 393.
Chu, N.R. *See* DeBenedette, Chu, Pollok, Hurtado, Wade, Kwon, and Watts.
Chuenkova, M., and Pereira, M.E.A. *Trypanosoma cruzi trans*-sialidase: enhancement of virulence in a murine model of Chagas' disease. 1693.
Clark-Lewis, I. *See* Gong and Clark-Lewis.
Clemens, D.L., and Horwitz, M.A. Characterization of the *Mycobacterium tuberculosis* phagosome and evidence that phagosomal maturation is inhibited. 257.
Cohen, P.L. *See* Ajmani, Satoh, Reap, Cohen, and Reeves.
— *See* Maldonado, Eisenberg, Roper, Cohen, and Kotzin.
Colotta, F., Orlando, S., Fadlon, E.J., Sozzani, S., Matteucci, C., and Mantovani, A. Chemoattractants induce rapid release of the interleukin 1 type II decoy receptor in human polymorphonuclear cells. 2181.
Conklyn, M.J. *See* Peiper, Wang, Neote, Martin, Showell, Conklyn, Ogborne, Hadley, Lu, Hesselgesser, and Horuk.
Connelly, B. *See* Krause, Stanberry, Bourne, Connelly, Kurawadwala, Patel, and Straus.
Cook, R.G. *See* Wolf and Cook.
Copeland, E.M., III. *See* Rogy, Auffenberg, Espat, Philip, Remick, Wollenberg, Copeland, and Moldawer.
Coppel, R.L. *See* Van de Water, Ansari, Prindiville, Coppel, Ricalton, Kotzin, Liu, Roche, Krams, Munoz, and Gershwin.
Corbett, J.A., and McDaniel, M.L. Intraislet release of interleukin 1 inhibits β cell function by inducing β cell expression of inducible nitric oxide synthase. 559.
Costamagna, C. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.
Coustan-Smith, E. *See* Kumagai, Coustan-Smith, Murray, Silvennoinen, Murti, Evans, Malavasi, and Campana.
Coyle, A.J., Erard, F., Bertrand, C., Walti, S., Pircher, H., and Le Gros, G. Virus-specific $CD8^+$ cells can switch to interleukin 5 production and induce airway eosinophilia. 1229.
Cresswell, P. *See* Amigorena, Webster, Drake, Newcomb, Cresswell, and Mellman.
Crowe, P.D., Walter, B.N., Mohler, K.M., Otten-Evans, C., Black, R.A., and Ware, C.F. A metalloprotease inhibitor blocks shedding of the 80-kD TNF receptor and TNF processing in T lymphocytes. 1205.
Crowley, R.W. *See* Lusso, Garzino-Demo, Crowley, and Malnati.
Curry, A.J., Else, K.J., Jones, F., Bancroft, A., Grencis, R.K., and Dunne, D.W. Evidence that cytokine-mediated immune interactions induced by *Schistosoma mansoni* alter disease outcome in mice concurrently infected with *Trichuris muris*. 769.
Cutrona, G., Ulivi, M., Fais, F., Roncella, S., and Ferrarini, M. Transfection of the *c-myc* oncogene into normal Epstein-Barr virus–harboring B cells results in new phenotypic and functional features resembling those of Burkitt lymphoma cells and normal centroblasts. 699.

D

Daffern, P.J., Pfeifer, P.H., Ember, J.A., and Hugli, T.E. C3a is a chemotaxin for human eosinophils but not for neutrophils. I. C3a stimulation of neutrophils is secondary to eosinophil activation. 2119.

D'Andrea, A., Ma, X., Aste-Amezaga, M., Paganin, C., and Trinchieri, G. Stimulatory and inhibitory effects of interleukin (IL)-4 and IL-13 on the production of cytokines by human peripheral blood mononuclear cells: priming for IL-12 and tumor necrosis factor α production. 537.

Danska, J.S. *See* Guidos, Williams, Wu, Paige, and Danska.

Darnell, J.E., Jr. *See* Jacobson, Szabo, Weber-Nordt, Zhong, Schreiber, Darnell, and Murphy.

— *See* Sengupta, Chen, Zhong, Darnell, and Ivashkiv.

David, P.H. *See* Snewin, Premawansa, Kapilananda, Ratnayaka, Udagama, Mattei, Khouri, Del Giudice, Peiris, Mendis, and David.

Davis-Smith, T. *See* Alderson, Tough, Davis-Smith, Braddy, Falk, Schooley, Goodwin, Smith, Ramsdell, and Lynch.

Davodeau, F., Peyrat, M.-A., Romagné, F., Necker, A., Hallet, M.-M., Vié, H., and Bonneville, M. Dual T cell receptor β chain expression on human T lymphocytes. 1391.

Day, E.S. *See* Osborn, Day, Miller, Karpusas, Tizard, Meuer, and Hochman.

DeBenedette, M.A., Chu, N.R., Pollok, K.E., Hurtado, J., Wade, W.F., Kwon, B.S., and Watts, T.H. Role of 4-1BB ligand in costimulation of T lymphocyte growth and its upregulation on M12 B lymphomas by cAMP. 985.

De Francesco, M. *See* Manca, Piacentini, Gelmi, Calzavara, Manganoni, Glukhov, Gargiulo, De Francesco, Pirali, De Panfilis, and Turano.

de Groot, C. *See* Lindhout, Lakeman, and de Groot.

Dehner, L.P. *See* Sheehan, Pinckard, Arthur, Dehner, Goeddel, and Schreiber.

Dejbakhsh-Jones, S., Okazaki, H., and Stober, S. Similar rates of production of T and B lymphocytes in the bone marrow. 2201.

DeKruyff, R.H. *See* Secrist, DeKruyff, and Umetsu.

Delegeane, A. *See* Baum, Pang, Perillo, Wu, Delegeane, Uittenbogaart, Fukuda, and Seilhamer.

Del Giudice, G. *See* Snewin, Premawansa, Kapilananda, Ratnayaka, Udagama, Mattei, Khouri, Del Giudice, Peiris, Mendis, and David.

— *See* Swihart, Fruth, Messmer, Hug, Behin, Huang, Del Giudice, Aguet, and Louis.

Delphin, S., and Stavnezer, J. Characterization of an interleukin 4 (IL-4) responsive region in the immunoglobulin heavy chain germline ϵ promoter: regulation by NF–IL-4, a C/EBP family member and NF-$\varkappa$B/p50. 181.

De Panfilis, G. *See* Manca, Piacentini, Gelmi, Calzavara, Manganoni, Glukhov, Gargiulo, De Francesco, Pirali, De Panfilis, and Turano.

Depraetere, V. *See* Vignaux, Vivier, Malissen, Depraetere, Nagata, and Golstein.

Dessing, M. *See* Valitutti, Dessing, Aktories, Gallati, and Lanzavecchia.

Diamond, B. *See* Liao, Sindhwani, Rojkind, Factor, Leinwand, and Diamond.

Dillard, J.P., Vandersea, M.W., and Yother, J. Characterization of the cassette containing genes for type 3 capsular polysaccharide biosynthesis in *Streptococcus pneumoniae*. 973.

Ding, H. *See* Luscinskas, Ding, and Lichtman.

Dong, Q.G. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.

Dong, Z. *See* Xie, Huang, Dong, Juang, Gutman, Xie, Nathan, and Fidler.

Dono, M. *See* Hashimoto, Dono, Wakai, Allen, Lichtman, Schulman, Vinciguerra, Ferrarini, Silver, and Chiorazzi.

Dorf, M.E. *See* Lukacher, Ma, Carroll, Abromson-Leeman, Laning, Dorf, and Benjamin.

Dornmair, K. *See* Bender, Ernst, Iglesias, Dornmair, Wekerle, and Hohlfeld.

Douek, D.C. *See* Altmann, Douek, Frater, Hetherington, Inoko, and Elliot.

D'Offizi, G. *See* Paganelli, Scala, Ansotegui, Ausiello, Halapi, Fanales-Belasio, D'Offizi, Mezzaroma, Pandolfi, Fiorilli, Cassone, and Aiuti.

Drake, J. *See* Amigorena, Webster, Drake, Newcomb, Cresswell, and Mellman.

Drazen, J.M. *See* Rothenberg, Luster, Lilly, Drazen, and Leder.

Drzimalla, K. *See* Babi, Picker, Soler, Drzimalla, Flohr, Blaser, and Hauser.

Dubrovsky, L. *See* Bukrinsky, Nottet, Schmidtmayerova, Dubrovsky, Flanagan, Mullins, Lipton, and Gendelman.

Dukhanina, O.I. *See* Finkelman, Holmes, Dukhanina, and Morris.

Dunne, D.W. *See* Curry, Else, Jones, Bancroft, Grencis, and Dunne.

Duplay, P. *See* Thome, Duplay, Guttinger, and Acuto.

Duyao, M. *See* Lee, Arsura, Wu, Duyao, Buckler, and Sonenshein.

Dyall, R., and Nikolić-Žugić, J. The majority of postselection $CD4^+$ single-positive thymocytes requires the thymus to produce long-lived, functional T cells. 235.

E

Ebling, F.M. *See* Singh, Kumar, Ebling, Southwood, Sette, Sercarz, and Hahn.

Ebnet, K., Levelt, C.N., Tran, T.T., Eichmann, K., and Simon, M.M. Transcription of granzyme A and B genes is differentially regulated during lymphoid ontogeny. 755.

Eeftinck-Schattenkerk, J.-K.M. *See* Klein, van Baalen, Holwerda, Kerkhof Garde, Bende, Keet, Eeftinck-Schattenkerk, Osterhaus, Schuitemaker, and Miedema.

Eggenbauer, H. *See* Hauber, Gulle, Wolf, Maris, Eggenbauer, and Eibl.

Eibl, M.M. *See* Hauber, Gulle, Wolf, Maris, Eggenbauer, and Eibl.

Eichmann, K. *See* Ebnet, Levelt, Tran, Eichmann, and Simon.

Eisenberg, R.A. *See* Maldonado, Eisenberg, Roper, Cohen, and Kotzin.

Elbe, A. *See* Foedinger, Anhalt, Boecskoer, Elbe, Wolff, and Rappersberger.

Elias, C.G. *See* Stebbins, Loss, Elias, Chervonsky, and Sant.

El Khoury, J. *See* Loike, El Khoury, Cao, Richards, Rascoff, Mandeville, Maxfield, and Silverstein.

Elkon, K.B. *See* Chu, Ramos, Rosendorff, Nikolić-Žugić, Lacy, Matsuzawa, and Elkon.

Elliot, J.I. *See* Altmann, Douek, Frater, Hetherington, Inoko, and Elliot.

Elliott, T., Willis, A., Cerundolo, V., and Townsend, A. Processing of major histocompatibility class I–restricted antigens in the endoplasmic reticulum. 1481.

Elliott-Bryant, R. *See* Gonnerman, Elliott-Bryant, Carreras, Sipe, and Cathcart.

Else, K.J. *See* Curry, Else, Jones, Bancroft, Grencis, and Dunne.

Ember, J.A. *See* Daffern, Pfeifer, Ember, and Hugli.

Emilie, D. *See* Llorente, Zou, Levy, Richaud-Patin, Wijdenes, Alcocer-Varela, Morel-Fourrier, Brouet, Alarcon-Segovia, Galanaud, and Emilie.

Eng, V.M., Car, B.D., Schnyder, B., Lorenz, M., Lugli, S., Aguet, M., Anderson, T.D., Ryffel, B., and Quesniaux, V.F.J. The stimulatory effects of interleukin (IL)-12 on hematopoiesis are antagonized by IL-12–induced interferon γ in vivo. 1893.

Engel, P., Wagner, N., Miller, A.S., and Tedder, T.F. Identification of the ligand-binding domains of CD22, a member of the immunoglobulin superfamily that uniquely binds a sialic acid–dependent ligand. 1581.

Enney, K. *See* Hurley, Shimonkevitz, Hanagan, Enney, Boen, Malmstrom, Kotzin, and Matsumura.

Erard, F. *See* Coyle, Erard, Bertrand, Walti, Pircher, and Le Gros.

Erikson, J. *See* Roark, Kuntz, Nguyen, Caton, and Erikson.

Ernst, N. *See* Bender, Ernst, Iglesias, Dornmair, Wekerle, and Hohlfeld.

Espat, N.J. *See* Rogy, Auffenberg, Espat, Philip, Remick, Wollenberg, Copeland, and Moldawer.

Evans, W.E. *See* Kumagai, Coustan-Smith, Murray, Silvennoinen, Murti, Evans, Malavasi, and Campana.

Evavold, B.D. *See* Hsu, Evavold, and Allen.

Exner, M. *See* Kain, Matsui, Exner, Binder, Schaffner, Sommer, and Kerjaschki.

F

Factor, S. *See* Liao, Sindhwani, Rojkind, Factor, Leinwand, and Diamond.

Fadlon, E.J. *See* Colotta, Orlando, Fadlon, Sozzani, Matteucci, and Mantovani.

Fairweather, N. *See* Simitsek, Campbell, Lanzavecchia, Fairweather, and Watts.
Fais, F. *See* Cutrona, Ulivi, Fais, Roncella, and Ferrarini.
Falk, B. *See* Alderson, Tough, Davis-Smith, Braddy, Falk, Schooley, Goodwin, Smith, Ramsdell, and Lynch.
Fanales-Belasio, E. *See* Paganelli, Scala, Ansotegui, Ausiello, Halapi, Fanales-Belasio, D'Offizi, Mezzaroma, Pandolfi, Fiorilli, Cassone, and Aiuti.
Fandeur, T., Le Scanf, C., Bonnemains, B., Slomianny, C., and Mercereau-Puijalon, O. Immune pressure selects for *Plasmodium falciparum* parasites presenting distinct red blood cell surface antigens and inducing strain-specific protection in *Saimiri sciureus* monkeys. 283.
Fearns, C., Kravchenko, V.V., Ulevitch, R.J., and Loskutoff, D.J. Murine CD14 gene expression in vivo: extramyeloid synthesis and regulation by lipopolysaccharide. 857.
Felix, A.M. *See* Panina-Bordignon, Lang, van Endert, Benazzi, Felix, Pastore, Spinas, and Sinigaglia.
Ferguson, T.B., Jr. *See* Worrall, Lazenby, Misko, Lin, Rodi, Manning, Tilton, Williamson, and Ferguson.
Ferguson-Darnell, B. *See* Leung, Gately, Trumble, Ferguson-Darnell, Schlievert, and Picker.
Fernández, E. *See* Márquez, Trigueros, Fernández, and Toribio.
Ferrarini, M. *See* Cutrona, Ulivi, Fais, Roncella, and Ferrarini.
— *See* Hashimoto, Dono, Wakai, Allen, Lichtman, Schulman, Vinciguerra, Ferrarini, Silver, and Chiorazzi.
Fessler, B.J. *See* Hama, Paliogianni, Fessler, and Boumpas.
Fichtel, A. *See* Piali, Fichtel, Terpe, Imhof, and Gisler.
Fidler, I.J. *See* Xie, Huang, Dong, Juang, Gutman, Xie, Nathan, and Fidler.
Fiette, L., Aubert, C., Müller, U., Huang, S., Aguet, M., Brahic, M., and Bureau, J.-F. Theiler's virus infection of 129Sv mice that lack the interferon α/β or interferon γ receptors. 2069.
Fikrig, E., Telford, S.R., III, Wallich, R., Chen, M., Lobet, Y., Matuschka, F.R., Kimsey, R.B., Kantor, F.S., Barthold, S.W., Spielman, A., and Flavell, R.A. Vaccination against Lyme disease caused by diverse *Borrelia burgdorferi*. 215.
Finco, O. *See* Lu, Gerard, Kolakowski, Bozza, Zurakowski, Finco, Carroll, and Gerard.
Finkelman, F.D., Holmes, J.M., Dukhanina, O.I., and Morris, S.C. Cross-linking of membrane immunoglobulin D, in the absence of T cell help, kills mature B cells in vivo. 515.
Fiorilli, M. *See* Paganelli, Scala, Ansotegui, Ausiello, Halapi, Fanales-Belasio, D'Offizi, Mezzaroma, Pandolfi, Fiorilli, Cassone, and Aiuti.
Fisk, B., Blevins, T.L., Wharton, J.T., and Ioannides, C.G. Identification of an immunodominant peptide of HER-2/neu protooncogene recognized by ovarian tumor–specific cytotoxic T lymphocyte lines. 2109.
Flanagan, C.R. *See* Bukrinsky, Nottet, Schmidtmayerova, Dubrovsky, Flanagan, Mullins, Lipton, and Gendelman.
Flavell, R.A. *See* Chang and Flavell.
— *See* Fikrig, Telford, Wallich, Chen, Lobet, Matuschka, Kimsey, Kantor, Barthold, Spielman, and Flavell.
Flesch, I.E.A., Hess, J.H., Huang, S., Aguet, M., Rothe, J., Bluethmann, H., and Kaufmann, S.H.E. Early interleukin 12 production by macrophages in response to mycobacterial infection depends on interferon γ and tumor necrosis factor α. 1615.
Flohr, P. *See* Babi, Picker, Soler, Drzimalla, Flohr, Blaser, and Hauser.
Foedinger, D., Anhalt, G.J., Boecskoer, B., Elbe, A., Wolff, K., and Rappersberger, K. Autoantibodies to desmoplakin I and II in patients with erythema multiforme. 169.
Forsythe, P. *See* Pazdrak, Schreiber, Forsythe, Justement, and Alam.
Fowler, P. *See* Rehermann, Fowler, Sidney, Person, Redeker, Brown, Moss, Sette, and Chisari.
Fox, H.S. *See* Gu, Wogensen, Calcutt, Xia, Zhu, Merlie, Fox, Lindstrom, Powell, and Sarvetnick.
Francke, U. *See* Bowen, Patel, Li, Modrell, Malacko, Wang, Marquardt, Neubauer, Pesando, Francke, Haynes, and Aruffo.
Frater, A.J. *See* Altmann, Douek, Frater, Hetherington, Inoko, and Elliot.
Freitas, A.A. *See* Rocha, Grandien, and Freitas.
Freudenberg, M.A. *See* Yaegashi, Nielsen, Sing, Galanos, and Freudenberg.
Friedman, S.M. *See* Lehner, Wang, Moss, Williams, Platt, Friedman, Bell, and Borysiewicz.
Fruth, U. *See* Swihart, Fruth, Messmer, Hug, Behin, Huang, Del Giudice, Aguet, and Louis.
Fu, X.-T., Bono, C.P., Woulfe, S.L., Swearingen, C., Summers, N.L., Sinigaglia, F., Sette, A., Schwartz, B.D., and Karr, R.W. Pocket 4 of the HLA-DR(α,β1*0401) molecules is a major determinant of T cell recognition of peptide. 915.
Fuks, Z. *See* Kolesnick and Fuks.
Fukuda, M. *See* Baum, Pang, Perillo, Wu, Delegeane, Uittenbogaart, Fukuda, and Seilhamer.
Fütterer, A. *See* Boucher, Wiegmann, Fütterer, Pfeffer, Machleidt, Schütze, Mak, and Krönke.

G

Galanaud, P. *See* Llorente, Zou, Levy, Richaud-Patin, Wijdenes, Alcocer-Varela, Morel-Fourrier, Brouet, Alarcon-Segovia, Galanaud, and Emilie.
Galanos, C. *See* Yaegashi, Nielsen, Sing, Galanos, and Freudenberg.
Gallati, H. *See* Valitutti, Dessing, Aktories, Gallati, and Lanzavecchia.
Gallazzi, F. *See* Hammer, Gallazzi, Bono, Karr, Guenot, Valsasnini, Nagy, and Sinigaglia.
Garbarino, G. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.
Gargiulo, F. *See* Manca, Piacentini, Gelmi, Calzavara, Manganoni, Glukhov, Gargiulo, De Francesco, Pirali, De Panfilis, and Turano.
Garzino-Demo, A. *See* Lusso, Garzino-Demo, Crowley, and Malnati.
Gately, M. *See* Leung, Gately, Trumble, Ferguson-Darnell, Schlievert, and Picker.
Gately, M.K. *See* Trembleau, Penna, Bosi, Mortara, Gately, and Adorini.
Geha, R.S. *See* Horner, Jabara, Ramesh, and Geha.
Gelfand, E.W. *See* Melamed, Turner, Aktories, Kaplan, and Gelfand.
Gelmi, M. *See* Manca, Piacentini, Gelmi, Calzavara, Manganoni, Glukhov, Gargiulo, De Francesco, Pirali, De Panfilis, and Turano.
Gendelman, H.E. *See* Bukrinsky, Nottet, Schmidtmayerova, Dubrovsky, Flanagan, Mullins, Lipton, and Gendelman.
Geng, J. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.
Gerard, C. *See* Lu, Gerard, Kolakowski, Bozza, Zurakowski, Finco, Carroll, and Gerard.
Gerard, N.P. *See* Lu, Gerard, Kolakowski, Bozza, Zurakowski, Finco, Carroll, and Gerard.
Gershwin, M.E. *See* Van de Water, Ansari, Prindiville, Coppel, Ricalton, Kotzin, Liu, Roche, Krams, Munoz, and Gershwin.
Ghigo, D., Arese, M., Todde, R., Vecchi, A., Silvagno, F., Costamagna, C., Dong, Q.G., Alessio, M., Heller, R., Soldi, R., Trucco, F., Garbarino, G., Pescarmona, G., Mantovani, A., Bussolino, F., and Bosia, A. Middle T antigen-transformed endothelial cells exhibit an increased activity of nitric oxide synthase. 9.
Giachino, C., Padovan, E., and Lanzavecchia, A. $\kappa^+\lambda^+$ dual receptor B cells are present in the human peripheral repertoire. 1245.
— *See* Padovan, Giachino, Cella, Valitutti, Acuto, and Lanzavecchia.
Gilat, D., Hershkoviz, R., Goldkorn, I., Cahalon, L., Korner, G., Vlodavsky, I., and Lider, O. Molecular behavior adapts to context: heparanase functions as an extracellular matrix–degrading enzyme or as a T cell adhesion molecule, depending on the local pH. 1929.
Gisler, R.H. *See* Piali, Fichtel, Terpe, Imhof, and Gisler.
Glimcher, L. *See* Baskar, Glimcher, Nabavi, Jones, and Ostrand-Rosenberg.
Glukhov, A. *See* Manca, Piacentini, Gelmi, Calzavara, Manganoni, Glukhov, Gargiulo, De Francesco, Pirali, De Panfilis, and Turano.
Gnau, V. *See* Malcherek, Gnau, Jung, Rammensee, and Melms.
Goeddel, D.V. *See* Sheehan, Pinckard, Arthur, Dehner, Goeddel, and Schreiber.
Goldkorn, I. *See* Gilat, Hershkoviz, Goldkorn, Cahalon, Korner, Vlodavsky, and Lider.
Goldman, S.J. *See* Leonard, Waldburger, and Goldman.
Golenbock, D.T. *See* Ingalls and Golenbock.
Golstein, P. *See* Nakajima, Golstein, and Henkart.
— *See* Vignaux, Vivier, Malissen, Depraetere, Nagata, and Golstein.
Gong, J.-H., and Clark-Lewis, I. Antagonists of monocyte chemoattractant protein 1 identified by modification of functionally critical NH_2-terminal residues. 631.

Gonnerman, W.A., Elliott-Bryant, R., Carreras, I., Sipe, J.D., and Cathcart, E.S. Linkage of protection against amyloid fibril formation in the mouse to a single, autosomal dominant gene. 2249.

Goodwin, R.G. *See* Alderson, Tough, Davis-Smith, Braddy, Falk, Schooley, Goodwin, Smith, Ramsdell, and Lynch.

Gooya, J.M. *See* Muszynski, Ruscetti, Heidecker, Rapp, Troppmair, Gooya, and Keller.

Gournier, H. *See* Mottez, Langlade-Demoyen, Gournier, Martinon, Maryanski, Kourilsky, and Abastado.

Grabstein, K.H. *See* Bhatia, Tygrett, Grabstein, and Waldschmidt.

Grandien, A. *See* Rocha, Grandien, and Freitas.

Gray, G. *See* Lenschow, Ho, Sattar, Rhee, Gray, Nabavi, Herold, and Bluestone.

Greenberg, A.H. *See* Chen, Shi, Litchfield, and Greenberg.

Grencis, R.K. *See* Curry, Else, Jones, Bancroft, Grencis, and Dunne.

Gross, J.A., Appleby, M.W., Chien, S., Nada, S., Bartelmez, S.H., Okada, M., Aizawa, S., and Perlmutter, R.M. Control of lymphopoiesis by $p50^{csk}$, a regulatory protein tyrosine kinase. 463.

Gross, T. *See* James, Gross, Scofield, and Harley.

Grupp, S.A., Mitchell, R.N., Schreiber, K.L., McKean, D.J., and Abbas, A.K. Molecular mechanisms that control expression of the B lymphocyte antigen receptor complex. 161.

— *See* Mitchell, Barnes, Grupp, Sanchez, Misulovin, Nussenzweig, and Abbas.

Grzegorzewski, K.J., Komschlies, K.L., Jacobsen, S.E.W., Ruscetti, F.W., Keller, J.R., and Wiltrout, R.H. Mobilization of long-term reconstituting hematopoietic stem cells in mice by recombinant human interleukin 7. 369.

Gu, D., Wogensen, L., Calcutt, N.A., Xia, C., Zhu, S., Merlie, J.P., Fox, H.S., Lindstrom, J., Powell, H.C., and Sarvetnick, N. Myasthenia gravis-like syndrome induced by expression of interferon γ in the neuromuscular junction. 547.

Guderian, J.A. *See* Skeiky, Guderian, Benson, Bacelar, Carvalho, Kubin, Badaro, Trinchieri, and Reed.

Guenot, J. *See* Hammer, Gallazzi, Bono, Karr, Guenot, Valsasnini, Nagy, and Sinigaglia.

Guidos, C.J., Williams, C.J., Wu, G.E., Paige, C.J., and Danska, J.S. Development of $CD4^+CD8^+$ thymocytes in RAG-deficient mice through a T cell receptor β chain–independent pathway. 1187.

Guidot, D.M. *See* Abraham, Bursten, Shenkar, Allbee, Tuder, Woodson, Guidot, Rice, Singer, and Repine.

Gulle, H. *See* Hauber, Gulle, Wolf, Maris, Eggenbauer, and Eibl.

Gumperz, J. *See* McCutcheon, Gumperz, Smith, Lutz, and Parham.

Gumperz, J.E., Litwin, V., Phillips, J.H., Lanier, L.L., and Parham, P. The Bw4 public epitope of HLA-B molecules confers reactivity with natural killer cell clones that express NKB1, a putative HLA receptor. 1133.

Guo, Y., Wu, Y., Zhao, M., Kong, X.-P., and Liu, Y. Mutational analysis and an alternatively spliced product of B7 defines its CD28/CTLA4-binding site on immunoglobulin C-like domain. 1345.

Gutman, M. *See* Xie, Huang, Dong, Juang, Gutman, Xie, Nathan, and Fidler.

Guttinger, M. *See* Thome, Duplay, Guttinger, and Acuto.

H

Hadley, T.J. *See* Peiper, Wang, Neote, Martin, Showell, Conklyn, Ogborne, Hadley, Lu, Hesselgesser, and Horuk.

Hahn, B.H. *See* Singh, Kumar, Ebling, Southwood, Sette, Sercarz, and Hahn.

Hahne, M. *See* Renno, Hahne, and MacDonald.

Hailman, E. *See* Wurfel, Hailman, and Wright.

Halapi, E. *See* Paganelli, Scala, Ansotegui, Ausiello, Halapi, Fanales-Belasio, D'Offizi, Mezzaroma, Pandolfi, Fiorilli, Cassone, and Aiuti.

Hall, W.W. Human T cell lymphotropic virus type I and cutaneous T cell leukemia/lymphoma: Correction. 441.

Hallet, M.-M. *See* Davodeau, Peyrat, Romagné, Necker, Hallet, Vié, and Bonneville.

Hama, N., Paliogianni, F., Fessler, B.J., and Boumpas, D.T. Calcium/calmodulin-dependent protein kinase II downregulates both calcineurin and protein kinase C–mediated pathways for cytokine gene transcription in human T cells. 1217.

Hamid, Q. *See* Leung, Martin, Szefler, Sher, Ying, Kay, and Hamid.

Hammer, J., Gallazzi, F., Bono, E., Karr, R.W., Guenot, J., Valsasnini, P., Nagy, Z.A., and Sinigaglia, F. Peptide binding specificity of HLA-DR4 molecules: correlation with rheumatoid arthritis association. 1847.

— *See* Sinigaglia and Hammer.

Hanagan, A. *See* Hurley, Shimonkevitz, Hanagan, Enney, Boen, Malmstrom, Kotzin, and Matsumura.

Hancock, W.W. *See* Sayegh, Akalin, Hancock, Russell, Carpenter, Linsley, and Turka.

Hankins, D.F. *See* Roake, Rao, Morris, Larsen, Hankins, and Austyn.

Hansmann, C. *See* Bohuslav, Hořejší, Hansmann, Stöckl, Weidle, Majdic, Bartke, Knapp, and Stockinger.

Hara, T. *See* Takagi, Hara, Ichihara, Takatsu, and Miyajima.

Hardy, R.R. *See* Kariv, Hardy, and Hayakawa.

Hariprashad, J. *See* Murray and Hariprashad.

Harley, J.B. *See* James, Gross, Scofield, and Harley.

Harris, N. *See* Karupiah and Harris.

Hashimoto, K. *See* Wang, Hashimoto, Kubo, Yokochi, Kubo, Suzuki, Suzuki, Tada, and Nakayama.

Hashimoto, S., Dono, M., Wakai, M., Allen, S.L., Lichtman, S.M., Schulman, P., Vinciguerra, V.P., Ferrarini, M., Silver, J., and Chiorazzi, N. Somatic diversification and selection of immunoglobulin heavy and light chain variable region genes in IgG^+CD5^+ chronic lymphocytic leukemia B cells. 1507.

Hatakeyama, A. *See* Katsuri, Hatakeyama, Spiera, and Bona.

Hauber, I., Gulle, H., Wolf, H.M., Maris, M., Eggenbauer, H., and Eibl, M.M. Molecular characterization of major histocompatibility complex class II gene expression and demonstration of antigen-specific T cell response indicate a new phenotype in class II–deficient patients. 1411.

Haurum, J.S. *See* Hill, Lee, Haurum, Murray, Yao, Rowe, Signoret, Rickinson, and McMichael.

Hauser, C. *See* Babi, Picker, Soler, Drzimalla, Flohr, Blaser, and Hauser.

Hayakawa, K. *See* Kariv, Hardy, and Hayakawa.

Hayashida, K. *See* Shimoda, Nakamura, Ishibashi, Hayashida, and Niho.

Haynes, B.F., and Heinly, C.S. Early human T cell development: analysis of the human thymus at the time of initial entry of hematopoietic stem cells into the fetal thymic microenvironment. 1445.

— *See* Bowen, Patel, Li, Modrell, Malacko, Wang, Marquardt, Neubauer, Pesando, Francke, Haynes, and Aruffo.

— *See* Patel, Wee, Whichard, Bowen, Pesando, Aruffo, and Haynes.

He, S. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.

Heaphy, P. *See* Tighe, Heaphy, Baird, Weigle, and Carson.

Heath, W. *See* Lundberg, Heath, Köntgen, Carbone, and Shortman.

Heidecker, G. *See* Muszynski, Ruscetti, Heidecker, Rapp, Troppmair, Gooya, and Keller.

Heinly, C.S. *See* Haynes and Heinly.

Heller, R. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.

Henkart, P.A. *See* Nakajima, Golstein, and Henkart.

— *See* Nakajima, Park, and Henkart.

Herold, K.C. *See* Lenschow, Ho, Sattar, Rhee, Gray, Nabavi, Herold, and Bluestone.

Herrmann, F. *See* Kiehntopf, Herrmann, and Brach.

Hershkoviz, R. *See* Gilat, Hershkoviz, Goldkorn, Cahalon, Korner, Vlodavsky, and Lider.

Hertig, S. *See* Irmler, Hertig, MacDonald, Sadoul, Becherer, Proudfoot, Solari, and Tschopp.

Herzenberg, L.A. *See* Katsikis, Wunderlich, Smith, Herzenberg, and Herzenberg.

Hess, J.H. *See* Flesch, Hess, Huang, Aguet, Rothe, Bluethmann, and Kaufmann.

Hesselgesser, J. *See* Peiper, Wang, Neote, Martin, Showell, Conklyn, Ogborne, Hadley, Lu, Hesselgesser, and Horuk.

Hetherington, C.M. *See* Altmann, Douek, Frater, Hetherington, Inoko, and Elliot.

Hill, A.B., Lee, S.P., Haurum, J.S., Murray, N., Yao, Q.-Y., Rowe, M., Signoret, N., Rickinson, A.B., and McMichael, A.J. Class I major histocompatibility complex–restricted cytotoxic T lymphocytes specific for Epstein-Barr virus (EBV) nuclear antigens fail to lyse the EBV-transformed B lymphoblastoid cell lines against which they were raised. 2221.

Hirokawa, K. *See* Matsuoka, Asano, Sano, Kishimoto, Yamashita, Yorifuji, Utsuyama, Hirokawa, and Tada.

Ho, J.L., He, S., Hu, A., Geng, J., Basile, F.G., Almeida, M.G.B., Saito, A.Y., Laurence, J., and Johnson, W.D., Jr. Neutrophils from human immunodeficiency virus (HIV)-seronegative donors induce HIV replication from HIV-infected patients' mononuclear cells and cell lines: an in vitro model of HIV transmission facilitated by *Chlamydia trachomatis*. 1493.

Ho, S.C. *See* Lenschow, Ho, Sattar, Rhee, Gray, Nabavi, Herold, and Bluestone.

Hochman, P.S. *See* Osborn, Day, Miller, Karpusas, Tizard, Meuer, and Hochman.

Hohlfeld, R. *See* Bender, Ernst, Iglesias, Dornmair, Wekerle, and Hohlfeld.

Holcombe, H.R., Castaño, A.R., Cheroutre, H., Teitell, M., Maher, J.K., Peterson, P.A., and Kronenberg, M. Nonclassical behavior of the thymus leukemia antigen: peptide transporter–independent expression of a nonclassical class I molecule. 1433.

Holers, V.M. *See* Kim, Kinoshita, Molina, Hourcade, Seya, Wagner, and Holers.

Holmes, J.M. *See* Finkelman, Holmes, Dukhanina, and Morris.

Holwerda, A.M. *See* Klein, van Baalen, Holwerda, Kerkhof Garde, Bende, Keet, Eeftinck-Schattenkerk, Osterhaus, Schuitemaker, and Miedema.

Hořejší, V. *See* Bohuslav, Hořejší, Hansmann, Stöckl, Weidle, Majdic, Bartke, Knapp, and Stockinger.

Horner, A.A., Jabara, H., Ramesh, N., and Geha, R.S. γ/δ T lymphocytes express CD40 ligand and induce isotype switching in B lymphocytes. 1239.

Horuk, R. *See* Peiper, Wang, Neote, Martin, Showell, Conklyn, Ogborne, Hadley, Lu, Hesselgesser, and Horuk.

Horwitz, M.A. *See* Clemens and Horwitz.

Hourcade, D. *See* Kim, Kinoshita, Molina, Hourcade, Seya, Wagner, and Holers.

Hsieh, C.-S., Macatonia, S.E., O'Garra, A., and Murphy, K.M. T cell genetic background determines default T helper phenotype development in vitro. 713.

Hsu, B.L., Evavold, B.D., and Allen, P.M. Modulation of T cell development by an endogenous altered peptide ligand. 805.

Hu, A. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.

Huang, E.C. *See* Castelli, Storkus, Maeurer, Martin, Huang, Pramanik, Nagabhushan, Parmiani, and Lotze.

Huang, S. *See* Fiette, Aubert, Müller, Huang, Aguet, Brahic, and Bureau.

— *See* Flesch, Hess, Huang, Aguet, Rothe, Bluethmann, and Kaufmann.

— *See* Swihart, Fruth, Messmer, Hug, Behin, Huang, Del Giudice, Aguet, and Louis.

— *See* Xie, Huang, Dong, Juang, Gutman, Xie, Nathan, and Fidler.

Hug, K. *See* Swihart, Fruth, Messmer, Hug, Behin, Huang, Del Giudice, Aguet, and Louis.

Hugli, T.E. *See* Daffern, Pfeifer, Ember, and Hugli.

Humbert, M. *See* Ying, Taborda-Barata, Meng, Humbert, and Kay.

Hurley, J.M., Shimonkevitz, R., Hanagan, A., Enney, K., Boen, E., Malmstrom, S., Kotzin, B.L., and Matsumura, M. Identification of class II major histocompatibility complex and T cell receptor binding sites in the superantigen toxic shock syndrome toxin 1. 2229.

Hurtado, J. *See* DeBenedette, Chu, Pollok, Hurtado, Wade, Kwon, and Watts.

Hynes, R.O. *See* Subramaniam, Saffaripour, Watson, Mayadas, Hynes, and Wagner.

I

Ichihara, M. *See* Takagi, Hara, Ichihara, Takatsu, and Miyajima.

Iglesias, A. *See* Bender, Ernst, Iglesias, Dornmair, Wekerle, and Hohlfeld.

Iida, K. *See* Matsumoto, Yamashita, Iida, Tomita, and Seya.

Imhof, B.A. *See* Piali, Fichtel, Terpe, Imhof, and Gisler.

Ingalls, R.R., and Golenbock, D.T. CD11c/CD18, a transmembrane signaling receptor for lipopolysaccharide. 1473.

Inoko, H. *See* Altmann, Douek, Frater, Hetherington, Inoko, and Elliot.

Ioannides, C.G. *See* Fisk, Blevins, Wharton, and Ioannides.

Irie, H.Y., Ravichandran, K.S., and Burakoff, S.J. CD8β chain influences CD8α chain–associated Lck kinase activity. 1267.

Irmler, M., Hertig, S., MacDonald, H.R., Sadoul, R., Becherer, J.D., Proudfoot, A., Solari, R., and Tschopp, J. Granzyme A is an interleukin 1β–converting enzyme. 1917.

Isakov, N., Wange, R.L., Burgess, W.H., Watts, J.D., Aebersold, R., and Samelson, L.E. ZAP-70 binding specificity to T cell receptor tyrosine-based activation motifs: the tandem SH2 domains of ZAP-70 bind distinct tyrosine-based activation motifs with varying affinity. 375.

Iscove, N.N. *See* Trevisan and Iscove.

Ishibashi, H. *See* Shimoda, Nakamura, Ishibashi, Hayashida, and Niho.

Ishikawa, Y. *See* Beck, Satz, Takamiya, Nakayama, Ling, Ishikawa, Nagao, Uchida, Tokunaga, Müller, Juji, and Takiguchi.

Isobe, H., Moran, T., Li, S., Young, A., Nathenson, S., Palese, P., and Bona, C. Presentation by a major histocompatibility complex class I molecule of nucleoprotein peptide expressed in two different genes of an influenza virus transfectant. 203.

Issekutz, A.C., and Issekutz, T.B. Monocyte migration to arthritis in the rat utilizes both CD11/CD18 and very late activation antigen 4 integrin mechanisms. 1197.

Issekutz, T.B. *See* Issekutz and Issekutz.

Ivashkiv, L.B. *See* Sengupta, Chen, Zhong, Darnell, and Ivashkiv.

J

Jabara, H. *See* Horner, Jabara, Ramesh, and Geha.

Jacobsen, K.A. *See* Paramithiotis, Jacobsen, and Ratcliffe.

Jacobsen, S.E.W., Okkenhaug, C., Myklebust, J., Veiby, O.P., and Lyman, S.D. The FLT3 ligand potently and directly stimulates the growth and expansion of primitive murine bone marrow progenitor cells in vitro: synergistic interactions with interleukin (IL) 11, IL-12, and other hematopoietic growth factors. 1357.

— *See* Grzegorzewski, Komschlies, Jacobsen, Ruscetti, Keller, and Wiltrout.

Jacobson, N.G., Szabo, S.J., Weber-Nordt, R.M., Zhong, Z., Schreiber, R.D., Darnell, J.E., Jr., and Murphy, K.M. Interleukin 12 signaling in T helper type 1 (Th1) cells involves tyrosine phosphorylation of signal transducer and activator of transcription (Stat)3 and Stat4. 1755.

Jalkanen, S. *See* Salmi, Andrew, Butcher, and Jalkanen.

James, J.A., Gross, T., Scofield, R.H., and Harley, J.B. Immunoglobulin epitope spreading and autoimmune disease after peptide immunization: Sm B/B'-derived PPPGMRPP and PPPGIRGP induce spliceosome autoimmunity. 453.

Jantzer, P. *See* Steinle, Reinhardt, Jantzer, and Schendel.

Johnson, W.D., Jr. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.

Johnston, J.A. *See* Bacon, McVicar, Ortaldo, Rees, O'Shea, and Johnston.

— *See* Musso, Johnston, Linnekin, Varesio, Rowe, O'Shea, and McVicar.

Jones, F. *See* Curry, Else, Jones, Bancroft, Grencis, and Dunne.

Jones, R.T. *See* Baskar, Glimcher, Nabavi, Jones, and Ostrand-Rosenberg.

Jouvin, M.-H. *See* Paolini, Renard, Vivier, Ochiai, Jouvin, Malissen, and Kinet.

Juang, S.-H. *See* Xie, Huang, Dong, Juang, Gutman, Xie, Nathan, and Fidler.

Juji, T. *See* Beck, Satz, Takamiya, Nakayama, Ling, Ishikawa, Nagao, Uchida, Tokunaga, Müller, Juji, and Takiguchi.

Jung, G. *See* Malcherek, Gnau, Jung, Rammensee, and Melms.

— *See* Udaka, Wiesmüller, Kienle, Jung, and Walden.

Jung, M.-Y. *See* Park, Jung, Choi, and Winslow.

Justement, L. *See* Pazdrak, Schreiber, Forsythe, Justement, and Alam.

K

Kain, R., Matsui, K., Exner, M., Binder, S., Schaffner, G., Sommer, E.M., and Kerjaschki, D. A novel class of autoantigens of anti-neutrophil cytoplasmic antibodies in necrotizing and crescentic glomerulonephritis: the lysosomal membrane glycoprotein h-lamp-2 in neutrophil granulocytes and a related membrane protein in glomerular endothelial cells. 585.

Kane, K.P. *See* Shen and Kane.

Kang, X.-Q. *See* Wang, Robbins, Kawakami, Kang, and Rosenberg.

Kantor, F.S. *See* Fikrig, Telford, Wallich, Chen, Lobet, Matuschka, Kimsey, Kantor, Barthold, Spielman, and Flavell.

Kapilananda, G.M.G. *See* Snewin, Premawansa, Kapilananda, Ratnayaka, Udagama, Mattei, Khouri, Del Giudice, Peiris, Mendis, and David.

Kaplan, D.R. *See* Melamed, Turner, Aktories, Kaplan, and Gelfand.

Kariv, I., Hardy, R.R., and Hayakawa, K. Altered major histocompatibility complex restriction in the NK1.1$^+$Ly-6C^{hi} autoreactive CD4$^+$ T cell subset from class II–deficient mice: Correction. 823.

Karjalainen, K. *See* Brocker and Karjalainen.

Karlhofer, F.M., Orihuela, M.M., and Yokoyama, W.M. Ly-49–independent natural killer (NK) cell specificity revealed by NK cell clones derived from p53-deficient mice. 1785.

Karpusas, M. *See* Osborn, Day, Miller, Karpusas, Tizard, Meuer, and Hochman.

Karr, R.W. *See* Fu, Bono, Woulfe, Swearingen, Summers, Sinigaglia, Sette, Schwartz, and Karr.

— *See* Hammer, Gallazzi, Bono, Karr, Guenot, Valsasnini, Nagy, and Sinigaglia.

Karupiah, G., and Harris, N. Inhibition of viral replication by nitric oxide and its reversal by ferrous sulfate and tricarboxylic acid cycle metabolites. 2171.

Katrak, K. *See* Mahon, Katrak, Nomoto, Macadam, Minor, and Mills.

Katsikis, P.D., Wunderlich, E.S., Smith, C.A., Herzenberg, L.A., and Herzenberg, L.A. Fas antigen stimulation induces marked apoptosis of T lymphocytes in human immunodeficiency virus–infected individuals. 2029.

Katsuri, K.N., Hatakeyama, A., Spiera, H., and Bona, C.A. Antifibrillarin autoantibodies present in systemic sclerosis and other connective tissue diseases interact with similar epitopes. 1027.

Kaufmann, S.H.E. *See* Flesch, Hess, Huang, Aguet, Rothe, Bluethmann, and Kaufmann.

Kawai, K., Kishihara, K., Molina, T.J., Wallace, V.A., Mak, T.W., and Ohashi, P.S. Impaired development of Vγ3 dendritic epidermal T cells in p56^{lck} protein tyrosine kinase–deficient and CD45 protein tyrosine phosphatase–deficient mice. 345.

Kawakami, Y. *See* Wang, Robbins, Kawakami, Kang, and Rosenberg.

Kay, A.B. *See* Leung, Martin, Szefler, Sher, Ying, Kay, and Hamid.

— *See* Ying, Taborda-Barata, Meng, Humbert, and Kay.

Kearse, K.P., Takahama, Y., Punt, J.A., Sharrow, S.O., and Singer, A. Early molecular events induced by T cell receptor (TCR) signaling in immature CD4$^+$CD8$^+$ thymocytes: increased synthesis of TCR-α protein is an early response to TCR signaling that compensates for TCR-α instability, improves TCR assembly, and paralle ls other indicators of positive selection. 193.

Keet, I.P.M. *See* Klein, van Baalen, Holwerda, Kerkhof Garde, Bende, Keet, Eeftinck-Schattenkerk, Osterhaus, Schuitemaker, and Miedema.

Keller, J.R. *See* Grzegorzewski, Komschlies, Jacobsen, Ruscetti, Keller, and Wiltrout.

— *See* Muszynski, Ruscetti, Heidecker, Rapp, Troppmair, Gooya, and Keller.

Kelly, A. *See* Wright, White, Kelly, Beck, Trowsdale, and Ting.

Kelsoe, G. *See* Miller, Stedra, Kelsoe, and Cerny.

Kerjaschki, D. *See* Kain, Matsui, Exner, Binder, Schaffner, Sommer, and Kerjaschki.

Kerkhof Garde, S.R. *See* Klein, van Baalen, Holwerda, Kerkhof Garde, Bende, Keet, Eeftinck-Schattenkerk, Osterhaus, Schuitemaker, and Miedema.

Ketelaar, H. *See* Pfeiffer, Stein, Southwood, Ketelaar, Sette, and Bottomly.

Khan, M. *See* Casamayor-Palleja, Khan, and MacLennan.

Khouri, E. *See* Snewin, Premawansa, Kapilananda, Ratnayaka, Udagama, Mattei, Khouri, Del Giudice, Peiris, Mendis, and David.

Kiehntopf, M., Herrmann, F., and Brach, M.A. Functional NF-IL6/CCAAT enhancer-binding protein is required for tumor necrosis factor α–inducible expression of the granulocyte colony-stimulating factor (CSF), but not the granulocyte/macrophage CSF or interleukin 6 gene in human fibroblasts. 793.

Kienle, S. *See* Udaka, Wiesmüller, Kienle, Jung, and Walden.

Kim, K.-M., and Reth, M. The B cell antigen receptor of class IgD induces a stronger and more prolonged protein tyrosine phosphorylation than that of class IgM. 1005.

Kim, Y.-U., Kinoshita, T., Molina, H., Hourcade, D., Seya, T., Wagner, L.M., and Holers, V.M. Mouse complement regulatory protein Crry/p65 uses the specific mechanisms of both human decay-accelerating factor and membrane cofactor protein. 151.

Kimsey, R.B. *See* Fikrig, Telford, Wallich, Chen, Lobet, Matuschka, Kimsey, Kantor, Barthold, Spielman, and Flavell.

Kindt, T.J. *See* Leno, Simpson, Bowers, and Kindt.

Kinet, J.-P. *See* Paolini, Renard, Vivier, Ochiai, Jouvin, Malissen, and Kinet.

Kinoshita, T. *See* Kim, Kinoshita, Molina, Hourcade, Seya, Wagner, and Holers.

Kishihara, K. *See* Kawai, Kishihara, Molina, Wallace, Mak, and Ohashi.

Kishimoto, H., Surh, C.D., and Sprent, J. Upregulation of surface markers on dying thymocytes. 649.

— *See* Matsuoka, Asano, Sano, Kishimoto, Yamashita, Yorifuji, Utsuyama, Hirokawa, and Tada.

Kisielow, P., and Miazek, A. Positive selection of T cells: rescue from programmed cell death and differentiation require continual engagement of the T cell receptor. 1975.

Klein, M.R., van Baalen, C.A., Holwerda, A.M., Kerkhof Garde, S.R., Bende, R.J., Keet, I.P.M., Eeftinck-Schattenkerk, J.-K.M., Osterhaus, A.D.M.E., Schuitemaker, H., and Miedema, F. Kinetics of Gag-specific cytotoxic T lymphocyte responses during the clinical course of HIV-1 infection: a longitudinal analysis of rapid progressors and long-term asymptomatics. 1365.

Knapp, W. *See* Bohuslav, Hořejší, Hansmann, Stöckl, Weidle, Majdic, Bartke, Knapp, and Stockinger.

Köhler, G. *See* Carsetti, Köhler, and Lamers.

— *See* Vajdy, Kosco-Vilbois, Kopf, Köhler, and Lycke.

Kolakowski, L.F., Jr. *See* Lu, Gerard, Kolakowski, Bozza, Zurakowski, Finco, Carroll, and Gerard.

Kolesnick, R., and Fuks, Z. Ceramide: a signal for apoptosis or mitogenesis? 1949.

Komschlies, K.L. *See* Grzegorzewski, Komschlies, Jacobsen, Ruscetti, Keller, and Wiltrout.

Kong, X.-P. *See* Guo, Wu, Zhao, Kong, and Liu.

Köntgen, F. *See* Lundberg, Heath, Köntgen, Carbone, and Shortman.

Kopf, M. *See* Vajdy, Kosco-Vilbois, Kopf, Köhler, and Lycke.

Korner, G. *See* Gilat, Hershkoviz, Goldkorn, Cahalon, Korner, Vlodavsky, and Lider.

Kosco-Vilbois, M.H. *See* Vajdy, Kosco-Vilbois, Kopf, Köhler, and Lycke.

Kotzin, B.L. *See* Hurley, Shimonkevitz, Hanagan, Enney, Boen, Malmstrom, Kotzin, and Matsumura.

— *See* Maldonado, Eisenberg, Roper, Cohen, and Kotzin.

— *See* Van de Water, Ansari, Prindiville, Coppel, Ricalton, Kotzin, Liu, Roche, Krams, Munoz, and Gershwin.

Kourilsky, P. *See* Mottez, Langlade-Demoyen, Gournier, Martinon, Maryanski, Kourilsky, and Abastado.

Kozlowski, M. *See* Pani, Kozlowski, Cambier, Mills, and Siminovitch.

Kradin, R.L. *See* Xia, Pinto, and Kradin.

Krams, S.M. *See* Van de Water, Ansari, Prindiville, Coppel, Ricalton, Kotzin, Liu, Roche, Krams, Munoz, and Gershwin.

Krausch, D. *See* Randow, Syrbe, Meisel, Krausch, Zuckermann, Platzer, and Volk.

Krause, P.R., Stanberry, L.R., Bourne, N., Connelly, B., Kurawadwala, J.F., Patel, A., and Straus, S.E. Expression of the herpes simplex virus type 2 latency-associated transcript enhances spontaneous reactivation of genital herpes in latently infected guinea pigs. 297.

Kravchenko, V.V. *See* Fearns, Kravchenko, Ulevitch, and Loskutoff.

Kroemer, G. *See* Zamzami, Marchetti, Castedo, Zanin, Vayssière, Petit, and Kroemer.

Kronenberg, M. *See* Holcombe, Castaño, Cheroutre, Teitell, Maher, Peterson, and Kronenberg.

Krönke, M. *See* Boucher, Wiegmann, Fütterer, Pfeffer, Machleidt, Schütze, Mak, and Krönke.
Kubin, M. *See* Skeiky, Guderian, Benson, Bacelar, Carvalho, Kubin, Badaro, Trinchieri, and Reed.
Kubo, M. *See* Wang, Hashimoto, Kubo, Yokochi, Kubo, Suzuki, Suzuki, Tada, and Nakayama.
Kubo, S. *See* Wang, Hashimoto, Kubo, Yokochi, Kubo, Suzuki, Suzuki, Tada, and Nakayama.
Kumagai, M.-a., Coustan-Smith, E., Murray, D.J., Silvennoinen, O., Murti, K.G., Evans, W.E., Malavasi, F., and Campana, D. Ligation of CD38 suppresses human B lymphopoiesis. 1101.
Kumar, N. *See* Moore, Kumar, Shultz, and Rajan.
Kumar, V. *See* Singh, Kumar, Ebling, Southwood, Sette, Sercarz, and Hahn.
Kuntz, C.L. *See* Roark, Kuntz, Nguyen, Caton, and Erikson.
Kurawadwala, J.F. *See* Krause, Stanberry, Bourne, Connelly, Kurawadwala, Patel, and Straus.
Kurtz, B. *See* Roth, Kurtz, Lo, and Storb.
Kwon, B.S. *See* DeBenedette, Chu, Pollok, Hurtado, Wade, Kwon, and Watts.

L

Lacy, E. *See* Chu, Ramos, Rosendorff, Nikolić-Žugić, Lacy, Matsuzawa, and Elkon.
Lakeman, A. *See* Lindhout, Lakeman, and de Groot.
Lamers, M.C. *See* Carsetti, Köhler, and Lamers.
Lang, R. *See* Panina-Bordignon, Lang, van Endert, Benazzi, Felix, Pastore, Spinas, and Sinigaglia.
Langlade-Demoyen, P. *See* Mottez, Langlade-Demoyen, Gournier, Martinon, Maryanski, Kourilsky, and Abastado.
Lanier, L.L. *See* Gumperz, Litwin, Phillips, Lanier, and Parham.
Laning, J.C. *See* Lukacher, Ma, Carroll, Abromson-Leeman, Laning, Dorf, and Benjamin.
Lanzavecchia, A. How can cryptic epitopes trigger autoimmunity? 1945.
— *See* Giachino, Padovan, and Lanzavecchia.
— *See* Padovan, Giachino, Cella, Valitutti, Acuto, and Lanzavecchia.
— *See* Simitsek, Campbell, Lanzavecchia, Fairweather, and Watts.
— *See* Valitutti, Dessing, Aktories, Gallati, and Lanzavecchia.
Larger, E., Bécourt, C., Bach, J.F., and Boitard, C. Pancreatic islet β cells drive T cell–immune responses in the nonobese diabetic mouse model. 1635.
Larsen, C.P. *See* Roake, Rao, Morris, Larsen, Hankins, and Austyn.
Laurence, J. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.
Lazaar, A.L. *See* Puré, Camp, Peritt, Panettieri, Lazaar, and Nayak.
Lazenby, W.D. *See* Worrall, Lazenby, Misko, Lin, Rodi, Manning, Tilton, Williamson, and Ferguson.
Leavesley, D.I. *See* Lévesque, Leavesley, Niutta, Vadas, and Simmons.
Leder, P. *See* Rich and Leder.
— *See* Rothenberg, Luster, Lilly, Drazen, and Leder.
— *See* Skoda, Tsai, Orkin, and Leder.
Lee, H., Arsura, M., Wu, M., Duyao, M., Buckler, A.J., and Sonenshein, G.E. Role of Rel-related factors in control of c-*myc* gene transcription in receptor-mediated apoptosis of the murine B cell WEHI 231 line. 1169.
Lee, S.P. *See* Hill, Lee, Haurum, Murray, Yao, Rowe, Signoret, Rickinson, and McMichael.
Le Gros, G. *See* Coyle, Erard, Bertrand, Walti, Pircher, and Le Gros.
Le Gros, G.G. *See* Seder and Le Gros.
Lehner, P.J., Wang, E.C.Y., Moss, P.A.H., Williams, S., Platt, K., Friedman, S.M., Bell, J.I., and Borysiewicz, L.K. Human HLA-A0201–restricted cytotoxic T lymphocyte recognition of influenza A is dominated by T cells bearing the Vβ17 gene segment. 79.
Leinwand, L. *See* Liao, Sindhwani, Rojkind, Factor, Leinwand, and Diamond.
Leno, M., Simpson, R.M., Bowers, F.S., and Kindt, T.J. Human T lymphocyte virus 1 from a leukemogenic cell line mediates in vivo and in vitro lymphocyte apoptosis. 1575.
Lenschow, D.J., Ho, S.C., Sattar, H., Rhee, L., Gray, G., Nabavi, N., Herold, K.C., and Bluestone, J.A. Differential effects of anti-B7-1 and anti-B7-2 monoclonal antibody treatment on the development of diabetes in the nonobese diabetic mouse. 1145.
Leonard, J.P., Waldburger, K.E., and Goldman, S.J. Prevention of experimental autoimmune encephalomyelitis by antibodies against interleukin 12. 381.
Le Scanf, C. *See* Fandeur, Le Scanf, Bonnemains, Slomianny, and Mercereau-Puijalon.
Leung, D.Y.M., Gately, M., Trumble, A., Ferguson-Darnell, B., Schlievert, P.M., and Picker, L.J. Bacterial superantigens induce T cell expression of the skin-selective homing receptor, the cutaneous lymphocyte-associated antigen, via stimulation of interleukin 12 production. 747.
—, **Martin, R.J., Szefler, S.J., Sher, E.R., Ying, S., Kay, A.B., and Hamid, Q.** Dysregulation of interleukin 4, interleukin 5, and interferon γ gene expression in steroid-resistant asthma. 33.
Levelt, C.N. *See* Ebnet, Levelt, Tran, Eichmann, and Simon.
Lévesque, J.-P., Leavesley, D.I., Niutta, S., Vadas, M., and Simmons, P.J. Cytokines increase human hemopoietic cell adhesiveness by activation of very late antigen (VLA)-4 and VLA-5 integrins. 1805.
Levy, Y. *See* Llorente, Zou, Levy, Richaud-Patin, Wijdenes, Alcocer-Varela, Morel-Fourrier, Brouet, Alarcon-Segovia, Galanaud, and Emilie.
Ley, K., Bullard, D.C., Arbonés, M.L., Bosse, R., Vestweber, D., Tedder, T.F., and Beaudet, A.L. Sequential contribution of L- and P-selectin to leukocyte rolling in vivo. 669.
Li, S. *See* Isobe, Moran, Li, Young, Nathenson, Palese, and Bona.
Li, X. *See* Bowen, Patel, Li, Modrell, Malacko, Wang, Marquardt, Neubauer, Pesando, Francke, Haynes, and Aruffo.
Liao, L., Sindhwani, R., Rojkind, M., Factor, S., Leinwand, L., and Diamond, B. Antibody-mediated autoimmune myocarditis depends on genetically determined target organ sensitivity. 1123.
Lichtman, A.H. *See* Luscinskas, Ding, and Lichtman.
Lichtman, S.M. *See* Hashimoto, Dono, Wakai, Allen, Lichtman, Schulman, Vinciguerra, Ferrarini, Silver, and Chiorazzi.
Lider, O. *See* Gilat, Hershkoviz, Goldkorn, Cahalon, Korner, Vlodavsky, and Lider.
Liew, F.Y. *See* Wilkinson and Liew.
Lilly, C.M. *See* Rothenberg, Luster, Lilly, Drazen, and Leder.
Lin, T.-S. *See* Worrall, Lazenby, Misko, Lin, Rodi, Manning, Tilton, Williamson, and Ferguson.
Lindhout, E., Lakeman, A., and de Groot, C. Follicular dendritic cells inhibit apoptosis in human B lymphocytes by a rapid and irreversible blockade of preexisting endonuclease. 1985.
Lindstrom, J. *See* Gu, Wogensen, Calcutt, Xia, Zhu, Merlie, Fox, Lindstrom, Powell, and Sarvetnick.
Ling, L. *See* Beck, Satz, Takamiya, Nakayama, Ling, Ishikawa, Nagao, Uchida, Tokunaga, Müller, Juji, and Takiguchi.
Linnekin, D. *See* Musso, Johnston, Linnekin, Varesio, Rowe, O'Shea, and McVicar.
Linsley, P.S. *See* Sayegh, Akalin, Hancock, Russell, Carpenter, Linsley, and Turka.
Lipton, S.A. *See* Bukrinsky, Nottet, Schmidtmayerova, Dubrovsky, Flanagan, Mullins, Lipton, and Gendelman.
Litchfield, D.W. *See* Chen, Shi, Litchfield, and Greenberg.
Litwin, V. *See* Gumperz, Litwin, Phillips, Lanier, and Parham.
Liu, J.-H., Mu, Z.-M., and Chang, K.-S. PML suppresses oncogenic transformation of NIH/3T3 cells by activated *neu*. 1965.
Liu, S. *See* Van de Water, Ansari, Prindiville, Coppel, Ricalton, Kotzin, Liu, Roche, Krams, Munoz, and Gershwin.
Liu, Y. *See* Guo, Wu, Zhao, Kong, and Liu.
Ljunggren, H.-G. *See* Machold, Andrée, Van Kaer, Ljunggren, and Ploegh.
Llorente, L., Zou, W., Levy, Y., Richaud-Patin, Y., Wijdenes, J., Alcocer-Varela, J., Morel-Fourrier, B., Brouet, J.-C., Alarcon-Segovia, D., Galanaud, P., and Emilie, D. Role of interleukin 10 in the B lymphocyte hyperactivity and autoantibody production of human systemic lupus erythematosus. 839.
Lo, D. *See* Roth, Kurtz, Lo, and Storb.
Lobet, Y. *See* Fikrig, Telford, Wallich, Chen, Lobet, Matuschka, Kimsey, Kantor, Barthold, Spielman, and Flavell.

Loike, J.D., El Khoury, J., Cao, L., Richards, C.P., Rascoff, H., Mandeville, J.T.H., Maxfield, F.R., and Silverstein, S.C. Fibrin regulates neutrophil migration in response to interleukin 8, leukotriene B4, tumor necrosis factor, and formyl-methionyl-leucyl-phenylalanine. 1763.

Longobardi, M.G. *See* Salemi, Caporossi, Boffa, Longobardi, and Barnaba.

Lorenz, M. *See* Eng, Car, Schnyder, Lorenz, Lugli, Aguet, Anderson, Ryffel, and Quesniaux.

Loskutoff, D.J. *See* Fearns, Kravchenko, Ulevitch, and Loskutoff.

Loss, G.E., Jr. *See* Stebbins, Loss, Elias, Chervonsky, and Sant.

Lotze, M.T. *See* Castelli, Storkus, Maeurer, Martin, Huang, Pramanik, Nagabhushan, Parmiani, and Lotze.

Louis, J.A. *See* Swihart, Fruth, Messmer, Hug, Behin, Huang, Del Giudice, Aguet, and Louis.

Lu, B., Gerard, N.P., Kolakowski, L.F., Jr., Bozza, M., Zurakowski, D., Finco, O., Carroll, M.C., and Gerard, C. Neutral endopeptidase modulation of septic shock. 2271.

Lu, Z.-h. *See* Peiper, Wang, Neote, Martin, Showell, Conklyn, Ogborne, Hadley, Lu, Hesselgesser, and Horuk.

Lucas, B., Vasseur, F., and Penit, C. Stochastic coreceptor shut-off is restricted to the CD4 lineage maturation pathway. 1623.

Lucian, L.A. *See* von Freeden-Jeffry, Vieira, Lucian, McNeil, Burdach, and Murray.

Lugli, S. *See* Eng, Car, Schnyder, Lorenz, Lugli, Aguet, Anderson, Ryffel, and Quesniaux.

Lukacher, A.E., Ma, Y., Carroll, J.P., Abromson-Leeman, S.R., Laning, J.C., Dorf, M.E., and Benjamin, T.L. Susceptibility to tumors induced by polyoma virus is conferred by an endogenous mouse mammary tumor virus superantigen. 1683.

Lundberg, K., Heath, W., Köntgen, F., Carbone, F.R., and Shortman, K. Intermediate steps in positive selection: differentiation of $CD4^+8^{int}$ TCR^{int} thymocytes into $CD4^-8^+TCR^{hi}$ thymocytes. 1643.

Luscinskas, F.W., Ding, H., and Lichtman, A.H. P-selectin and vascular cell adhesion molecule 1 mediate rolling and arrest, respectively, of $CD4^+$ T lymphocytes on tumor necrosis factor α–activated vascular endothelium under flow. 1179.

Lusso, P., Garzino-Demo, A., Crowley, R.W., and Malnati, M.S. Infection of γ/δ T lymphocytes by human herpesvirus 6: transcriptional induction of CD4 and susceptibility to HIV infection. 1303.

Luster, A.D. *See* Rothenberg, Luster, Lilly, Drazen, and Leder.

Lutz, C.T. *See* McCutcheon, Gumperz, Smith, Lutz, and Parham.

Lycke, N. *See* Vajdy, Kosco-Vilbois, Kopf, Köhler, and Lycke.

Lyman, S.D. *See* Jacobsen, Okkenhaug, Myklebust, Veiby, and Lyman.

Lynch, D.H. *See* Alderson, Tough, Davis-Smith, Braddy, Falk, Schooley, Goodwin, Smith, Ramsdell, and Lynch.

M

Ma, X. *See* D'Andrea, Ma, Aste-Amezaga, Paganin, and Trinchieri.

Ma, Y. *See* Lukacher, Ma, Carroll, Abromson-Leeman, Laning, Dorf, and Benjamin.

Macadam, A.J. *See* Mahon, Katrak, Nomoto, Macadam, Minor, and Mills.

Macatonia, S.E. *See* Hsieh, Macatonia, O'Garra, and Murphy.

MacDonald, H.R. *See* Irmler, Hertig, MacDonald, Sadoul, Becherer, Proudfoot, Solari, and Tschopp.

— *See* Renno, Hahne, and MacDonald.

Machleidt, T. *See* Boucher, Wiegmann, Fütterer, Pfeffer, Machleidt, Schütze, Mak, and Krönke.

Machold, R.P., Andrée, S., Van Kaer, L., Ljunggren, H.-G., and Ploegh, H.L. Peptide influences the folding and intracellular transport of free major histocompatibility complex class I heavy chains. 1111.

MacLennan, I.C.M. *See* Casamayor-Palleja, Khan, and MacLennan.

Madaio, M.P. *See* Puccetti, Madaio, Bellese, and Migliorini.

Maeurer, M.J. *See* Castelli, Storkus, Maeurer, Martin, Huang, Pramanik, Nagabhushan, Parmiani, and Lotze.

Maher, J.K. *See* Holcombe, Castaño, Cheroutre, Teitell, Maher, Peterson, and Kronenberg.

Mahon, B.P., Katrak, K., Nomoto, A., Macadam, A.J., Minor, P.D., and Mills, K.H.G. Poliovirus-specific $CD4^+$ Th1 clones with both cytotoxic and helper activity mediate protective humoral immunity against a lethal poliovirus infection in transgenic mice expressing the human poliovirus receptor. 1285.

Majdic, O. *See* Bohuslav, Hořejší, Hansmann, Stöckl, Weidle, Majdic, Bartke, Knapp, and Stockinger.

Mak, T.W. *See* Boucher, Wiegmann, Fütterer, Pfeffer, Machleidt, Schütze, Mak, and Krönke.

— *See* Kawai, Kishihara, Molina, Wallace, Mak, and Ohashi.

Malacko, A.R. *See* Bowen, Patel, Li, Modrell, Malacko, Wang, Marquardt, Neubauer, Pesando, Francke, Haynes, and Aruffo.

Malavasi, F. *See* Kumagai, Coustan-Smith, Murray, Silvennoinen, Murti, Evans, Malavasi, and Campana.

Malcherek, G., Gnau, V., Jung, G., Rammensee, H.-G., and Melms, A. Supermotifs enable natural invariant chain-derived peptides to interact with many major histocompatibility complex–class II molecules. 527.

Maldonado, M.A., Eisenberg, R.A., Roper, E., Cohen, P.L., and Kotzin, B.L. Greatly reduced lymphoproliferation in *lpr* mice lacking major histocompatibility complex class I. 641.

Malissen, B. *See* Paolini, Renard, Vivier, Ochiai, Jouvin, Malissen, and Kinet.

— *See* Vignaux, Vivier, Malissen, Depraetere, Nagata, and Golstein.

Mallory, M. *See* Mucke, Abraham, Ruppe, Rockenstein, Toggas, Mallory, Alford, and Masliah.

Malmstrom, S. *See* Hurley, Shimonkevitz, Hanagan, Enney, Boen, Malmstrom, Kotzin, and Matsumura.

Malnati, M.S. *See* Lusso, Garzino-Demo, Crowley, and Malnati.

Manca, N., Piacentini, E., Gelmi, M., Calzavara, P., Manganoni, M.A., Glukhov, A., Gargiulo, F., De Francesco, M., Pirali, F., De Panfilis, G. and Turano, A. Persistence of human T cell lymphotropic virus 1 sequences in peripheral blood mononuclear cells from patients with mycosis fungiodes: Correction. 441.

Mandeville, J.T.H. *See* Loike, El Khoury, Cao, Richards, Rascoff, Mandeville, Maxfield, and Silverstein.

Manganoni, M.A. *See* Manca, Piacentini, Gelmi, Calzavara, Manganoni, Glukhov, Gargiulo, De Francesco, Pirali, De Panfilis, and Turano.

Manning, P.T. *See* Worrall, Lazenby, Misko, Lin, Rodi, Manning, Tilton, Williamson, and Ferguson.

Manser, T. *See* Vora and Manser.

Mantovani, A. *See* Colotta, Orlando, Fadlon, Sozzani, Matteucci, and Mantovani.

— *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.

Marches, R. *See* Racila, Scheuermann, Picker, Yefenof, Tucker, Chang, Marches, Street, Vitetta, and Uhr.

Marchetti, P. *See* Zamzami, Marchetti, Castedo, Zanin, Vayssière, Petit, and Kroemer.

Marguerie, G. *See* Roux, Roullot, Schweitzer, Berthier, and Marguerie.

Maris, M. *See* Hauber, Gulle, Wolf, Maris, Eggenbauer, and Eibl.

Marquardt, H. *See* Bowen, Patel, Li, Modrell, Malacko, Wang, Marquardt, Neubauer, Pesando, Francke, Haynes, and Aruffo.

Márquez, C., Trigueros, C., Fernández, E., and Toribio, M.L. The development of T and non-T cell lineages from $CD34^+$ human thymic precursors can be traced by the differential expression of CD44. 475.

Martin, A.W. *See* Peiper, Wang, Neote, Martin, Showell, Conklyn, Ogborne, Hadley, Lu, Hesselgesser, and Horuk.

Martin, D.M. *See* Castelli, Storkus, Maeurer, Martin, Huang, Pramanik, Nagabhushan, Parmiani, and Lotze.

Martin, R.J. *See* Leung, Martin, Szefler, Sher, Ying, Kay, and Hamid.

Martinon, F. *See* Mottez, Langlade-Demoyen, Gournier, Martinon, Maryanski, Kourilsky, and Abastado.

Maryanski, J. *See* Mottez, Langlade-Demoyen, Gournier, Martinon, Maryanski, Kourilsky, and Abastado.

Masliah, E. *See* Mucke, Abraham, Ruppe, Rockenstein, Toggas, Mallory, Alford, and Masliah.

Mason, A.T. *See* Ortaldo, Mason, and O'Shea.

Matsui, K. *See* Kain, Matsui, Exner, Binder, Schaffner, Sommer, and Kerjaschki.

Matsumoto, M., Yamashita, F., Iida, K., Tomita, M., and Seya, T. Purification and characterization of a human membrane protein that activates the alternative complement pathway and allows the deposition of homologous complement C3. 115.
Matsumura, M. *See* Hurley, Shimonkevitz, Hanagan, Enney, Boen, Malmstrom, Kotzin, and Matsumura.
Matsuoka, S., Asano, Y., Sano, K., Kishimoto, H., Yamashita, I., Yorifuji, H., Utsuyama, M., Hirokawa, K., and Tada, T. A novel type of cell death of lymphocytes induced by a monoclonal antibody without participation of complement. 2007.
Matsuzawa, A. *See* Chu, Ramos, Rosendorff, Nikolić-Žugić, Lacy, Matsuzawa, and Elkon.
Mattei, D.M. *See* Snewin, Premawansa, Kapilananda, Ratnayaka, Udagama, Mattei, Khouri, Del Giudice, Peiris, Mendis, and David.
Matteucci, C. *See* Colotta, Orlando, Fadlon, Sozzani, Matteucci, and Mantovani.
Matuschka, F.R. *See* Fikrig, Telford, Wallich, Chen, Lobet, Matuschka, Kimsey, Kantor, Barthold, Spielman, and Flavell.
Matyniak, J.E., and Reiner, S.L. T helper phenotype and genetic susceptibility in experimental Lyme disease. 1251.
Max, E.E. *See* Burd, Thompson, Max, and Mills.
Maxfield, F.R. *See* Loike, El Khoury, Cao, Richards, Rascoff, Mandeville, Maxfield, and Silverstein.
Mayadas, T.N. *See* Subramaniam, Saffaripour, Watson, Mayadas, Hynes, and Wagner.
McConville, M.J. *See* Sacks, Pimenta, McConville, Schneider, and Turco.
McCutcheon, J.A., Gumperz, J., Smith, K.D., Lutz, C.T., and Parham, P. Low HLA-C expression at cell surfaces correlates with increased turnover of heavy chain mRNA. 2085.
McDaniel, M.L. *See* Corbett and McDaniel.
McEwen, B.S. *See* Orange, Salazar-Mather, Opal, Spencer, Miller, McEwen, and Biron.
McKean, D.J. *See* Grupp, Mitchell, Schreiber, McKean, and Abbas.
McLaughlin, J. *See* Sawyers, McLaughlin, and Witte.
McMahon, S.B., and Monroe, J.G. Activation of the $p21^{ras}$ pathway couples antigen receptor stimulation to induction of the primary response gene *egr*-1 in B lymphocytes. 417.
McMichael, A.J. *See* Hill, Lee, Haurum, Murray, Yao, Rowe, Signoret, Rickinson, and McMichael.
McNeil, T. *See* von Freeden-Jeffry, Vieira, Lucian, McNeil, Burdach, and Murray.
McVicar, D.W. *See* Bacon, McVicar, Ortaldo, Rees, O'Shea, and Johnston.
— *See* Musso, Johnston, Linnekin, Varesio, Rowe, O'Shea, and McVicar.
Meisel, C. *See* Randow, Syrbe, Meisel, Krausch, Zuckermann, Platzer, and Volk.
Melamed, I., Turner, C.E., Aktories, K., Kaplan, D.R., and Gelfand, E.W. Nerve growth factor triggers microfilament assembly and paxillin phosphorylation in human B lymphocytes. 1071.
Mellman, I. *See* Amigorena, Webster, Drake, Newcomb, Cresswell, and Mellman.
Melms, A. *See* Malcherek, Gnau, Jung, Rammensee, and Melms.
Mendis, K.N. *See* Snewin, Premawansa, Kapilananda, Ratnayaka, Udagama, Mattei, Khouri, Del Giudice, Peiris, Mendis, and David.
Meng, Q. *See* Ying, Taborda-Barata, Meng, Humbert, and Kay.
Merćep, M. *See* Yang, Merćep, Ware, and Ashwell.
Mercereau-Puijalon, O. *See* Fandeur, Le Scanf, Bonnemains, Slomianny, and Mercereau-Puijalon.
Merlie, J.P. *See* Gu, Wogensen, Calcutt, Xia, Zhu, Merlie, Fox, Lindstrom, Powell, and Sarvetnick.
Messmer, N. *See* Swihart, Fruth, Messmer, Hug, Behin, Huang, Del Giudice, Aguet, and Louis.
Meuer, S.C. *See* Osborn, Day, Miller, Karpusas, Tizard, Meuer, and Hochman.
Mezzaroma, I. *See* Paganelli, Scala, Ansotegui, Ausiello, Halapi, Fanales-Belasio, D'Offizi, Mezzaroma, Pandolfi, Fiorilli, Cassone, and Aiuti.
Miazek, A. *See* Kisielow and Miazek.
Miedema, F. *See* Klein, van Baalen, Holwerda, Kerkhof Garde, Bende, Keet, Eeftinck-Schattenkerk, Osterhaus, Schuitemaker, and Miedema.
Migliorini, P. *See* Puccetti, Madaio, Bellese, and Migliorini.
Miller, A.H. *See* Orange, Salazar-Mather, Opal, Spencer, Miller, McEwen, and Biron.
Miller, A.S. *See* Engel, Wagner, Miller, and Tedder.
Miller, C., Stedra, J., Kelsoe, G., and Cerny, J. Facultative role of germinal centers and T cells in the somatic diversification of IgV_H genes. 1319.
Miller, G.T. *See* Osborn, Day, Miller, Karpusas, Tizard, Meuer, and Hochman.
Miller, J. *See* Sette, Southwood, Miller, and Appella.
Mills, F.C. *See* Burd, Thompson, Max, and Mills.
Mills, G.B. *See* Pani, Kozlowski, Cambier, Mills, and Siminovitch.
Mills, K.H.G. *See* Mahon, Katrak, Nomoto, Macadam, Minor, and Mills.
Minor, P.D. *See* Mahon, Katrak, Nomoto, Macadam, Minor, and Mills.
Misko, T.P. *See* Worrall, Lazenby, Misko, Lin, Rodi, Manning, Tilton, Williamson, and Ferguson.
Misulovin, Z. *See* Mitchell, Barnes, Grupp, Sanchez, Misulovin, Nussenzweig, and Abbas.
Mitchell, R.N., Barnes, K.A., Grupp, S.A., Sanchez, M., Misulovin, Z., Nussenzweig, M.C., and Abbas, A.K. Intracellular targeting of antigens internalized by membrane immunoglobulin in B lymphocytes. 1705.
— *See* Barnes and Mitchell.
— *See* Grupp, Mitchell, Schreiber, McKean, and Abbas.
Miyajima, A. *See* Takagi, Hara, Ichihara, Takatsu, and Miyajima.
Moberg, C.L. The electron microscope enters the realm of the intact cell. 829.
Modrell, B. *See* Bowen, Patel, Li, Modrell, Malacko, Wang, Marquardt, Neubauer, Pesando, Francke, Haynes, and Aruffo.
Mohler, K.M. *See* Crowe, Walter, Mohler, Otten-Evans, Black, and Ware.
Moldawer, L.L. *See* Rogy, Auffenberg, Espat, Philip, Remick, Wollenberg, Copeland, and Moldawer.
Molina, H. *See* Kim, Kinoshita, Molina, Hourcade, Seya, Wagner, and Holers.
Molina, T.J. *See* Kawai, Kishihara, Molina, Wallace, Mak, and Ohashi.
Monobe, Y. *See* Sadahira, Yoshino, and Monobe.
Monroe, J.G. *See* McMahon and Monroe.
Moore, J.M., Kumar, N., Shultz, L.D., and Rajan, T.V. Maintenance of the human malarial parasite, *Plasmodium falciparum*, in *scid* mice and transmission of gametocytes to mosquitoes. 2265.
Moran, T. *See* Isobe, Moran, Li, Young, Nathenson, Palese, and Bona.
Morel-Fourrier, B. *See* Llorente, Zou, Levy, Richaud-Patin, Wijdenes, Alcocer-Varela, Morel-Fourrier, Brouet, Alarcon-Segovia, Galanaud, and Emilie.
Morris, P.J. *See* Roake, Rao, Morris, Larsen, Hankins, and Austyn.
Morris, S.C. *See* Finkelman, Holmes, Dukhanina, and Morris.
Mortara, A. *See* Trembleau, Penna, Bosi, Mortara, Gately, and Adorini.
Moss, B. *See* Rehermann, Fowler, Sidney, Person, Redeker, Brown, Moss, Sette, and Chisari.
Moss, P.A.H. *See* Lehner, Wang, Moss, Williams, Platt, Friedman, Bell, and Borysiewicz.
Mottez, E., Langlade-Demoyen, P., Gournier, H., Martinon, F., Maryanski, J., Kourilsky, P., and Abastado, J.-P. Cells expressing a major histocompatibility complex class I molecule with a single covalently bound peptide are highly immunogenic. 493.
Mu, Z.-M. *See* Liu, Mu, and Chang.
Mucke, L., Abraham, C.R., Ruppe, M.D., Rockenstein, E.M., Toggas, S.M., Mallory, M., Alford, M., and Masliah, E. Protection against HIV-1 gp120–induced brain damage by neuronal expression of human amyloid precursor protein. 1551.
Mukherjee, J., Nussbaum, G., Scharff, M.D., and Casadevall, A. Protective and nonprotective monoclonal antibodies to *Cryptococcus neoformans* originating from one B cell. 405.
Müller, C. *See* Beck, Satz, Takamiya, Nakayama, Ling, Ishikawa, Nagao, Uchida, Tokunaga, Müller, Juji, and Takiguchi.
Müller, U. *See* Fiette, Aubert, Müller, Huang, Aguet, Brahic, and Bureau.
Mullins, M.E. *See* Bukrinsky, Nottet, Schmidtmayerova, Dubrovsky, Flanagan, Mullins, Lipton, and Gendelman.
Munn, D.H., Beall, A.C., Song, D., Wrenn, R.W., and Throckmorton, D.C. Activation-induced apoptosis in human macrophages: developmental regulation of a novel cell death pathway by macrophage colony–stimulating factor and interferon γ. 127.
Munoz, S. *See* Van de Water, Ansari, Prindiville, Coppel, Ricalton, Kotzin, Liu, Roche, Krams, Munoz, and Gershwin.
Murphy, K.M. *See* Hsieh, Macatonia, O'Garra, and Murphy.
— *See* Jacobson, Szabo, Weber-Nordt, Zhong, Schreiber, Darnell, and Murphy.

Murray, D.J. *See* Kumagai, Coustan-Smith, Murray, Silvennoinen, Murti, Evans, Malavasi, and Campana.
Murray, H.W., and Hariprashad, J. Interleukin 12 is effective treatment for an established systemic intercellular infection: experimental visceral leishmaniasis. 387.
Murray, N. *See* Hill, Lee, Haurum, Murray, Yao, Rowe, Signoret, Rickinson, and McMichael.
Murray, R. *See* von Freeden-Jeffry, Vieira, Lucian, McNeil, Burdach, and Murray.
Murti, K.G. *See* Kumagai, Coustan-Smith, Murray, Silvennoinen, Murti, Evans, Malavasi, and Campana.
Musso, T., Johnston, J.A., Linnekin, D., Varesio, L., Rowe, T.K., O'Shea, J.J., and McVicar, D.W. Regulation of JAK3 expression in human monocytes: phosphorylation in response to interleukins 2, 4, and 7. 1425.
Muszynski, K.W., Ruscetti, F.W., Heidecker, G., Rapp, U., Troppmair, J., Gooya, J.M., and Keller, J.R. Raf-1 protein is required for growth factor–induced proliferation of hematopoietic cells. 2189.
Myklebust, J. *See* Jacobsen, Okkenhaug, Myklebust, Veiby, and Lyman.

N

Nabavi, N. *See* Baskar, Glimcher, Nabavi, Jones, and Ostrand-Rosenberg.
— *See* Lenschow, Ho, Sattar, Rhee, Gray, Nabavi, Herold, and Bluestone.
Nada, S. *See* Gross, Appleby, Chien, Nada, Bartelmez, Okada, Aizawa, and Perlmutter.
Nagabhushan, T.L. *See* Castelli, Storkus, Maeurer, Martin, Huang, Pramanik, Nagabhushan, Parmiani, and Lotze.
Nagao, T. *See* Beck, Satz, Takamiya, Nakayama, Ling, Ishikawa, Nagao, Uchida, Tokunaga, Müller, Juji, and Takiguchi.
Nagata, S. *See* Ogasawara, Suda, and Nagata.
— *See* Vignaux, Vivier, Malissen, Depraetere, Nagata, and Golstein.
Nagy, Z.A. *See* Hammer, Gallazzi, Bono, Karr, Guenot, Valsasnini, Nagy, and Sinigaglia.
Nakajima, H., Golstein, P., and Henkart, P.A. The target cell nucleus is not required for cell-mediated granzyme- or Fas-based cytotoxicity. 1905.
—, Park, H.L., and Henkart, P.A. Synergistic roles of granzymes A and B in mediating target cell death by rat basophilic leukemia mast cell tumors also expressing cytolysin/perforin. 1037.
Nakajima, K. *See* Takahashi, Yamada, Nakajima, Nakajima, Yamamoto, and Okada.
Nakajima, S. *See* Takahashi, Yamada, Nakajima, Nakajima, Yamamoto, and Okada.
Nakamura, M. *See* Shimoda, Nakamura, Ishibashi, Hayashida, and Niho.
Nakamura, M.C. *See* Ryan, Niemi, Nakamura, and Seaman.
Nakayama, S. *See* Beck, Satz, Takamiya, Nakayama, Ling, Ishikawa, Nagao, Uchida, Tokunaga, Müller, Juji, and Takiguchi.
Nakayama, T. *See* Wang, Hashimoto, Kubo, Yokochi, Kubo, Suzuki, Suzuki, Tada, and Nakayama.
Nathan, C. *See* Xie, Huang, Dong, Juang, Gutman, Xie, Nathan, and Fidler.
Nathenson, S. *See* Isobe, Moran, Li, Young, Nathenson, Palese, and Bona.
Nayak, S. *See* Puré, Camp, Peritt, Panettieri, Lazaar, and Nayak.
Necker, A. *See* Davodeau, Peyrat, Romagné, Necker, Hallet, Vié, and Bonneville.
Neote, K. *See* Peiper, Wang, Neote, Martin, Showell, Conklyn, Ogborne, Hadley, Lu, Hesselgesser, and Horuk.
Neubauer, M. *See* Bowen, Patel, Li, Modrell, Malacko, Wang, Marquardt, Neubauer, Pesando, Francke, Haynes, and Aruffo.
Newcomb, J. *See* Amigorena, Webster, Drake, Newcomb, Cresswell, and Mellman.
Nguyen, K.-A. *See* Roark, Kuntz, Nguyen, Caton, and Erikson.
Nielsen, P. *See* Yaegashi, Nielsen, Sing, Galanos, and Freudenberg.
Niemi, E.C. *See* Ryan, Niemi, Nakamura, and Seaman.
Niho, Y. *See* Shimoda, Nakamura, Ishibashi, Hayashida, and Niho.
Nikolić-Žugić, J. *See* Chu, Ramos, Rosendorff, Nikolić-Žugić, Lacy, Matsuzawa, and Elkon.
— *See* Dyall and Nikolić-Žugić.
Niutta, S. *See* Lévesque, Leavesley, Niutta, Vadas, and Simmons.
Nomoto, A. *See* Mahon, Katrak, Nomoto, Macadam, Minor, and Mills.
Nößner, E., and Parham, P. Species-specific differences in chaperone interaction of human and mouse major histocompatibility complex class I molecules. 327.
Noordzij, A. *See* Anderton, van der Zee, Prakken, Noordzij, and van Eden.
Nottet, H.S.L.M. *See* Bukrinsky, Nottet, Schmidtmayerova, Dubrovsky, Flanagan, Mullins, Lipton, and Gendelman.
Nussbaum, G. *See* Mukherjee, Nussbaum, Scharff, and Casadevall.
Nussenzweig, M.C. *See* Mitchell, Barnes, Grupp, Sanchez, Misulovin, Nussenzweig, and Abbas.

O

Ochiai, K. *See* Paolini, Renard, Vivier, Ochiai, Jouvin, Malissen, and Kinet.
O'Garra, A. *See* Hsieh, Macatonia, O'Garra, and Murphy.
Ogasawara, J., Suda, T., and Nagata, S. Selective apoptosis of $CD4^+CD8^+$ thymocytes by the anti-Fas antibody. 485.
Ogborne, K. *See* Peiper, Wang, Neote, Martin, Showell, Conklyn, Ogborne, Hadley, Lu, Hesselgesser, and Horuk.
Ohashi, P.S. *See* Kawai, Kishihara, Molina, Wallace, Mak, and Ohashi.
Okada, H. *See* Takahashi, Yamada, Nakajima, Nakajima, Yamamoto, and Okada.
Okada, M. *See* Gross, Appleby, Chien, Nada, Bartelmez, Okada, Aizawa, and Perlmutter.
Okamoto, Y. *See* Aoe, Okamoto, and Saito.
Okazaki, H. *See* Dejbakhsh-Jones, Okazaki, and Stober.
Okkenhaug, C. *See* Jacobsen, Okkenhaug, Myklebust, Veiby, and Lyman.
Opal, S.M. *See* Orange, Salazar-Mather, Opal, Spencer, Miller, McEwen, and Biron.
Orange, J.S., Salazar-Mather, T.P., Opal, S.M., Spencer, R.L., Miller, A.H., McEwen, B.S., and Biron, C.A. Mechanism of interleukin 12–mediated toxicities during experimental viral infections: role of tumor necrosis factor and glucocorticoids. 901.
Orihuela, M.M. *See* Karlhofer, Orihuela, and Yokoyama.
Orkin, S.H. *See* Skoda, Tsai, Orkin, and Leder.
Orlando, S. *See* Colotta, Orlando, Fadlon, Sozzani, Matteucci, and Mantovani.
Ortaldo, J.R., Mason, A.T., and O'Shea, J.J. Receptor-induced death in human natural killer cells: involvement of CD16. 339.
— *See* Bacon, McVicar, Ortaldo, Rees, O'Shea, and Johnston.
Osborn, L., Day, E.S., Miller, G.T., Karpusas, M., Tizard, R., Meuer, S.C., and Hochman, P.S. Amino acid residues required for binding of lymphocyte function–associated antigen 3 (CD58) to its counter-receptor CD2. 429.
O'Shea, J.J. *See* Bacon, McVicar, Ortaldo, Rees, O'Shea, and Johnston.
— *See* Musso, Johnston, Linnekin, Varesio, Rowe, O'Shea, and McVicar.
— *See* Ortaldo, Mason, and O'Shea.
Osterhaus, A.D.M.E. *See* Klein, van Baalen, Holwerda, Kerkhof Garde, Bende, Keet, Eeftinck-Schattenkerk, Osterhaus, Schuitemaker, and Miedema.
Ostrand-Rosenberg, S. *See* Baskar, Glimcher, Nabavi, Jones, and Ostrand-Rosenberg.
O'Toole, T.E. *See* Peter and O'Toole.
Otten-Evans, C. *See* Crowe, Walter, Mohler, Otten-Evans, Black, and Ware.

P

Padovan, E., Giachino, C., Cella, M., Valitutti, S., Acuto, O., and Lanzavecchia, A. Normal T lymphocytes can express two different T cell receptor β chains: implications for the mechanism of allelic exclusion. 1587.
— *See* Giachino, Padovan, and Lanzavecchia.
Paganelli, R., Scala, E., Ansotegui, I.J., Ausiello, C.M., Halapi, E., Fanales-Belasio, E., D'Offizi, G., Mezzaroma, I., Pandolfi, F., Fiorilli, M., Cassone, A., and Aiuti, F. $CD8^+$ T lymphocytes provide helper activity for IgE synthesis in human immunodeficiency virus–infected patients with hyper-IgE. 423.
Paganin, C. *See* D'Andrea, Ma, Aste-Amezaga, Paganin, and Trinchieri.
Paige, C.J. *See* Guidos, Williams, Wu, Paige, and Danska.
Palese, P. *See* Isobe, Moran, Li, Young, Nathenson, Palese, and Bona.

Paliogianni, F. *See* Hama, Paliogianni, Fessler, and Boumpas.
Pandolfi, F. *See* Paganelli, Scala, Ansotegui, Ausiello, Halapi, Fanales-Belasio, D'Offizi, Mezzaroma, Pandolfi, Fiorilli, Cassone, and Aiuti.
Panettieri, R.A., Jr. *See* Puré, Camp, Peritt, Panettieri, Lazaar, and Nayak.
Pang, M. *See* Baum, Pang, Perillo, Wu, Delegeane, Uittenbogaart, Fukuda, and Seilhamer.
Pani, G., Kozlowski, M., Cambier, J.C., Mills, G.B., and Siminovitch, K.A. Identification of the tyrosine phosphatase PTP1C as a B cell antigen receptor–associated protein involved in the regulation of B cell signaling. 2077.
Panina-Bordignon, P., Lang, R., van Endert, P.M., Benazzi, E., Felix, A.M., Pastore, R.M., Spinas, G.A., and Sinigaglia, F. Cytotoxic T cells specific for glutamic acid decarboxylase in autoimmune diabetes. 1923.
Paolini, R., Renard, V., Vivier, E., Ochiai, K., Jouvin, M.-H., Malissen, B., and Kinet, J.-P. Different roles for the FcεRI γ chain as a function of the receptor context. 247.
Paramithiotis, E., Jacobsen, K.A., and Ratcliffe, M.J.H. Loss of surface immunoglobulin expression precedes B cell death by apoptosis in the bursa of Fabricius. 105.
Parham, P. *See* Gumperz, Litwin, Phillips, Lanier, and Parham.
— *See* McCutcheon, Gumperz, Smith, Lutz, and Parham.
— *See* Nößner and Parham.
Park, C.G., Jung, M.-Y., Choi, Y., and Winslow, G.M. Proteolytic processing is required for viral superantigen activity. 1899.
Park, H.L. *See* Nakajima, Park, and Henkart.
Parmiani, G. *See* Castelli, Storkus, Maeurer, Martin, Huang, Pramanik, Nagabhushan, Parmiani, and Lotze.
Pastore, R.M. *See* Panina-Bordignon, Lang, van Endert, Benazzi, Felix, Pastore, Spinas, and Sinigaglia.
Patel, A. *See* Krause, Stanberry, Bourne, Connelly, Kurawadwala, Patel, and Straus.
Patel, D.D., Wee, S.-F., Whichard, L.P., Bowen, M.A., Pesando, J.M., Aruffo, A., and Haynes, B.F. Identification and characterization of a 100-kD ligand for CD6 on human thymic epithelial cells. 1563.
— *See* Bowen, Patel, Li, Modrell, Malacko, Wang, Marquardt, Neubauer, Pesando, Francke, Haynes, and Aruffo.
Pazdrak, K., Schreiber, D., Forsythe, P., Justement, L., and Alam, R. The intracellular signal transduction mechanism of interleukin 5 in eosinophils: the involvement of lyn tyrosine kinase and the Ras–Raf-1–MEK–microtubule-associated protein kinase pathway. 1827.
Peiper, S.C., Wang, Z.-x., Neote, K., Martin, A.W., Showell, H.J., Conklyn, M.J., Ogborne, K., Hadley, T.J., Lu, Z.-h., Hesselgesser, J., and Horuk, R. The Duffy antigen/receptor for chemokines (DARC) is expressed in endothelial cells of Duffy negative individuals who lack the erythrocyte receptor. 1311.
Peiris, J.S.M. *See* Snewin, Premawansa, Kapilananda, Ratnayaka, Udagama, Mattei, Khouri, Del Giudice, Peiris, Mendis, and David.
Pekarek, L.A., Starr, B.A., Toledano, A.Y., and Schreiber, H. Inhibition of tumor growth by elimination of granulocytes. 435.
Penit, C. *See* Lucas, Vasseur, and Penit.
Penna, G. *See* Trembleau, Penna, Bosi, Mortara, Gately, and Adorini.
Pereira, M.E.A. *See* Chuenkova and Pereira.
Perillo, N.L. *See* Baum, Pang, Perillo, Wu, Delegeane, Uittenbogaart, Fukuda, and Seilhamer.
Peritt, D. *See* Puré, Camp, Peritt, Panettieri, Lazaar, and Nayak.
Perlmutter, R.M. *See* Gross, Appleby, Chien, Nada, Bartelmez, Okada, Aizawa, and Perlmutter.
Person, J. *See* Rehermann, Fowler, Sidney, Person, Redeker, Brown, Moss, Sette, and Chisari.
Pesando, J.M. *See* Bowen, Patel, Li, Modrell, Malacko, Wang, Marquardt, Neubauer, Pesando, Francke, Haynes, and Aruffo.
— *See* Patel, Wee, Whichard, Bowen, Pesando, Aruffo, and Haynes.
Pescarmona, G. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.
Peter, K., and O'Toole, T.E. Modulation of cell adhesion by changes in αL β_2 (LFA-1, CD11a/CD18) cytoplasmic domain/cytoskeleton interaction. 315.
Peterson, P.A. *See* Holcombe, Castaño, Cheroutre, Teitell, Maher, Peterson, and Kronenberg.
Petit, P.X. *See* Zamzami, Marchetti, Castedo, Zanin, Vayssière, Petit, and Kroemer.
Peyrat, M.-A. *See* Davodeau, Peyrat, Romagné, Necker, Hallet, Vié, and Bonneville.
Pfeffer, K. *See* Boucher, Wiegmann, Fütterer, Pfeffer, Machleidt, Schütze, Mak, and Krönke.
Pfeifer, P.H. *See* Daffern, Pfeifer, Ember, and Hugli.
Pfeiffer, C., Stein, J., Southwood, S., Ketelaar, H., Sette, A., and Bottomly, K. Altered peptide ligands can control CD4 T lymphocyte differentiation in vivo. 1569.
Philip, R. *See* Rogy, Auffenberg, Espat, Philip, Remick, Wollenberg, Copeland, and Moldawer.
Phillips, J.H. *See* Gumperz, Litwin, Phillips, Lanier, and Parham.
Piacentini, E. *See* Manca, Piacentini, Gelmi, Calzavara, Manganoni, Glukhov, Gargiulo, De Francesco, Pirali, De Panfilis, and Turano.
Piali, L., Fichtel, A., Terpe, H.-J., Imhof, B.A., and Gisler, R.H. Endothelial vascular cell adhesion molecule 1 expression is suppressed by melanoma and carcinoma. 811.
Picker, L.J. *See* Babi, Picker, Soler, Drzimalla, Flohr, Blaser, and Hauser.
— *See* Leung, Gately, Trumble, Ferguson-Darnell, Schlievert, and Picker.
— *See* Racila, Scheuermann, Picker, Yefenof, Tucker, Chang, Marches, Street, Vitetta, and Uhr.
Pimenta, P.F.P. *See* Sacks, Pimenta, McConville, Schneider, and Turco.
Pinckard, J.K. *See* Sheehan, Pinckard, Arthur, Dehner, Goeddel, and Schreiber.
Pinto, C.E. *See* Xia, Pinto, and Kradin.
Pirali, F. *See* Manca, Piacentini, Gelmi, Calzavara, Manganoni, Glukhov, Gargiulo, De Francesco, Pirali, De Panfilis, and Turano.
Pircher, H. *See* Coyle, Erard, Bertrand, Walti, Pircher, and Le Gros.
Pizcueta, P. *See* Tedder, Steeber, and Pizcueta.
Platt, J.L. *See* Saadi and Platt.
Platt, K. *See* Lehner, Wang, Moss, Williams, Platt, Friedman, Bell, and Borysiewicz.
Platzer, C. *See* Randow, Syrbe, Meisel, Krausch, Zuckermann, Platzer, and Volk.
Ploegh, H.L. *See* Machold, Andrée, Van Kaer, Ljunggren, and Ploegh.
— *See* van Santen, Woolsey, Ashton Rickardt, Van Kaer, Baas, Berns, Tonegawa, and Ploegh.
Pollok, K.E. *See* DeBenedette, Chu, Pollok, Hurtado, Wade, Kwon, and Watts.
Powell, H.C. *See* Gu, Wogensen, Calcutt, Xia, Zhu, Merlie, Fox, Lindstrom, Powell, and Sarvetnick.
Prakken, B. *See* Anderton, van der Zee, Prakken, Noordzij, and van Eden.
Pramanik, B.N. *See* Castelli, Storkus, Maeurer, Martin, Huang, Pramanik, Nagabhushan, Parmiani, and Lotze.
Prasad, K.V.S. *See* Schneider, Prasad, Shoelson, and Rudd.
Premawansa, S. *See* Snewin, Premawansa, Kapilananda, Ratnayaka, Udagama, Mattei, Khouri, Del Giudice, Peiris, Mendis, and David.
Prindiville, T. *See* Van de Water, Ansari, Prindiville, Coppel, Ricalton, Kotzin, Liu, Roche, Krams, Munoz, and Gershwin.
Proudfoot, A. *See* Irmler, Hertig, MacDonald, Sadoul, Becherer, Proudfoot, Solari, and Tschopp.
Puccetti, A., Madaio, M.P., Bellese, G., and Migliorini, P. Anti-DNA antibodies bind to DNase I. 1797.
Punt, J.A. *See* Kearse, Takahama, Punt, Sharrow, and Singer.
Puré, E., Camp, R.L., Peritt, D., Panettieri, R.A., Jr., Lazaar, A.L., and Nayak, S. Defective phosphorylation and hyaluronate binding of CD44 with point mutations in the cytoplasmic domain. 55.

Q

Quesniaux, V.F.J. *See* Eng, Car, Schnyder, Lorenz, Lugli, Aguet, Anderson, Ryffel, and Quesniaux.

R

Racila, E., Scheuermann, R.H., Picker, L.J., Yefenof, E., Tucker, T., Chang, W., Marches, R., Street, N.E., Vitetta, E.S., and Uhr, J.W. Tumor dormancy and cell signaling. II. Antibody as agonist in inducing dormancy of a B cell lymphoma in SCID mice. 1539.

Rajan, T.V. *See* Moore, Kumar, Shultz, and Rajan.
Ramesh, N. *See* Horner, Jabara, Ramesh, and Geha.
Rammensee, H.-G. *See* Malcherek, Gnau, Jung, Rammensee, and Melms.
Ramos, P. *See* Chu, Ramos, Rosendorff, Nikolić-Žugić, Lacy, Matsuzawa, and Elkon.
Ramsdell, F. *See* Alderson, Tough, Davis-Smith, Braddy, Falk, Schooley, Goodwin, Smith, Ramsdell, and Lynch.
Randow, F., Syrbe, U., Meisel, C., Krausch, D., Zuckermann, H., Platzer, C., and Volk, H.-D. Mechanism of endotoxin desensitization: involvement of interleukin 10 and transforming growth factor β. 1887.
Rao, A.S. *See* Roake, Rao, Morris, Larsen, Hankins, and Austyn.
Rapp, U. *See* Muszynski, Ruscetti, Heidecker, Rapp, Troppmair, Gooya, and Keller.
Rappersberger, K. *See* Foedinger, Anhalt, Boecskoer, Elbe, Wolff, and Rappersberger.
Rascoff, H. *See* Loike, El Khoury, Cao, Richards, Rascoff, Mandeville, Maxfield, and Silverstein.
Ratcliffe, M.J.H. *See* Paramithiotis, Jacobsen, and Ratcliffe.
Ratnayaka, L. *See* Snewin, Premawansa, Kapilananda, Ratnayaka, Udagama, Mattei, Khouri, Del Giudice, Peiris, Mendis, and David.
Ravichandran, K.S. *See* Irie, Ravichandran, and Burakoff.
Reap, E. *See* Ajmani, Satoh, Reap, Cohen, and Reeves.
Redeker, A. *See* Rehermann, Fowler, Sidney, Person, Redeker, Brown, Moss, Sette, and Chisari.
Reed, S.G. *See* Skeiky, Guderian, Benson, Bacelar, Carvalho, Kubin, Badaro, Trinchieri, and Reed.
Rees, R.C. *See* Bacon, McVicar, Ortaldo, Rees, O'Shea, and Johnston.
Reeves, W.H. *See* Ajmani, Satoh, Reap, Cohen, and Reeves.
Rehermann, B., Fowler, P., Sidney, J., Person, J., Redeker, A., Brown, M., Moss, B., Sette, A., and Chisari, F.V. The cytotoxic T lymphocyte response to multiple hepatitis B virus polymerase epitopes during and after acute viral hepatitis. 1047.
Reiner, S.L. *See* Matyniak and Reiner.
Reinhardt, C. *See* Steinle, Reinhardt, Jantzer, and Schendel.
Remick, D. *See* Rogy, Auffenberg, Espat, Philip, Remick, Wollenberg, Copeland, and Moldawer.
Ren, Y., Silverstein, R.L., Allen, J., and Savill, J. CD36 gene transfer confers capacity for phagocytosis of cells undergoing apoptosis. 1857.
Renard, V. *See* Paolini, Renard, Vivier, Ochiai, Jouvin, Malissen, and Kinet.
Renno, T., Hahne, M., and MacDonald, H.R. Proliferation is a prerequisite for bacterial superantigen–induced T cell apoptosis in vivo. 2283.
Repine, J.E. *See* Abraham, Bursten, Shenkar, Allbee, Tuder, Woodson, Guidot, Rice, Singer, and Repine.
Reth, M. *See* Kim and Reth.
Rhee, L. *See* Lenschow, Ho, Sattar, Rhee, Gray, Nabavi, Herold, and Bluestone.
Ricalton, N. *See* Van de Water, Ansari, Prindiville, Coppel, Ricalton, Kotzin, Liu, Roche, Krams, Munoz, and Gershwin.
Rice, G. *See* Abraham, Bursten, Shenkar, Allbee, Tuder, Woodson, Guidot, Rice, Singer, and Repine.
Rich, B.E., and Leder, P. Transgenic expression of interleukin 7 restores T cell populations in nude mice. 1223.
Rich, R.R. *See* Vyas, Rodgers, and Rich.
Richards, C.P. *See* Loike, El Khoury, Cao, Richards, Rascoff, Mandeville, Maxfield, and Silverstein.
Richaud-Patin, Y. *See* Llorente, Zou, Levy, Richaud-Patin, Wijdenes, Alcocer-Varela, Morel-Fourrier, Brouet, Alarcon-Segovia, Galanaud, and Emilie.
Rickinson, A.B. *See* Hill, Lee, Haurum, Murray, Yao, Rowe, Signoret, Rickinson, and McMichael.
Roake, J.A., Rao, A.S., Morris, P.J., Larsen, C.P., Hankins, D.F., and Austyn, J.M. Dendritic cell loss from nonlymphoid tissues after systemic administration of lipopolysaccharide, tumor necrosis factor, and interleukin 1. 2237.
Roark, J.H., Kuntz, C.L., Nguyen, K.-A., Caton, A.J., and Erikson, J. Breakdown of B cell tolerance in a mouse model of systemic lupus erythematosus. 1157.
Robbins, P.F. *See* Wang, Robbins, Kawakami, Kang, and Rosenberg.
Rocha, B., Grandien, A., and Freitas, A.A. Anergy and exhaustion are independent mechanisms of peripheral T cell tolerance. 993.
Roche, T.E. *See* Van de Water, Ansari, Prindiville, Coppel, Ricalton, Kotzin, Liu, Roche, Krams, Munoz, and Gershwin.
Rockenstein, E.M. *See* Mucke, Abraham, Ruppe, Rockenstein, Toggas, Mallory, Alford, and Masliah.
Rodgers, J.R. *See* Vyas, Rodgers, and Rich.
Rodi, C.P. *See* Worrall, Lazenby, Misko, Lin, Rodi, Manning, Tilton, Williamson, and Ferguson.
Rogy, M.A., Auffenberg, T., Espat, N.J., Philip, R., Remick, D., Wollenberg, G.K., Copeland, E.M., III, and Moldawer, L.L. Human tumor necrosis factor receptor (p55) and interleukin 10 gene transfer in the mouse reduces mortality to lethal endotoxemia and also attenuates local inflammatory responses. 2289.
Rojkind, M. *See* Liao, Sindhwani, Rojkind, Factor, Leinwand, and Diamond.
Romagné, F. *See* Davodeau, Peyrat, Romagné, Necker, Hallet, Vié, and Bonneville.
Roncella, S. *See* Cutrona, Ulivi, Fais, Roncella, and Ferrarini.
Roper, E. *See* Maldonado, Eisenberg, Roper, Cohen, and Kotzin.
Rosen, A., Casciola-Rosen, L., and Ahearn, J. Novel packages of viral and self-antigens are generated during apoptosis. 1557.
Rosenberg, S.A. *See* Wang, Robbins, Kawakami, Kang, and Rosenberg.
Rosendorff, A. *See* Chu, Ramos, Rosendorff, Nikolić-Žugić, Lacy, Matsuzawa, and Elkon.
Roth, P.E., Kurtz, B., Lo, D., and Storb, U. $\lambda 5$, but not μ, is required for B cell maturation in a unique $\gamma 2b$ transgenic mouse line. 1059.
Rothe, J. *See* Flesch, Hess, Huang, Aguet, Rothe, Bluethmann, and Kaufmann.
Rothenberg, M.E., Luster, A.D., Lilly, C.M., Drazen, J.M., and Leder, P. Constitutive and allergen-induced expression of eotaxin mRNA in the guinea pig lung. 1211.
Roullot, V. *See* Roux, Roullot, Schweitzer, Berthier, and Marguerie.
Roux, D.T.-L., Roullot, V., Schweitzer, A., Berthier, R., and Marguerie, G. Suppression of erythro-megakaryocytopoiesis and the induction of reversible thrombocytopenia in mice transgenic for the thymidine kinase gene targeted by the platelet glycoprotein IIb promoter. 2141.
Rowe, M. *See* Hill, Lee, Haurum, Murray, Yao, Rowe, Signoret, Rickinson, and McMichael.
Rowe, T.K. *See* Musso, Johnston, Linnekin, Varesio, Rowe, O'Shea, and McVicar.
Rowley, D.A., Becken, E.T., and Stach, R.M. Autoantibodies produced spontaneously by young *lpr* mice carry transforming growth factor β and suppress cytotoxic T lymphocyte responses. 1875.
Rudd, C.E. *See* Schneider, Prasad, Shoelson, and Rudd.
Ruppe, M.D. *See* Mucke, Abraham, Ruppe, Rockenstein, Toggas, Mallory, Alford, and Masliah.
Ruscetti, F.W. *See* Grzegorzewski, Komschlies, Jacobsen, Ruscetti, Keller, and Wiltrout.
— *See* Muszynski, Ruscetti, Heidecker, Rapp, Troppmair, Gooya, and Keller.
Russell, M.E. *See* Sayegh, Akalin, Hancock, Russell, Carpenter, Linsley, and Turka.
Ryan, J.C., Niemi, E.C., Nakamura, M.C., and Seaman, W.E. NKR-P1A is a target-specific receptor that activates natural killer cell cytotoxicity. 1911.
Ryffel, B. *See* Eng, Car, Schnyder, Lorenz, Lugli, Aguet, Anderson, Ryffel, and Quesniaux.

S

Saadi, S., and Platt, J.L. Transient perturbation of endothelial integrity induced by natural antibodies and complement. 21.
Sacks, D.L., Pimenta, P.F.P., McConville, M.J., Schneider, P., and Turco, S.J. Stage-specific binding of *Leishmania donovani* to the sand fly vector midgut is regulated by conformational changes in the abundant surface lipophosphoglycan. 685.
Sadahira, Y., Yoshino, T., and Monobe, Y. Very late activation antigen 4–vascular cell adhesion molecule 1 interaction is involved in the formation of erythroblastic islands. 411.
Sadoul, R. *See* Irmler, Hertig, MacDonald, Sadoul, Becherer, Proudfoot, Solari, and Tschopp.

Saffaripour, S. *See* Subramaniam, Saffaripour, Watson, Mayadas, Hynes, and Wagner.
Saito, A.Y. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.
Saito, T. *See* Aoe, Okamoto, and Saito.
— *See* Arase, Arase, and Saito.
Salazar-Mather, T.P. *See* Orange, Salazar-Mather, Opal, Spencer, Miller, McEwen, and Biron.
Salemi, S., Caporossi, A.P., Boffa, L., Longobardi, M.G., and Barnaba, V. HIVgp120 activates autoreactive CD4-specific T cell responses by unveiling of hidden CD4 peptides during processing. 2253.
Salmi, M., Andrew, D.P., Butcher, E.C., and Jalkanen, S. Dual binding capacity of mucosal immunoblasts to mucosal and synovial endothelium in humans: dissection of the molecular mechanisms. 137.
Samelson, L.E. *See* Isakov, Wange, Burgess, Watts, Aebersold, and Samelson.
Sanchez, M. *See* Mitchell, Barnes, Grupp, Sanchez, Misulovin, Nussenzweig, and Abbas.
Sano, K. *See* Matsuoka, Asano, Sano, Kishimoto, Yamashita, Yorifuji, Utsuyama, Hirokawa, and Tada.
Sant, A.J. *See* Stebbins, Loss, Elias, Chervonsky, and Sant.
Sarvetnick, N. *See* Gu, Wogensen, Calcutt, Xia, Zhu, Merlie, Fox, Lindstrom, Powell, and Sarvetnick.
Satoh, M. *See* Ajmani, Satoh, Reap, Cohen, and Reeves.
Sattar, H. *See* Lenschow, Ho, Sattar, Rhee, Gray, Nabavi, Herold, and Bluestone.
Satz, L. *See* Beck, Satz, Takamiya, Nakayama, Ling, Ishikawa, Nagao, Uchida, Tokunaga, Müller, Juji, and Takiguchi.
Savill, J. *See* Ren, Silverstein, Allen, and Savill.
Sawyers, C.L., McLaughlin, J., and Witte, O.N. Genetic requirement for Ras in the transformation of fibroblasts and hematopoietic cells by the *Bcr-Abl* oncogene. 307.
Sayegh, M.H., Akalin, E., Hancock, W.W., Russell, M.E., Carpenter, C.B., Linsley, P.S., and Turka, L.A. CD28-B7 blockade after alloantigenic challenge in vivo inhibits Th1 cytokines but spares Th2. 1869.
Scala, E. *See* Paganelli, Scala, Ansotegui, Ausiello, Halapi, Fanales-Belasio, D'Offizi, Mezzaroma, Pandolfi, Fiorilli, Cassone, and Aiuti.
Schaffner, G. *See* Kain, Matsui, Exner, Binder, Schaffner, Sommer, and Kerjaschki.
Scharff, M.D. *See* Mukherjee, Nussbaum, Scharff, and Casadevall.
Schendel, D.J. *See* Steinle, Reinhardt, Jantzer, and Schendel.
Scheuermann, R.H. *See* Racila, Scheuermann, Picker, Yefenof, Tucker, Chang, Marches, Street, Vitetta, and Uhr.
Schlievert, P.M. *See* Leung, Gately, Trumble, Ferguson-Darnell, Schlievert, and Picker.
Schmidtmayerova, H. *See* Bukrinsky, Nottet, Schmidtmayerova, Dubrovsky, Flanagan, Mullins, Lipton, and Gendelman.
Schneider, H., Prasad, K.V.S., Shoelson, S.E., and Rudd, C.E. CTLA-4 binding to the lipid kinase phosphatidylinositol 3-kinase in T cells. 351.
Schneider, P. *See* Sacks, Pimenta, McConville, Schneider, and Turco.
Schnyder, B. *See* Eng, Car, Schnyder, Lorenz, Lugli, Aguet, Anderson, Ryffel, and Quesniaux.
Schooley, K.A. *See* Alderson, Tough, Davis-Smith, Braddy, Falk, Schooley, Goodwin, Smith, Ramsdell, and Lynch.
Schreiber, D. *See* Pazdrak, Schreiber, Forsythe, Justement, and Alam.
Schreiber, H. *See* Pekarek, Starr, Toledano, and Schreiber.
Schreiber, K.L. *See* Grupp, Mitchell, Schreiber, McKean, and Abbas.
Schreiber, R.D. *See* Jacobson, Szabo, Weber-Nordt, Zhong, Schreiber, Darnell, and Murphy.
— *See* Sheehan, Pinckard, Arthur, Dehner, Goeddel, and Schreiber.
Schuitemaker, H. *See* Klein, van Baalen, Holwerda, Kerkhof Garde, Bende, Keet, Eeftinck-Schattenkerk, Osterhaus, Schuitemaker, and Miedema.
Schulman, P. *See* Hashimoto, Dono, Wakai, Allen, Lichtman, Schulman, Vinciguerra, Ferrarini, Silver, and Chiorazzi.
Schütze, S. *See* Boucher, Wiegmann, Fütterer, Pfeffer, Machleidt, Schütze, Mak, and Krönke.
Schwartz, B.D. *See* Fu, Bono, Woulfe, Swearingen, Summers, Sinigaglia, Sette, Schwartz, and Karr.
Schweitzer, A. *See* Roux, Roullot, Schweitzer, Berthier, and Marguerie.
Scofield, R.H. *See* James, Gross, Scofield, and Harley.
Seaman, W.E. *See* Ryan, Niemi, Nakamura, and Seaman.
Secrist, H., DeKruyff, R.H., and Umetsu, D.T. Interleukin 4 production by $CD4^+$ T cells from allergic individuals is modulated by antigen concentration and antigen-presenting cell type. 1081.
Seder, R.A., and Le Gros, G.G. The functional role of $CD8^+$ T helper type 2 cells. 5.
Seilhamer, J.J. *See* Baum, Pang, Perillo, Wu, Delegeane, Uittenbogaart, Fukuda, and Seilhamer.
Sen, R. *See* Venkataraman, Burakoff, and Sen.
Sengupta, T.K., Chen, A., Zhong, Z., Darnell, J.E., Jr., and Ivashkiv, L.B. Activation of monocyte effector genes and STAT family transcription factors by inflammatory synovial fluid is independent of interferon γ. 1015.
Sercarz, E.E. *See* Singh, Kumar, Ebling, Southwood, Sette, Sercarz, and Hahn.
Sette, A., Southwood, S., Miller, J., and Appella, E. Binding of major histocompatibility complex class II to the invariant chain–derived peptide, CLIP, is regulated by allelic polymorphism in class II. 677.
— *See* Fu, Bono, Woulfe, Swearingen, Summers, Sinigaglia, Sette, Schwartz, and Karr.
— *See* Pfeiffer, Stein, Southwood, Ketelaar, Sette, and Bottomly.
— *See* Rehermann, Fowler, Sidney, Person, Redeker, Brown, Moss, Sette, and Chisari.
— *See* Singh, Kumar, Ebling, Southwood, Sette, Sercarz, and Hahn.
Seya, T. *See* Kim, Kinoshita, Molina, Hourcade, Seya, Wagner, and Holers.
— *See* Matsumoto, Yamashita, Iida, Tomita, and Seya.
Shankar, A.H., and Titus, R.G. T cell and non–T cell compartments can independently determine resistance to *Leishmania major*. 845.
Sharrow, S.O. *See* Kearse, Takahama, Punt, Sharrow, and Singer.
Sheehan, K.C.F., Pinckard, J.K., Arthur, C.D., Dehner, L.P., Goeddel, D.V., and Schreiber, R.D. Monoclonal antibodies specific for murine p55 and p75 tumor necrosis factor receptors: identification of a novel in vivo role for p75. 607.
Shen, L., and Kane, K.P. Differential ability of isolated H-2 K^b subsets to serve as TCR ligands for allo-specific CTL clones: potential role for *N*-linked glycosylation. 1773.
Shenkar, R. *See* Abraham, Bursten, Shenkar, Allbee, Tuder, Woodson, Guidot, Rice, Singer, and Repine.
Sher, E.R. *See* Leung, Martin, Szefler, Sher, Ying, Kay, and Hamid.
Shi, L. *See* Chen, Shi, Litchfield, and Greenberg.
Shimoda, S., Nakamura, M., Ishibashi, H., Hayashida, K., and Niho, Y. HLA DRB4 0101–restricted immunodominant T cell autoepitope of pyruvate dehydrogenase complex in primary biliary cirrhosis: evidence of molecular mimicry in human autoimmune diseases. 1835.
Shimonkevitz, R. *See* Hurley, Shimonkevitz, Hanagan, Enney, Boen, Malmstrom, Kotzin, and Matsumura.
Shoelson, S.E. *See* Schneider, Prasad, Shoelson, and Rudd.
Shortman, K. *See* Lundberg, Heath, Köntgen, Carbone, and Shortman.
Showell, H.J. *See* Peiper, Wang, Neote, Martin, Showell, Conklyn, Ogborne, Hadley, Lu, Hesselgesser, and Horuk.
Shultz, L.D. *See* Moore, Kumar, Shultz, and Rajan.
Sidney, J. *See* Rehermann, Fowler, Sidney, Person, Redeker, Brown, Moss, Sette, and Chisari.
Signoret, N. *See* Hill, Lee, Haurum, Murray, Yao, Rowe, Signoret, Rickinson, and McMichael.
Silvagno, F. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.
Silvennoinen, O. *See* Kumagai, Coustan-Smith, Murray, Silvennoinen, Murti, Evans, Malavasi, and Campana.
Silver, J. *See* Hashimoto, Dono, Wakai, Allen, Lichtman, Schulman, Vinciguerra, Ferrarini, Silver, and Chiorazzi.
Silverstein, R.L. *See* Ren, Silverstein, Allen, and Savill.
Silverstein, S.C. *See* Loike, El Khoury, Cao, Richards, Rascoff, Mandeville, Maxfield, and Silverstein.
Siminovitch, K.A. *See* Pani, Kozlowski, Cambier, Mills, and Siminovitch.
Simitsek, P.D., Campbell, D.G., Lanzavecchia, A., Fairweather, N., and Watts, C. Modulation of antigen processing by bound antibodies can boost or suppress class II major histocompatibility complex presentation of different T cell determinants. 1957.

Simmons, P.J. *See* Lévesque, Leavesley, Niutta, Vadas, and Simmons.
Simon, M.M. *See* Ebnet, Levelt, Tran, Eichmann, and Simon.
Simpson, R.M. *See* Leno, Simpson, Bowers, and Kindt.
Sindhwani, R. *See* Liao, Sindhwani, Rojkind, Factor, Leinwand, and Diamond.
Sing, A. *See* Yaegashi, Nielsen, Sing, Galanos, and Freudenberg.
Singer, A. *See* Kearse, Takahama, Punt, Sharrow, and Singer.
Singer, J.W. *See* Abraham, Bursten, Shenkar, Allbee, Tuder, Woodson, Guidot, Rice, Singer, and Repine.
Singh, R.R., Kumar, V., Ebling, F.M., Southwood, S., Sette, A., Sercarz, E.E., and Hahn, B.H. T cell determinants from autoantibodies to DNA can upregulate autoimmunity in murine systemic lupus erythematosus. 2017.
Sinigaglia, F., and Hammer, J. Motifs and supermotifs for MHC class II binding peptides. 449.
— *See* Fu, Bono, Woulfe, Swearingen, Summers, Sinigaglia, Sette, Schwartz, and Karr.
— *See* Hammer, Gallazzi, Bono, Karr, Guenot, Valsasnini, Nagy, and Sinigaglia.
— *See* Panina-Bordignon, Lang, van Endert, Benazzi, Felix, Pastore, Spinas, and Sinigaglia.
Sipe, J.D. *See* Gonnerman, Elliott-Bryant, Carreras, Sipe, and Cathcart.
Skeiky, Y.A.W., Guderian, J.A., Benson, D.R., Bacelar, O., Carvalho, E.M., Kubin, M., Badaro, R., Trinchieri, G., and Reed, S.G. A recombinant *Leishmania* antigen that stimulates human peripheral blood mononuclear cells to express a Th1-type cytokine profile and to produce interleukin 12. 1527.
Skoda, R.C., Tsai, S.-F., Orkin, S.H., and Leder, P. Expression of c-*MYC* under the control of GATA-1 regulatory sequences causes erythroleukemia in transgenic mice. 1603.
Slomianny, C. *See* Fandeur, Le Scanf, Bonnemains, Slomianny, and Mercereau-Puijalon.
Smeenk, R.J.T. *See* van der Pouw Kraan, Boeije, Smeenk, Wijdenes, and Aarden.
Smith, C.A. *See* Alderson, Tough, Davis-Smith, Braddy, Falk, Schooley, Goodwin, Smith, Ramsdell, and Lynch.
— *See* Katsikis, Wunderlich, Smith, Herzenberg, and Herzenberg.
Smith, K.D. *See* McCutcheon, Gumperz, Smith, Lutz, and Parham.
Snewin, V.A., Premawansa, S., Kapilananda, G.M.G., Ratnayaka, L., Udagama, P.V., Mattei, D.M., Khouri, E., Del Giudice, G., Peiris, J.S.M., Mendis, K.N., and David, P.H. Transmission blocking immunity in *Plasmodium vivax* malaria: antibodies raised against a peptide block parasite development in the mosquito vector. 357.
Solari, R. *See* Irmler, Hertig, MacDonald, Sadoul, Becherer, Proudfoot, Solari, and Tschopp.
Soldi, R. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.
Soler, M.T.P. *See* Babi, Picker, Soler, Drzimalla, Flohr, Blaser, and Hauser.
Sommer, E.M. *See* Kain, Matsui, Exner, Binder, Schaffner, Sommer, and Kerjaschki.
Sonenshein, G.E. *See* Lee, Arsura, Wu, Duyao, Buckler, and Sonenshein.
Song, D. *See* Munn, Beall, Song, Wrenn, and Throckmorton.
Southwood, S. *See* Pfeiffer, Stein, Southwood, Ketelaar, Sette, and Bottomly.
— *See* Sette, Southwood, Miller, and Appella.
— *See* Singh, Kumar, Ebling, Southwood, Sette, Sercarz, and Hahn.
Sozzani, S. *See* Colotta, Orlando, Fadlon, Sozzani, Matteucci, and Mantovani.
Spencer, R.L. *See* Orange, Salazar-Mather, Opal, Spencer, Miller, McEwen, and Biron.
Spielman, A. *See* Fikrig, Telford, Wallich, Chen, Lobet, Matuschka, Kimsey, Kantor, Barthold, Spielman, and Flavell.
Spiera, H. *See* Katsuri, Hatakeyama, Spiera, and Bona.
Spinas, G.A. *See* Panina-Bordignon, Lang, van Endert, Benazzi, Felix, Pastore, Spinas, and Sinigaglia.
Sprent, J. *See* Kishimoto, Surh, and Sprent.
Stach, R.M. *See* Rowley, Becken, and Stach.
Stanberry, L.R. *See* Krause, Stanberry, Bourne, Connelly, Kurawadwala, Patel, and Straus.
Stanley, J.R. Autoantibodies against adhesion molecules and structures in blistering skin diseases. 1.
Starr, B.A. *See* Pekarek, Starr, Toledano, and Schreiber.
Stavnezer, J. *See* Delphin and Stavnezer.
Stebbins, C.C., Loss, G.E., Jr., Elias, C.G., Chervonsky, A., and Sant, A.J. The requirement for DM in class II–restricted antigen presentation and SDS-stable dimer formation is allele and species dependent. 223.
Stedra, J. *See* Miller, Stedra, Kelsoe, and Cerny.
Steeber, D.A. *See* Tedder, Steeber, and Pizcueta.
Stein, J. *See* Pfeiffer, Stein, Southwood, Ketelaar, Sette, and Bottomly.
Steinle, A., Reinhardt, C., Jantzer, P., and Schendel, D.J. In vivo expansion of HLA-B35 alloreactive T cells sharing homologous T cell receptors: evidence for maintenance of an oligoclonally dominated allospecificity by persistent stimulation with an autologous MHC/peptide complex. 503.
Stober, S. *See* Dejbakhsh-Jones, Okazaki, and Stober.
Stockinger, H. *See* Bohuslav, Hořejší, Hansmann, Stöckl, Weidle, Majdic, Bartke, Knapp, and Stockinger.
Stöckl, J. *See* Bohuslav, Hořejší, Hansmann, Stöckl, Weidle, Majdic, Bartke, Knapp, and Stockinger.
Storb, U. *See* Roth, Kurtz, Lo, and Storb.
Storkus, W.J. *See* Castelli, Storkus, Maeurer, Martin, Huang, Pramanik, Nagabhushan, Parmiani, and Lotze.
Straus, S.E. *See* Krause, Stanberry, Bourne, Connelly, Kurawadwala, Patel, and Straus.
Street, N.E. *See* Racila, Scheuermann, Picker, Yefenof, Tucker, Chang, Marches, Street, Vitetta, and Uhr.
Strominger, J.L. *See* Wucherpfennig and Strominger.
Subramaniam, M., Saffaripour, S., Watson, S.R., Mayadas, T.N., Hynes, R.O., and Wagner, D.D. Reduced recruitment of inflammatory cells in a contact hypersensitivity response in P-selectin–deficient mice. 2277.
Suda, T. *See* Ogasawara, Suda, and Nagata.
Summers, N.L. *See* Fu, Bono, Woulfe, Swearingen, Summers, Sinigaglia, Sette, Schwartz, and Karr.
Surh, C.D. *See* Kishimoto, Surh, and Sprent.
Suzuki, K. *See* Wang, Hashimoto, Kubo, Yokochi, Kubo, Suzuki, Suzuki, Tada, and Nakayama.
Suzuki, M. *See* Wang, Hashimoto, Kubo, Yokochi, Kubo, Suzuki, Suzuki, Tada, and Nakayama.
Swearingen, C. *See* Fu, Bono, Woulfe, Swearingen, Summers, Sinigaglia, Sette, Schwartz, and Karr.
Swihart, K., Fruth, U., Messmer, N., Hug, K., Behin, R., Huang, S., Del Giudice, G., Aguet, M., and Louis, J.A. Mice from a genetically resistant background lacking the interferon γ receptor are susceptible to infection with *Leishmania major* but mount a polarized T helper cell 1–type $CD4^+$ T cell response. 961.
Syrbe, U. *See* Randow, Syrbe, Meisel, Krausch, Zuckermann, Platzer, and Volk.
Szabo, S.J. *See* Jacobson, Szabo, Weber-Nordt, Zhong, Schreiber, Darnell, and Murphy.
Szefler, S.J. *See* Leung, Martin, Szefler, Sher, Ying, Kay, and Hamid.

T

Taborda-Barata, L. *See* Ying, Taborda-Barata, Meng, Humbert, and Kay.
Tada, T. *See* Matsuoka, Asano, Sano, Kishimoto, Yamashita, Yorifuji, Utsuyama, Hirokawa, and Tada.
— *See* Wang, Hashimoto, Kubo, Yokochi, Kubo, Suzuki, Suzuki, Tada, and Nakayama.
Takagi, M., Hara, T., Ichihara, M., Takatsu, K., and Miyajima, A. Multi-colony stimulating activity of interleukin 5 (IL-5) on hematopoietic progenitors from transgenic mice that express IL-5 receptor α subunit constitutively. 889.
Takahama, Y. *See* Kearse, Takahama, Punt, Sharrow, and Singer.
Takahashi, M., Yamada, T., Nakajima, S., Nakajima, K., Yamamoto, T., and Okada, H. The substantia nigra is a major target for neurovirulent influenza A virus. 2161.
Takamiya, Y. *See* Beck, Satz, Takamiya, Nakayama, Ling, Ishikawa, Nagao, Uchida, Tokunaga, Müller, Juji, and Takiguchi.
Takatsu, K. *See* Takagi, Hara, Ichihara, Takatsu, and Miyajima.

Takiguchi, M. *See* Beck, Satz, Takamiya, Nakayama, Ling, Ishikawa, Nagao, Uchida, Tokunaga, Müller, Juji, and Takiguchi.
Tedder, T.F., Steeber, D.A., and Pizcueta, P. L-selectin–deficient mice have impaired leukocyte recruitment into inflammatory sites. 2259.
— *See* Engel, Wagner, Miller, and Tedder.
— *See* Ley, Bullard, Arbonés, Bosse, Vestweber, Tedder, and Beaudet.
Teitell, M. *See* Holcombe, Castaño, Cheroutre, Teitell, Maher, Peterson, and Kronenberg.
Telford, S.R., III *See* Fikrig, Telford, Wallich, Chen, Lobet, Matuschka, Kimsey, Kantor, Barthold, Spielman, and Flavell.
Terpe, H.-J. *See* Piali, Fichtel, Terpe, Imhof, and Gisler.
Thomas, M.L. Of ITAMs and ITIMs: turning on and off the B cell antigen receptor. 1953.
Thome, M., Duplay, P., Guttinger, M., and Acuto, O. Syk and ZAP-70 mediate recruitment of p56^{lck}/CD4 to the activated T cell receptor/CD3/ζ complex. 1997.
Thompson, W.C. *See* Burd, Thompson, Max, and Mills.
Throckmorton, D.C. *See* Munn, Beall, Song, Wrenn, and Throckmorton.
Tighe, H., Heaphy, P., Baird, S., Weigle, W.O., and Carson, D.A. Human immunoglobulin (IgG) induced deletion of IgM rheumatoid factor B cells in transgenic mice. 599.
Tilton, R.G. *See* Worrall, Lazenby, Misko, Lin, Rodi, Manning, Tilton, Williamson, and Ferguson.
Ting, J.P.-Y. *See* Wright, White, Kelly, Beck, Trowsdale, and Ting.
Titus, R.G. *See* Shankar and Titus.
Tizard, R. *See* Osborn, Day, Miller, Karpusas, Tizard, Meuer, and Hochman.
Todde, R. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.
Toggas, S.M. *See* Mucke, Abraham, Ruppe, Rockenstein, Toggas, Mallory, Alford, and Masliah.
Tokunaga, K. *See* Beck, Satz, Takamiya, Nakayama, Ling, Ishikawa, Nagao, Uchida, Tokunaga, Müller, Juji, and Takiguchi.
Toledano, A.Y. *See* Pekarek, Starr, Toledano, and Schreiber.
Tomita, M. *See* Matsumoto, Yamashita, Iida, Tomita, and Seya.
Tonegawa, S. *See* van Santen, Woolsey, Ashton Rickardt, Van Kaer, Baas, Berns, Tonegawa, and Ploegh.
Toribio, M.L. *See* Márquez, Trigueros, Fernández, and Toribio.
Tough, T.W. *See* Alderson, Tough, Davis-Smith, Braddy, Falk, Schooley, Goodwin, Smith, Ramsdell, and Lynch.
Townsend, A. *See* Elliott, Willis, Cerundolo, and Townsend.
Tran, T.T. *See* Ebnet, Levelt, Tran, Eichmann, and Simon.
Trembleau, S., Penna, G., Bosi, E., Mortara, A., Gately, M.K., and Adorini, L. Interleukin 12 administration induces T helper type 1 cells and accelerates autoimmune diabetes in NOD mice. 817.
Trevisan, M., and Iscove, N.N. Phenotypic analysis of murine long-term hemopoietic reconstituting cells quantitated competitively in vivo and comparison with more advanced colony-forming progeny. 93.
Trigueros, C. *See* Márquez, Trigueros, Fernández, and Toribio.
Trinchieri, G. *See* D'Andrea, Ma, Aste-Amezaga, Paganin, and Trinchieri.
— *See* Skeiky, Guderian, Benson, Bacelar, Carvalho, Kubin, Badaro, Trinchieri, and Reed.
Troppmair, J. *See* Muszynski, Ruscetti, Heidecker, Rapp, Troppmair, Gooya, and Keller.
Trowsdale, J. *See* Wright, White, Kelly, Beck, Trowsdale, and Ting.
Trucco, F. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.
Trumble, A. *See* Leung, Gately, Trumble, Ferguson-Darnell, Schlievert, and Picker.
Tsai, S.-F. *See* Skoda, Tsai, Orkin, and Leder.
Tschopp, J. *See* Irmler, Hertig, MacDonald, Sadoul, Becherer, Proudfoot, Solari, and Tschopp.
Tucker, T. *See* Racila, Scheuermann, Picker, Yefenof, Tucker, Chang, Marches, Street, Vitetta, and Uhr.
Tuder, R. *See* Abraham, Bursten, Shenkar, Allbee, Tuder, Woodson, Guidot, Rice, Singer, and Repine.
Turano, A. *See* Manca, Piacentini, Gelmi, Calzavara, Manganoni, Glukhov, Gargiulo, De Francesco, Pirali, De Panfilis, and Turano.
Turco, S.J. *See* Sacks, Pimenta, McConville, Schneider, and Turco.
Turka, L.A. *See* Sayegh, Akalin, Hancock, Russell, Carpenter, Linsley, and Turka.
Turner, C.E. *See* Melamed, Turner, Aktories, Kaplan, and Gelfand.
Tygrett, L.T. *See* Bhatia, Tygrett, Grabstein, and Waldschmidt.

U

Uchida, H. *See* Beck, Satz, Takamiya, Nakayama, Ling, Ishikawa, Nagao, Uchida, Tokunaga, Müller, Juji, and Takiguchi.
Udagama, P.V. *See* Snewin, Premawansa, Kapilananda, Ratnayaka, Udagama, Mattei, Khouri, Del Giudice, Peiris, Mendis, and David.
Udaka, K., Wiesmüller, K.-H., Kienle, S., Jung, G., and Walden, P. Decrypting the structure of major histocompatibility class I–restricted cytotoxic T lymphocyte epitopes with complex peptide libraries. 2097.
Uhr, J.W. *See* Racila, Scheuermann, Picker, Yefenof, Tucker, Chang, Marches, Street, Vitetta, and Uhr.
Uittenbogaart, C.H. *See* Baum, Pang, Perillo, Wu, Delegeane, Uittenbogaart, Fukuda, and Seilhamer.
Ulevitch, R.J. *See* Fearns, Kravchenko, Ulevitch, and Loskutoff.
Ulivi, M. *See* Cutrona, Ulivi, Fais, Roncella, and Ferrarini.
Umetsu, D.T. *See* Secrist, DeKruyff, and Umetsu.
Utsuyama, M. *See* Matsuoka, Asano, Sano, Kishimoto, Yamashita, Yorifuji, Utsuyama, Hirokawa, and Tada.

V

Vadas, M. *See* Lévesque, Leavesley, Niutta, Vadas, and Simmons.
Vajdy, M., Kosco-Vilbois, M.H., Kopf, M., Köhler, G., and Lycke, N. Impaired mucosal immune responses in interleukin 4–targeted mice. 41.
Valitutti, S., Dessing, M., Aktories, K., Gallati, H., and Lanzavecchia, A. Sustained signaling leading to T cell activation results from prolonged T cell receptor occupancy. Role of T cell actin cytoskeleton. 577.
— *See* Padovan, Giachino, Cella, Valitutti, Acuto, and Lanzavecchia.
Valsasnini, P. *See* Hammer, Gallazzi, Bono, Karr, Guenot, Valsasnini, Nagy, and Sinigaglia.
van Baalen, C.A. *See* Klein, van Baalen, Holwerda, Kerkhof Garde, Bende, Keet, Eeftinck-Schattenkerk, Osterhaus, Schuitemaker, and Miedema.
van der Pouw Kraan, T.C.T.M., Boeije, L.C.M., Smeenk, R.J.T., Wijdenes, J., and Aarden, L.A. Prostaglandin-E2 is a potent inhibitor of human interleukin 12 production. 775.
Vandersea, M.W. *See* Dillard, Vandersea, and Yother.
van der Zee, R. *See* Anderton, van der Zee, Prakken, Noordzij, and van Eden.
Van de Water, J., Ansari, A., Prindiville, T., Coppel, R.L., Ricalton, N., Kotzin, B.L., Liu, S., Roche, T.E., Krams, S.M., Munoz, S., and Gershwin, M.E. Heterogeneity of autoreactive T cell clones specific for the E2 component of the pyruvate dehydrogenase complex in primary biliary cirrhosis. 723.
van Eden, W. *See* Anderton, van der Zee, Prakken, Noordzij, and van Eden.
van Endert, P.M. *See* Panina-Bordignon, Lang, van Endert, Benazzi, Felix, Pastore, Spinas, and Sinigaglia.
Van Kaer, L. *See* Machold, Andrée, Van Kaer, Ljunggren, and Ploegh.
— *See* van Santen, Woolsey, Ashton Rickardt, Van Kaer, Baas, Berns, Tonegawa, and Ploegh.
van Santen, M.H., Woolsey, A., Ashton Rickardt, P.G., Van Kaer, L., Baas, E.J., Berns, A., Tonegawa, S., and Ploegh, H.L. Increase in positive selection of CD8$^+$ T cells in TAP1-mutant mice by human β_2-microglobulin transgene. 787.
Varesio, L. *See* Musso, Johnston, Linnekin, Varesio, Rowe, O'Shea, and McVicar.
Vasseur, F. *See* Lucas, Vasseur, and Penit.
Vayssière, J.-L. *See* Zamzami, Marchetti, Castedo, Zanin, Vayssière, Petit, and Kroemer.

Vecchi, A. *See* Ghigo, Arese, Todde, Vecchi, Silvagno, Costamagna, Dong, Alessio, Heller, Soldi, Trucco, Garbarino, Pescarmona, Mantovani, Bussolino, and Bosia.
Veiby, O.P. *See* Jacobsen, Okkenhaug, Myklebust, Veiby, and Lyman.
Venkataraman, L., Burakoff, S.J., and Sen, R. FK506 inhibits antigen receptor–mediated induction of c-*rel* in B and T lymphoid cells. 1091.
Vestweber, D. *See* Ley, Bullard, Arbonés, Bosse, Vestweber, Tedder, and Beaudet.
Vié, H. *See* Davodeau, Peyrat, Romagné, Necker, Hallet, Vié, and Bonneville.
Vieira, P. *See* von Freeden-Jeffry, Vieira, Lucian, McNeil, Burdach, and Murray.
Vignaux, F., Vivier, E., Malissen, B., Depraetere, V., Nagata, S., and Golstein, P. TCR/CD3 coupling to Fas-based cytotoxicity. 781.
Vinciguerra, V.P. *See* Hashimoto, Dono, Wakai, Allen, Lichtman, Schulman, Vinciguerra, Ferrarini, Silver, and Chiorazzi.
Vitetta, E.S. *See* Racila, Scheuermann, Picker, Yefenof, Tucker, Chang, Marches, Street, Vitetta, and Uhr.
Vivier, E. *See* Paolini, Renard, Vivier, Ochiai, Jouvin, Malissen, and Kinet.
— *See* Vignaux, Vivier, Malissen, Depraetere, Nagata, and Golstein.
Vlodavsky, I. *See* Gilat, Hershkoviz, Goldkorn, Cahalon, Korner, Vlodavsky, and Lider.
Volk, H.-D. *See* Randow, Syrbe, Meisel, Krausch, Zuckermann, Platzer, and Volk.
von Freeden-Jeffry, U., Vieira, P., Lucian, L.A., McNeil, T., Burdach, S.E.G., and Murray, R. Lymphopenia in interleukin (IL)-7 gene–deleted mice identifies IL-7 as a nonredundant cytokine. 1519.
Vora, K.A., and Manser, T. Altering the antibody repertoire via transgene homologous recombination: evidence for global and clone-autonomous regulation of antigen-driven B cell differentiation. 271.
Vyas, J.M., Rodgers, J.R., and Rich, R.R. H-2M3^a violates the paradigm for major histocompatibility complex class I peptide binding. 1817.

W

Wade, W.F. *See* DeBenedette, Chu, Pollok, Hurtado, Wade, Kwon, and Watts.
Wagner, D.D. *See* Subramaniam, Saffaripour, Watson, Mayadas, Hynes, and Wagner.
Wagner, L.M. *See* Kim, Kinoshita, Molina, Hourcade, Seya, Wagner, and Holers.
Wagner, N. *See* Engel, Wagner, Miller, and Tedder.
Wakai, M. *See* Hashimoto, Dono, Wakai, Allen, Lichtman, Schulman, Vinciguerra, Ferrarini, Silver, and Chiorazzi.
Waldburger, K.E. *See* Leonard, Waldburger, and Goldman.
Walden, P. *See* Udaka, Wiesmüller, Kienle, Jung, and Walden.
Waldschmidt, T.J. *See* Bhatia, Tygrett, Grabstein, and Waldschmidt.
Wallace, V.A. *See* Kawai, Kishihara, Molina, Wallace, Mak, and Ohashi.
Wallich, R. *See* Fikrig, Telford, Wallich, Chen, Lobet, Matuschka, Kimsey, Kantor, Barthold, Spielman, and Flavell.
Walter, B.N. *See* Crowe, Walter, Mohler, Otten-Evans, Black, and Ware.
Walti, S. *See* Coyle, Erard, Bertrand, Walti, Pircher, and Le Gros.
Wang, C.-R., Hashimoto, K., Kubo, S., Yokochi, T., Kubo, M., Suzuki, M., Suzuki, K., Tada, T., and Nakayama, T. T cell receptor–mediated signaling events in CD4$^+$CD8$^+$ thymocytes undergoing thymic selection: requirement of calcineurin activation for thymic positive selection but not negative selection. 927.
Wang, E.C.Y. *See* Lehner, Wang, Moss, Williams, Platt, Friedman, Bell, and Borysiewicz.
Wang, R.-F., Robbins, P.F., Kawakami, Y., Kang, X.-Q., and Rosenberg, S.A. Identification of a gene encoding a melanoma tumor antigen recognized by HLA-A31–restricted tumor-infiltrating lymphocytes. 799. Correction. 1261.
Wang, W.-C. *See* Bowen, Patel, Li, Modrell, Malacko, Wang, Marquardt, Neubauer, Pesando, Francke, Haynes, and Aruffo.
Wang, Z.-x. *See* Peiper, Wang, Neote, Martin, Showell, Conklyn, Ogborne, Hadley, Lu, Hesselgesser, and Horuk.
Wange, R.L. *See* Isakov, Wange, Burgess, Watts, Aebersold, and Samelson.
Ware, C.F. *See* Crowe, Walter, Mohler, Otten-Evans, Black, and Ware.
— *See* Yang, Mercep, Ware, and Ashwell.
Watson, S.R. *See* Subramaniam, Saffaripour, Watson, Mayadas, Hynes, and Wagner.
Watts, C. *See* Simitsek, Campbell, Lanzavecchia, Fairweather, and Watts.
Watts, J.D. *See* Isakov, Wange, Burgess, Watts, Aebersold, and Samelson.
Watts, T.H. *See* DeBenedette, Chu, Pollok, Hurtado, Wade, Kwon, and Watts.
Weber-Nordt, R.M. *See* Jacobson, Szabo, Weber-Nordt, Zhong, Schreiber, Darnell, and Murphy.
Webster, P. *See* Amigorena, Webster, Drake, Newcomb, Cresswell, and Mellman.
Wee, S.-F. *See* Patel, Wee, Whichard, Bowen, Pesando, Aruffo, and Haynes.
Weidle, U.H. *See* Bohuslav, Hořejší, Hansmann, Stöckl, Weidle, Majdic, Bartke, Knapp, and Stockinger.
Weigle, W.O. *See* Tighe, Heaphy, Baird, Weigle, and Carson.
Wekerle, H. *See* Bender, Ernst, Iglesias, Dornmair, Wekerle, and Hohlfeld.
Wharton, J.T. *See* Fisk, Blevins, Wharton, and Ioannides.
Whichard, L.P. *See* Patel, Wee, Whichard, Bowen, Pesando, Aruffo, and Haynes.
White, L.C. *See* Wright, White, Kelly, Beck, Trowsdale, and Ting.
Wiegmann, K. *See* Boucher, Wiegmann, Fütterer, Pfeffer, Machleidt, Schütze, Mak, and Krönke.
Wiesmüller, K.-H. *See* Udaka, Wiesmüller, Kienle, Jung, and Walden.
Wijdenes, J. *See* Llorente, Zou, Levy, Richaud-Patin, Wijdenes, Alcocer-Varela, Morel-Fourrier, Brouet, Alarcon-Segovia, Galanaud, and Emilie.
— *See* van der Pouw Kraan, Boeije, Smeenk, Wijdenes, and Aarden.
Wilkinson, P.C., and Liew, F.Y. Chemoattraction of human blood T lymphocytes by interleukin-15. 1255.
Williams, C.J. *See* Guidos, Williams, Wu, Paige, and Danska.
Williams, S. *See* Lehner, Wang, Moss, Williams, Platt, Friedman, Bell, and Borysiewicz.
Williamson, J.R. *See* Worrall, Lazenby, Misko, Lin, Rodi, Manning, Tilton, Williamson, and Ferguson.
Willis, A. *See* Elliott, Willis, Cerundolo, and Townsend.
Wiltrout, R.H. *See* Grzegorzewski, Komschlies, Jacobsen, Ruscetti, Keller, and Wiltrout.
Winslow, G.M. *See* Park, Jung, Choi, and Winslow.
Witte, O.N. *See* Sawyers, McLaughlin, and Witte.
Wogensen, L. *See* Gu, Wogensen, Calcutt, Xia, Zhu, Merlie, Fox, Lindstrom, Powell, and Sarvetnick.
Wolf, H.M. *See* Hauber, Gulle, Wolf, Maris, Eggenbauer, and Eibl.
Wolf, P.R., and Cook, R.G. The class I-b molecule Qa-1 forms heterodimers with H-2L^d and a novel 50-kD glycoprotein encoded centromeric to *I-Eβ*. 657.
Wolff, K. *See* Foedinger, Anhalt, Boecskoer, Elbe, Wolff, and Rappersberger.
Wollenberg, G.K. *See* Rogy, Auffenberg, Espat, Philip, Remick, Wollenberg, Copeland, and Moldawer.
Woodson, P. *See* Abraham, Bursten, Shenkar, Allbee, Tuder, Woodson, Guidot, Rice, Singer, and Repine.
Woolsey, A. *See* van Santen, Woolsey, Ashton Rickardt, Van Kaer, Baas, Berns, Tonegawa, and Ploegh.
Worrall, N.K., Lazenby, W.D., Misko, T.P., Lin, T.-S., Rodi, C.P., Manning, P.T., Tilton, R.G., Williamson, J.R., and Ferguson, T.B., Jr. Modulation of in vivo alloreactivity by inhibition of inducible nitric oxide synthase. 63.
Woulfe, S.L. *See* Fu, Bono, Woulfe, Swearingen, Summers, Sinigaglia, Sette, Schwartz, and Karr.
Wrenn, R.W. *See* Munn, Beall, Song, Wrenn, and Throckmorton.
Wright, K.L., White, L.C., Kelly, A., Beck, S., Trowsdale, J., and Ting, J.P.-Y. Coordinate regulation of the human TAP1 and LMP2 genes from a shared bidirectional promoter. 1459.
Wright, S.D. *See* Wurfel, Hailman, and Wright.
Wu, G.E. *See* Guidos, Williams, Wu, Paige, and Danska.
Wu, M. *See* Lee, Arsura, Wu, Duyao, Buckler, and Sonenshein.
Wu, T. *See* Baum, Pang, Perillo, Wu, Delegeane, Uittenbogaart, Fukuda, and Seilhamer.
Wu, Y. *See* Guo, Wu, Zhao, Kong, and Liu.

Wucherpfennig, K.W., and Strominger, J.L. Selective binding of self peptides to disease-associated major histocompatibility complex (MHC) molecules: a mechanism for MHC-linked susceptibility to human autoimmune diseases. 1597.
Wunderlich, E.S. *See* Katsikis, Wunderlich, Smith, Herzenberg, and Herzenberg.
Wurfel, M.M., Hailman, E., and Wright, S.D. Soluble CD14 acts as a shuttle in the neutralization of lipopolysaccharide (LPS) by LPS-binding protein and reconstituted high density lipoprotein. 1743.

X

Xia, C. *See* Gu, Wogensen, Calcutt, Xia, Zhu, Merlie, Fox, Lindstrom, Powell, and Sarvetnick.
Xia, W., Pinto, C.E., and Kradin, R.L. The antigen-presenting activities of Ia^+ dendritic cells shift dynamically from lung to lymph node after an airway challenge with soluble antigen. 1275.
Xie, K., Huang, S., Dong, Z., Juang, S.-H., Gutman, M., Xie, Q.-w., Nathan, C., and Fidler, I.J. Transfection with the inducible nitric oxide synthase gene suppresses tumorigenicity and abrogates metastasis by K-1735 murine melanoma cells. 1333.
Xie, Q.-w. *See* Xie, Huang, Dong, Juang, Gutman, Xie, Nathan, and Fidler.

Y

Yaegashi, Y., Nielsen, P., Sing, A., Galanos, C., and Freudenberg, M.A. Interferon β, a cofactor in the interferon γ production induced by gram-negative bacteria in mice. 953.
Yamada, T. *See* Takahashi, Yamada, Nakajima, Nakajima, Yamamoto, and Okada.
Yamamoto, T. *See* Takahashi, Yamada, Nakajima, Nakajima, Yamamoto, and Okada.
Yamashita, F. *See* Matsumoto, Yamashita, Iida, Tomita, and Seya.
Yamashita, I. *See* Matsuoka, Asano, Sano, Kishimoto, Yamashita, Yorifuji, Utsuyama, Hirokawa, and Tada.
Yang, Y., Mercep, M., Ware, C.F., and Ashwell, J.D. Fas and activation-induced Fas ligand mediate apoptosis of T cell hybridomas: inhibition of Fas ligand expression by retinoic acid and glucocorticoids. 1673.
Yao, Q.-Y. *See* Hill, Lee, Haurum, Murray, Yao, Rowe, Signoret, Rickinson, and McMichael.
Yefenof, E. *See* Racila, Scheuermann, Picker, Yefenof, Tucker, Chang, Marches, Street, Vitetta, and Uhr.
Ying, S., Taborda-Barata, L., Meng, Q., Humbert, M., and Kay, A.B. The kinetics of allergen-induced transcription of messenger RNA for monocyte chemotactic protein-3 and RANTES in the skin of human atopic subjects: relationship to eosinophil, T cell, and macrophage recruitment. 2153.
— *See* Leung, Martin, Szefler, Sher, Ying, Kay, and Hamid.
Yokochi, T. *See* Wang, Hashimoto, Kubo, Yokochi, Kubo, Suzuki, Tada, and Nakayama.
Yokoyama, W.M. *See* Karlhofer, Orihuela, and Yokoyama.
Yorifuji, H. *See* Matsuoka, Asano, Sano, Kishimoto, Yamashita, Yorifuji, Utsuyama, Hirokawa, and Tada.
Yoshino, T. *See* Sadahira, Yoshino, and Monobe.
Yother, J. *See* Dillard, Vandersea, and Yother.
Young, A. *See* Isobe, Moran, Li, Young, Nathenson, Palese, and Bona.

Z

Zamzami, N., Marchetti, P., Castedo, M., Zanin, C., Vayssière, J.-L., Petit, P.X., and Kroemer, G. Reduction in mitochondrial potential constitutes an early irreversible step of programmed lymphocyte death in vivo. 1661.
Zanin, C. *See* Zamzami, Marchetti, Castedo, Zanin, Vayssière, Petit, and Kroemer.
Zhao, M. *See* Guo, Wu, Zhao, Kong, and Liu.
Zhong, Z. *See* Jacobson, Szabo, Weber-Nordt, Zhong, Schreiber, Darnell, and Murphy.
— *See* Sengupta, Chen, Zhong, Darnell, and Ivashkiv.
Zhu, S. *See* Gu, Wogensen, Calcutt, Xia, Zhu, Merlie, Fox, Lindstrom, Powell, and Sarvetnick.
Zou, W. *See* Llorente, Zou, Levy, Richaud-Patin, Wijdenes, Alcocer-Varela, Morel-Fourrier, Brouet, Alarcon-Segovia, Galanaud, and Emilie.
Zuckermann, H. *See* Randow, Syrbe, Meisel, Krausch, Zuckermann, Platzer, and Volk.
Zurakowski, D. *See* Lu, Gerard, Kolakowski, Bozza, Zurakowski, Finco, Carroll, and Gerard.

Subject Index

Acidic sphingomyelinase, CD28 signals through, 2059
Activated leukocyte–cell adhesion molecule, cloning, mapping, and characterization of, CD6 ligand, 2213
Activation-induced cell death, mediated by Fas ligand, human T lymphocytes, 71
Acute promyelocytic leukemia, PML suppresses oncogenic transformation of NIH/3T3 cells by activated *neu*, 1965
Adhesion
  autoantibodies against, blistering skin diseases, 1
  cloning, mapping, and characterization of activated leukocyte–cell adhesion molecule, CD6 ligand, 2213
  defective phosphorylation and hyaluronate binding of CD44, point mutations in cytoplasmic domain, 55
  heparanase functions as T cell molecule of, extracellular matrix–degrading enzyme, 1929
  of human hematopoietic cells increased by cytokines, activation of very late antigen 4 and 5, 1805
  human thymic epithelial cells express endogenous lectin, galectin-1, binds to core 2 O-glycans on thymocytes and T lymphoblastoid cells, 877
  modulation of by changes in α_L β_2 cytoplasmic domain/cytoskeleton interaction, LFA-1, CD11a/CD18, 315
Allelic exclusion
  dual T cell receptor β chain expression on human T lymphocytes, 1391
  mechanism of, T lymphocytes can express two different T cell receptor β chains, 1587
Allergen-induced transcription of messenger RNA for monocyte chemotactic protein-3 and RANTES in skin of human atopic subjects, relationship to eosinophil, T cell, and macrophage recruitment, 2153
Allergic diseases, interleukin 4 production by $CD4^+$ T cells from allergic individuals, modulation by antigen concentration and antigen-presenting cell type, 1081
Alloantigens
  CD28-B7 blockade after challenge by, inhibition of Th1 cytokines but sparing of Th2, 1869
  in vivo expansion of HLA-B35 alloreactive T cells sharing homologous T cell receptors, oligoclonally dominated allospecificity, stimulation with autologous MHC/peptide complex, 503
Alloreactive T cells, in vivo expansion of HLA-B35, homologous T cell receptors, oligoclonally dominated allospecificity, stimulation with autologous MHC/peptide complex, 503
Alloreactivity, modulation by inhibition of inducible nitric oxide synthase, 63
Alternative complement pathway, activation by human membrane protein, deposition of complement C3, 115
Amyloidosis, protection from linked to single, autosomal dominant gene, fibril formation in mouse, 2249
Anergy, and exhaustion are independent mechanisms of peripheral T cell tolerance, 993
Antagonists, of monocyte chemoattractant protein 1, identification by modification of critical NH_2-terminal residues, 631
Antibodies
  against interleukin 12, prevention of autoimmune encephalomyelitis, 381
  altering repertoire of, transgene homologous recombination, clone-autonomous regulation, B cell differentiation, 271
  of anti-DNA bind to DNase I, 1797
  immunoglobulin epitope spreading and autoimmune disease after peptide immunization, Sm B/B'-derived PPPGMRPP and PPPGIRGP induce spliceosome autoimmunity, 453
  induce transient perturbation of endothelial integrity, complement, 21
  modulation of antigen processing by, class II histocompatibility complex presentation of T cell determinants, 1957
  raised against a peptide block parasite development in mosquito vector, transmission blocking immunity in *Plasmodium vivax*, 357
Anti-Fas antibody, selective apoptosis of $CD4^+CD8^+$ thymocytes by, 485
Antifibrillarin, autoantibodies of in systemic sclerosis and other connective tissue diseases, similar epitopes, 1027
Antigen receptor–mediated induction of c-*rel*, FK506, B and T lymphoid cells, 1091
Antigen recognition activation motifs, FcεRI γ chain as a function of the receptor context, 247
Antigen-presenting cells
  activities of Ia^+ dendritic cells shift from lung to lymph node after airway challenge with soluble antigen, 1275
  interleukin 4 production by $CD4^+$ T cells from allergic individuals, modulation by antigen concentration, 1081
  sustained signaling leading to T cell activation, prolonged T cell receptor occupancy, role of T cell actin, 577
Antigens
  of Epstein-Barr virus, cytotoxic T lymphocytes, failure to lyse EBV-transformed B lymphoblastoid cell lines, 2221
  intracellular targeting of, membrane immunoglobulin in B lymphocytes, 1705
  low density endosomal compartment in processing of, detection of class II–associated antigen, 1715
  presentation of, class II transactivator regulates expression of multiple genes, 765
  processing by bound antibodies, class II histocompatibility complex presentation of T cell determinants, 1957
Anti-homogenous nuclear antibodies, breakdown of B cell tolerance in mouse model of systemic lupus erythematosus, 1157
Anti-neutrophil cytoplasmic antibodies, a novel class of, necrotizing and crescentic glomerulonephritis, lysosomal membrane glycoprotein h-lamp-2 in neutrophil granulocytes, membrane protein in glomerular endothelial cells, 585
Apoptosis
  absence of autoantigen Ku lymphocytes undergoing, mature human neutrophils, human promyelocytic leukemia line (HL-60) cells, 2049
  of B cells in Bursa of Fabricius, loss of surface immunoglobulin expression, 105
  of $CD4^+CD8^+$ thymocytes by anti-Fas antibody, 485
  ceramide as signal for, mitogenesis, 1949
  Fas antigen induces, T lymphocytes in human immunodeficiency virus–infected individuals, 2029
  Fas and Fas ligand mediate, T cell hybridoma, inhibition of Fas ligand expression by retinoic acid and glucocorticoids, 1673
  Fas ligand mediates activation-induced cell death, human T lymphocytes, 17
  granzyme A is an interleukin 1β–converting enzyme, 1917
  in human macrophages, novel cell death pathway, colony-stimulating factor, interferon γ, 127
  human T lymphocyte virus 1 from a leukemogenic cell line mediates in vivo and in vitro lymphocyte, 1575
  induced by granzyme B, rescue by *wee1* kinase, 2295
  inhibited by follicular dendritic cells, human B lymphocytes, irreversible blockade of preexisting endonuclease, 1985
  novel packages of viral and self-antigens are generated during, 1557
  phagocytosis of cells undergoing, CD36 gene transfer, 1857
  proliferation is prerequisite for bacterial superantigen–induced, T cells in vivo, 2283
  receptor-induced death in human natural killer cells, CD16, 339
  receptor-mediated, role of rel-related factors in control of c-*myc* gene transcription, murine B cell WEHI 231 line, 1169
  upregulation of surface markers on dying thymocytes, 649
Armenian hamsters, monoclonal antibodies for murine p55 and p75 tumor necrosis factor receptors, in vivo role for p75, 607
Arthritis
  activation of T cells recognizing self 60-kD heat shock protein can protect against, 943
  monocyte migration to, rat, CD11/CD18, very late activation antigen 4, 1197
Asthma
  $CD8^+$ cells can switch to interleukin 5 production and induce airway eosinophilia, 1229
  constitutive and allergen-induced expression of eotaxin mRNA in guinea pig lung, 1211
  gene expression in steroid-resistant, dysregulation of interleukin 4, interleukin 5, and interferon γ, 33
Atopy
  activated mast cells produce interleukin 13, 1373
  allergen-induced transcription of messenger RNA for monocyte chemotactic protein-3 and RANTES in skin of human atopic subjects, relationship to eosinophil, T cell, and macrophage recruitment, 2153

Autoantibodies
against adhesion molecules, blistering skin diseases, 1
antibody-mediated autoimmune myocarditis, target organ sensitivity, 1123
of antifibrillarin in systemic sclerosis and other connective tissue diseases, similar epitopes, 1027
to desmoplakin I and II, erythema multiforme, 169
produced by *lpr* mice carrying transforming growth factor β, suppression of cytotoxic T lymphocytes, 1875
production in human systemic lupus erythematosus, interleukin 10, B lymphocyte hyperactivity, 839
T cell determinants from to DNA, up-regulate autoimmunity in murine systemic lupus erythematosus, 2017
Autoantigens
of anti-neutrophil cytoplasmic antibodies in necrotizing and crescentic glomerulonephritis, lysosomal membrane glycoprotein h-lamp-2 in neutrophil granulocytes, membrane protein in glomerular endothelial cells, 585
novel packages of viral and self-antigens are generated during apoptosis, 1557
Autoepitopes, of pyruvate dehydrogenase complex in primary biliary cirrhosis, HLA DRB4 0101–restricted immunodominant T cell, molecular mimicry in human autoimmune diseases, 1835
Autoimmune diseases, major histocompatibility complex–linked susceptibility to, binding of self peptides to MHC molecules, 1597
Autoimmunity
anti-DNA antibodies bind to DNase I, 1797
cryptic epitopes trigger, 1945
Sm B/B'-derived PPPGMRPP and PPPGIRGP induce spliceosome, immunoglobulin epitope spreading and autoimmune disease after peptide immunization, 453
T cell determinants from autoantibodies to DNA can up-regulate, murine systemic lupus erythematosus, 2017
p-Azophenylarsonate, antibody repertoire via transgene homologous recombination, clone-autonomous regulation, B cell differentiation, 271
B cell antigen receptor
of class IgD induces a stronger protein tyrosine phosphorylation than that of IgM, 1005
turning on and off, immunoreceptor tyrosine-based activation motifs, immunoreceptor tyrosine-based inhibitory motifs, 1953
tyrosine phosphatase PTP1C as, regulation of B cell signaling, 2077
B cell lymphoma, in SCID mice, tumor dormancy and cell signaling, antibody as agonist in inducing dormancy, 1539
B cell receptor, expression of B lymphocyte antigen receptor complex, molecular mechanisms, 161
B cell signaling, tyrosine phosphatase PTP1C as a B cell antigen receptor–associated protein involved in regulation of, 2077
B cells
breakdown of tolerance of, mouse model of systemic lupus erythematosus, 1157
death by apoptosis, loss of surface immunoglobulin expression, Bursa of Fabricius, 105
death of in vivo, cross-linking of membrane immunoglobulin D, absence of T cell help, 515
detection of class II–associated antigen, low density endosomal compartment in antigen processing, 1715
differentiation of, antibody repertoire via transgene homologous recombination, clone-autonomous regulation, 271
$\kappa^+\lambda^+$ dual receptor, human peripheral repertoire, 1245
FK506 inhibits antigen receptor–induction of c-*rel* in, T lymphoid cells, 1091
harboring Epstein-Barr virus, transfection of c-*myc* oncogene, new phenotype, resemblance to Burkitt lymphoma cells and normal centroblasts, 699
IgM rheumatoid factor, human IgG induced deletion, transgenic mice, 599
immunoglobulin heavy and light chain variable region genes in, IgG^+CD5^+ chronic lymphocytic leukemia, somatic diversification, 1507
lymphopenia in IL-7 gene–deleted mice identifies IL-7 as nonredundant cytokine, 1519
monoclonal antibodies to *Cryptococcus neoformans* originating from one, 405
$\lambda 5$ but not μ is required for maturation of, $\gamma 2b$ transgenic mouse line, 1059
as target of negative selection in B cell compartment, 2129
WEHI 231 line, role of rel-related factors in control of c-*myc* gene transcription, apoptosis, 1169
B lymphoblastoid cells, failure to lyse EBV-transformed, cytotoxic T lymphocytes specific for Epstein-Barr virus nuclear antigens, 2221
B lymphocytes
hyperactivity and autoantibody production of, interleukin 10, human systemic lupus erythematosus, 839
induction of gene *egr-1* in, activation of $p21^{ras}$ pathway, antigen receptor stimulation, 417
membrane immunoglobulin in, intracellular targeting of antigens, 1705
microfilament assembly and paxillin phosphorylation in, nerve growth factor, 1071
γ/δ T lymphocytes express CD40 ligand and induce isotype switching in, 1239
B lymphopoiesis, ligation of CD38 suppresses, 1101
B7 family, differential effects of anti-B7-1 and anti-B7-2 monoclonal antibody treatment, development of diabetes in nonobese diabetic mouse, 1145
B7 genes, low HLA-C expression at cell surfaces correlates with increased turnover of mRNA of heavy chain mRNA, 2085
B7 molecules, mutational analysis and alternatively spliced product of, CD28/CTLA4-binding site, immunoglobulin C-like domain, 1345
Bare lymphocyte syndrome, molecular characterization of class II gene expression, antigen-specific T cell response, new phenotype in class II–deficient patients, 1411
Blistering skin diseases, autoantibodies against adhesion molecules in, 1
Bone marrow
FLT3 ligand stimulates growth and expansion of, synergistic interactions with IL-11, IL-12, and other hematopoietic growth factors, 1357
ligation of CD38 suppresses human B lymphopoiesis, 1101
rate of production and extrathymic source in T lymphocytes of, 2201
Borrelia burgdorferi, vaccination against Lyme disease caused by, 215
Burkitt lymphoma cells, functional features resemblance to, normal centroblasts, transfection of c-*myc* oncogene into Epstein-Barr virus–harboring B cells, new phenotype, 699
Bursa of Fabricius, B cell death by apoptosis in, loss of surface immunoglobulin expression, 105
C3a, a chemotoxin for human eosinophils but not neutrophils, C3a stimulation of neutrophils is secondary to eosinophil activation, 2119
Calcineurin
activation for thymic positive but not negative selection, T cell receptor–mediated signaling events in $CD4^+CD8^+$ thymocytes, 927
downregulated by calcium/calmodulin-dependent protein kinase II, protein kinase C–mediated pathways, cytokine gene transcription in human T cells, 1217
Calcium, downregulates calcineurin and protein kinase C–mediated pathways, calmodulin-dependent protein kinase II, cytokine gene transcription in human T cells, 1217
Calmodulin-dependent protein kinase II, downregulates calcineurin and protein kinase C–mediated pathways, calcium, cytokine gene transcription in human T cells, 1217
Calnexin, expression of B lymphocyte antigen receptor complex, molecular mechanisms, 161
cAMP, costimulation of T lymphocyte growth and upregulation on M12 B lymphomas by, 4-1BB ligand, 985
Capsular polysaccharide, biosynthesis in *Streptococcus pneumoniae*, cassette containing genes, type 3, 973
Carcinoma, suppression of, endothelial vascular cell adhesion molecule 1 expression, melanoma, 811
Cardiac transplant, modulation of alloreactivity, inhibition of nitric oxide synthase, 63
CD2, counter receptor for lymphocyte function–associated antigen 3, CD58, amino acid residues required for binding, 429
CD3
coupling with TCR, Fas-based cytotoxicity, 781
T cell receptor complex, macrophages induce structural abnormalities, 1881
T cell receptor/ζ complex, Syk and ZAP-70 mediate recruitment of $p56^{lck}$/CD4, 1997
CD4
maturation pathway of, stochastic coreceptor shut-off is restricted, 1623
presence and absence of human, T cell response of HLA-DR transgenic mice to human myelin basic protein and other antigens, 867
T lymphocyte differentiation in vivo, altered peptide ligands, 1569
transcriptional induction of, infection of γ/δ T lymphocytes by human herpesvirus 6, susceptibility to HIV infection, 1303
unveiling of hidden peptides of, HIVgp120 activates autoreactive CD4-specific T cell responses, 2253

CD4+
kinetics of Gag-specific cytotoxic T lymphocyte responses during HIV-1 infection, longitudinal analysis of rapid progressors and long-term asymptomatics, 1365
memory T cells contain CD40 ligand, activation through T cell receptor complex, 1293
T cell response, mice lacking interferon γ receptor susceptible to infection with *Leishmania major*, polarized T helper cell 1, 961
T cells from allergic individuals, interleukin 4 production, modulation by antigen concentration and antigen-presenting cell type, 1081
thymocytes require thymus to produce long-lived, functional T cells, 235
CD4+CD8+
positive selection of T cells, rescue from programmed cell death and differentiation require continual engagement of T cell receptor, 1975
selective apoptosis of, thymocytes, anti-Fas antibody, 485
T cell receptor signaling in immature thymocytes, TCR-α protein synthesis, TCR-α instability, TCR assembly, positive selection, 193
thymocytes in RAG-deficient mice, T cell receptor β chain–independent pathway, 1187
CD4+8^{int}TCR^{int}, differentiation of, intermediate steps in positive selection, CD4-8+TCR^{hi} thymocytes, 1643
CD6 ligand
activated leukocyte–cell adhesion molecule, cloning, mapping, and characterization, 2213
identification of a 100-kD, human thymic epithelial cells, 1563
CD8, functional role of T helper type 2 cells, 5
CD8+
cells can switch to interleukin 5 production and induce airway eosinophilia, 1229
clonal expansion of autoaggressive, T cell receptor in polymyositis, 1863
cytotoxic T lymphocytes, mass spectrometric identification, melanoma peptide, 363
CD8α chain–associated Lck kinase activity, CD8β chain, 1267
CD8β chain, influences CD8α chain–associated Lck kinase activity, 1267
CD10, neutral endopeptidase modulates septic shock, 2271
CD11/CD18, monocyte migration to arthritis in rat utilizes, very late activation antigen 4, 1197
CD11c/CD18, transmembrane signaling receptor for lipopolysaccharide, 1473
CD14
acts as a shuttle in neutralization of lipopolysaccharide, LPS-binding protein, high density lipoprotein, 1743
gene expression in vivo in mice, extramyeloid synthesis and regulation by lipopolysaccharide, 857
CD16, in receptor-induced death in human natural killer cells, 339
CD22, identification of ligand-binding domains of, immunoglobulin superfamily that binds sialic-acid–dependent ligand, 1581
CD28
binding site on immunoglobulin C-like domain, CTLA-4, mutational analysis and alternatively spliced product of B7, 1345
signals through acidic sphingomyelinase, 2059
CD28-B7, blockade after alloantigenic challenge in vivo inhibits Th1 cytokines but spares Th2, 1869
CD34+, human thymic precursors, T and non-T cell lineages, expression of CD44, 475
CD36, gene transfer of, phagocytosis of cells undergoing apoptosis, 1857
CD38, ligation of suppresses human B lymphopoiesis, 1101
CD40 ligand
CD4+ memory T cells contain, activation through T cell receptor complex, 1293
γ/δ T lymphocytes express, induction of isotype switching in B lymphocytes, 1239
CD44
defective phosphorylation and hyaluronate binding of, point mutations in cytoplasmic domain, 55
differential expression of, T and non-T cell lineages, CD34+ human thymic precursors, 475
CD45, protein tyrosine phosphatase–deficient mice, impaired development of Vγthree dendritic epidermal T cells, p56^{lck} protein tyrosine kinase–deficient mice, 345
CD58, amino acid residues required for binding of, lymphocyte function–associated antigen 3, counter receptor CD2, 429
Cell biology history, electron microscope enters realm of intact cell, 831
Cell death
of B cells by apoptosis, loss of surface immunoglobulin expression, Bursa of Fabricius, 105
developmental regulation in a novel pathway, apoptosis in human macrophages, colony-stimulating factor, interferon γ, 127
of lymphocytes induced by monoclonal antibody without participation of complement, 2007
synergistic roles of granzymes A and B in, rat basophilic leukemia mast cell tumors, cytolysin/perforin, 1037
Ceramide, a signal for apoptosis or mitogenesis, 1949
Chagas' disease, enhancement of virulence in a murine model of, *Trypanosoma cruzi*, *trans*-sialidase, 1693
Chaperones, interaction of in human and mouse major histocompatibility complex class I molecules, 327
Chemoattractants, induce rapid release of interleukin 1 type II decoy receptor in human polymorphonuclear cells, 2181
Chemoattraction, of human blood T lymphocytes by interleukin-15, 1255
Chemotoxin, C3a is a chemotoxin for human eosinophils but not neutrophils, C3a stimulation of neutrophils is secondary to eosinophil activation, 2119
Chinese hamster, CD11c/CD18 is a transmembrane signaling receptor for lipopolysaccharide, 1473
Chlamydia trachomatis, in vitro model of HIV transmission facilitated by, neutrophils from HIV-seronegative donors induce HIV replication from HIV-infected patients' mononuclear cells, 1493
Chronic lymphocytic leukemia, immunoglobulin heavy and light chain variable region genes in, IgG+CD5+ B cells, somatic diversification, 1507
CIITA, class II transactivator regulates expression of multiple genes involved in antigen presentation, 765
Class I, reduction in lymphoproliferation in *lpr* mice lacking, 631
Class I heavy chains, peptide influences folding and intracellular transport of free major histocompatibility complex, 1111
Class I molecules
chaperone interaction of human and mouse, 327
decrypting the structure of, cytotoxic T lymphocyte epitopes with complex peptide libraries, 2097
highly immunogenic with a single covalently bound peptide, 493
of nucleoprotein peptide, influenza virus transfectant, 203
peptide transporter–independent expression of, nonclassical behavior of thymus leukemia antigen, 1433
Class I–associated antigen, coordinate regulation of human TAP1 and LMP2 genes from a shared bidirectional promoter, 1459
Class I-b molecule, H-2M3^a violates the paradigm for major histocompatibility complex class I peptide binding, 1817
Class I-b molecule Qa-1, forms heterodimers with H-2L^d and 50-kD glycoprotein encoded centromeric to *I-Eβ*, 657
Class I–restricted antigens, in endoplasmic reticulum, 1481
Class II binding peptides, motifs and supermotifs for, 449
Class II deficiency, new phenotype in patients with, molecular characterization of class II gene expression, antigen-specific T cell response, 1411
Class II *I-Eβ*, 50-kD glycoprotein encoded centromeric to, Class I-b molecule Qa-1 forms heterodimers with H-2L^d, 657
Class II major histocompatibility complex, modulation of antigen processing by bound antibodies can boost or suppress, T cell determinants, 1957
Class II molecule I-Ad, requirement for DM in class II–restricted antigen presentation, SDS-stable dimer formation, allele and species dependent, 223
Class II molecules
identification of in superantigen toxic shock syndrome toxin 1, T cell receptor binding sites, 2229
interaction with natural invariant chain-derived peptides, supermotifs, 527
Class II transactivator, regulates expression of multiple genes involved in antigen presentation, 765
Class II–associated antigen, detection of, low density endosomal compartment in antigen processing, 1715
Class II–associated Ii peptides, invariant chain–derived peptide, regulation by allelic polymorphism in class II, 677
Class II–associated invariant chain peptides, motifs and supermotifs of class II binding peptides, 449
Class II–associated invariant peptides, supermotifs enable natural invariant chain-derived peptides, interaction with class II molecules, 527
Class II+B7-1+ genes, tumor cells are potent vaccines for stimulating tumor rejection in tumor-bearing mice, 619
Class II–enriched vesicles, invariant chain cleavage and peptide loading in, 1729
Class II–restricted antigen, requirement for DM in, SDS-stable dimer formation, allele and species dependent, 223
c-*MYC*, under control of GATA-1 regulatory sequences, erythroleukemia in transgenic mice, 1603

c-*myc* gene
role of rel-related factors in control of, apoptosis, murine B cell WEHI 231 line, 1169
transfection of, Epstein-Barr virus–harboring B cells results in new phenotype, resemblance to Burkitt lymphoma cells and normal centroblasts, 699
Colony formation, comparison with more advanced progeny of, murine long-term hemopoietic reconstituting cells quantitated competitively in vivo, 93
Colony-stimulating factor
of granulocyte, NF-IL6/CCAAT enhancer-binding protein, tumor necrosis factor α–inducible expression, interleukin 6 gene in human fibroblasts, 793
of interleukin 5, hematopoietic progenitors from transgenic mice, IL-5 receptor α subunit, 889
regulation of cell death pathway by, apoptosis in human macrophages, interferon γ, 127
Complement
cell death of lymphocytes induced by monoclonal antibody without, 2007
induces transient perturbation of endothelial integrity, natural antibodies, 21
Complement C3, deposition of homologous, human membrane protein, activation of alternative complement pathway, 115
Complement regulatory protein Crry/p65, uses mechanisms of human decay-accelerating factor and membrane cofactor protein, mice, 151
Connective tissue disorders, antifibrillarin autoantibodies in, systemic sclerosis, similar epitopes, 1027
c-*rel*, in B and T lymphoid cells, FK506 inhibits antigen receptor–mediated induction, 1091
Cryptic determinants
cryptic epitopes trigger autoimmunity, 1945
HIVgp120 activates autoreactive CD4-specific T cell responses, unveiling hidden CD4 peptides, 2253
modulation of antigen processing by bound antibodies, class II major histocompatibility complex presentation of T cell determinants, 1957
Cryptococcus neoformans, monoclonal antibodies to, origin from one B cell, 405
csk genes, regulatory protein tyrosine kinase, control of lymphopoiesis, 463
CT1501R, phosphatidic acid signaling mediates lung cytokine expression, lung inflammatory injury after hemorrhage in mice, 569
CTLA-4, binding of to lipid kinase phosphatidylinositol 3-kinase, T cells, 351
CTLA4-binding site on immunoglobulin C-like domain, CD28, mutational analysis and alternatively spliced product of B7, 1345
Cutaneous lymphocyte–associated antigen
bacterial superantigens induce T cell expression of skin-selective homing receptor, interleukin 12 production, 747
patients with atopic dermatitis and allergic contact dermatitis express, skin-selective homing receptor, allergen-reactive T cells, 1935
Cyclosporin A, T cell receptor–mediated signaling events in $CD4^+CD8^+$ thymocytes, thymic positive but not negative selection, calcineurin activation, 927
Cytokine-mediated immune interactions, *Schistosoma mansoni*, alteration of disease outcome in mice infected with *Trichuris muris*, 769
Cytokines
effects of IL-4 and IL-13 on production of, human peripheral blood mononuclear cells, priming for IL-12 and tumor necrosis factor α production, 537
increase human hematopoietic cell adhesiveness, activation of very late antigen 4 and 5, 1805
Cytolysin, expression of, synergistic roles of granzymes A and B in mediating target cell death by rat basophilic leukemia mast cell tumors, perforin, 1037
Cytoplasmic domain
α_L β_2 interaction with cytoskeleton, modulation of cell adhesion, LFA-1, CD11a/CD18, 315
point mutations in, defective phosphorylation and hyaluronate binding of CD44, 55
Cytoskeleton
interaction with α_L β_2 cytoplasmic domain, modulation of cell adhesion, LFA-1, CD11a/CD18, 315
role of T cell actin, sustained signaling leading to T cell activation, prolonged T cell receptor occupancy, 577
Cytotoxic T lymphocyte recognition, of influenza A, human HLA-A0201, domination by T cells bearing Vβ17 gene, 79
Cytotoxic T lymphocytes
allo-specific clones of, H-2 K^b subsets, TCR ligands, *N*-linked glycosylation, 1773
autoantibodies produced by *lpr* mice suppress, transforming growth factor β, 1875
$CD8^+$, mass spectrometric identification of melanoma peptide, 363
cells expressing a class I molecule with a single covalently bound peptide, 493
decrypting the structure of MHC class I–restricted epitopes of, complex peptide libraries, 2097
kinetics of Gag-specific, HIV-1 infection, longitudinal analysis of rapid progressors and long-term asymptomatics, 1365
major histocompatibility complex class I molecule of nucleoprotein peptide, influenza virus transfectant, 203
of ovarian tumor/specific, immunodominant peptide of HER-2/neu protooncogene, 2109
polymorphism of human minor histocompatibility antigens, T cell recognition of human minor histocompatibility peptides presented by HLA-B35 subtype molecules, 2037
response to multiple hepatitis B virus polymerase epitopes, acute viral hepatitis, 1047
specific for Epstein-Barr virus nuclear antigens, failure to lyse EBV-transformed B lymphoblastoid cell lines, 2221
specific for glutamic acid decarboxylase in autoimmune diabetes, 1923
Cytotoxicity
Fas-based, TCR/CD3 coupling, 781
Fas-mediated, freshly isolated natural killer cells, 1235
NKR-P1A is a target-specific receptor that activates, natural killer cells, 1911
target cell nucleus is not required for Fas-based or cell-mediated granzyme-based, 1905
Dendritic cells
antigen-presenting activities of, shift from lung to lymph node after airway challenge with soluble antigen, 1275
loss of from nonlymphoid tissues after systemic administration of lipopolysaccharide, tumor necrosis factor, and interleukin 1, 2237
Dermatitis, atopic and allergic contact, allergen-reactive T cells, skin-selective homing receptor, cutaneous lymphocyte–associated antigen, 1935
Desmoplakin, autoantibodies to, erythema multiforme, 169
Diabetes
anti-B7-1 and anti-B7-2 monoclonal antibody treatment of, nonobese diabetic mouse, 1145
autoimmune, cytotoxic T lymphocytes specific for glutamic acid decarboxylase, 1923
interleukin 12 induces T helper type 1 cells, acceleration of autoimmune disease in NOD mice, 817
in nonobese mice, pancreatic islet β cells drive T cell–immune responses, 1635
DM, required in class II–restricted antigen presentation, SDS-stable dimer formation, allele and species dependent, 223
DNase I, anti-DNA antibodies bind to, 1797
DR molecules, motifs and supermotifs for class II binding peptides, 449
Duffy antigen/receptor for chemokines, expressed in endothelial cells, lack of erythrocyte receptor, 1311
Electron microscope, enters realm of intact cell, 831
Embryonic stem cells, control of lymphopoiesis by $p50^{csk}$, regulatory protein tyrosine kinase, 463
Encephalomyelitis, prevention of by antibodies against interleukin 12, 381
Endonuclease, rapid and irreversible blockade of, follicular dendritic cells inhibit apoptosis in human B lymphocytes, 1985
Endoplasmic reticulum, processing of class I–restricted antigens in, 1481
Endosomal compartment, in antigen processing, detection of class II–associated antigen, 1715
Endosomes, *Mycobacterium tuberculosis* phagosome, phagosomal maturation inhibition, 257
Endothelial cells
Duffy antigen/receptor for chemokines is expressed in, lack of erythrocyte receptor, 1311
exhibit increased activity of nitric oxide synthase, middle T antigen, 9
membrane protein in, autoantigens of anti-neutrophil cytoplasmic antibodies in necrotizing and crescentic glomerulonephritis, lysosomal membrane glycoprotein h-lamp-2 in neutrophil granulocytes, 585
vascular cell adhesion molecule 1 expression, suppression by melanoma and carcinoma, 811
Endothelium
mucosal and synovial in humans, dual binding capacity of mucosal immunoblasts, 137
perturbation of integrity of, natural antibodies and complement, 21
sequential contribution of L- and P-selectin, leukocyte rolling in vivo, 669
tumor necrosis factor α–activated, P-selectin and vascular cell adhesion molecule 1 mediate rolling and arrest of $CD4^+$ T lymphocytes, 1179

Endotoxemia, human tumor necrosis factor receptor and interleukin 10 gene transfer in mouse reduces mortality to, attenuation of local inflammatory responses, p55, 2289
Endotoxin, mechanism of desensitization of, interleukin 10 and transforming growth factor β, 1887
Eosinophils
allergen-induced transcription of messenger RNA for monocyte chemotactic protein-3 and RANTES in skin of human atopic subjects, relationship to eosinophil, T cell, and macrophage recruitment, 2153
C3a is a chemotoxin for, C3a stimulation of neutrophils is secondary to eosinophil activation, 2119
intracellular signal transduction of interleukin 5 in, lyn tyrosine kinase, Ras–Raf-1–MEK–microtubule-associated protein kinase pathway, 1827
Eotaxin, constitutive and allergen-induced expression of in guinea pig lung, 1211
Epithelial cells
of human thymus express endogenous lectin, galectin-1, binds to core 2 O-glycans on thymocytes and T lymphoblastoid cells, 877
identification of a 100-kD ligand for CD6 on human thymic, 1563
Epitopes
cryptic, triggering of autoimmunity, 1945
decrypting the structure of MHC class I–restricted cytotoxic T lymphocytes, complex peptide libraries, 2097
of hepatitis B virus, cytotoxic T lymphocyte response, acute viral hepatitis, 1047
of HLA-B molecules, Bw4 public epitope, reactivity with natural killer cell clones, expression of NKB1, a putative HLA receptor, 1133
spreading and autoimmune disease after immunization, immunoglobulin, Sm B/B'-derived PPPGMRPP and PPPGIRGP induce spliceosome autoimmunity, 453
Epstein-Barr virus
class I major histocompatibility complex–restricted cytotoxic T lymphocytes for, nuclear antigens, failure to lyse to EBV-transformed B lymphoblastoid cell lines, 2221
molecular characterization of class II gene expression, antigen-specific T cell response, new phenotype in class II–deficient patients, 1411
Epstein-Barr virus–harboring B cells, transfection of c-*myc* oncogene, new phenotype, resemblance to Burkitt lymphoma cells and normal centroblasts, 699
Erythema multiforme, autoantibodies to desmoplakin I and II in patients with, 169
Erythroblastic islands, formation of, very late activation antigen4–vascular cell adhesion molecule 1 interaction, 411
Erythrocyte receptor, Duffy antigen/receptor for chemokines is expressed in endothelial cells of individuals who lack, 1311
Erythroleukemia, c-*MYC* under control of GATA-1 regulatory sequences causes, transgenic mice, 1603
Erythro-megakaryocytopoiesis, suppression of, induction of reversible thrombocytopenia in transgenic mice, thymidine kinase gene targeted by platelet glycoprotein IIb promoter, 2141
Exhaustion, and anergy are independent mechanisms of peripheral T cell tolerance, 993
Extracellular matrix–degrading enzyme, heparanase functions as, T cell adhesion molecule, pH dependent, 1929
Extramyeloid synthesis, and regulation by lipopolysaccharide, murine CD14 gene expression in vivo, 857
Extrathymic source, of bone marrow T lymphocytes, rate of production, 2201
F-actin, nerve growth factor triggers microfilament assembly and paxillin phosphorylation, human B lymphocytes, 1071
Fas, mediates apoptosis of T cell hybridomas, inhibition of Fas ligand expression by retinoic acid and glucocorticoids, 1673
Fas antigen, induces marked apoptosis of T lymphocytes in human immunodeficiency virus–infected individuals, 2029
Fas ligand
massive upregulation of, *lpr* and *gld* mice, graft-versus-host disease–like wasting syndrome, 393
–mediated cytotoxicity by freshly isolated natural killer cells, 1235
mediates activation-induced cell death in human T lymphocytes, 71
Fas-based cytotoxicity
target cell nucleus is not required, cell-mediated granzyme-based cytotoxicity, 1905
TCR/CD3 coupling, 781
FcεRI γ chain, as a function of the receptor context, 247
Ferrous sulfate, inhibition of viral replication by nitric oxide and its reversal by, tricarboxylic acid cycle metabolites, 2171
Fibrils, linkage of protection against formation of amyloid, mouse, single, autosomal dominant gene, 2249
Fibrin, regulates neutrophil migration, interleukin 8, leukotriene B4, tumor necrosis factor, formyl-methionyl-leucyl-phenylalanine, 1763
Fibroblasts, transformation of, genetic requirement for Ras, hematopoietic cells, *Bcr-Abl* oncogene, 307
FK506
inhibits antigen receptor–mediated induction of c-*rel*, B and T lymphoid cells, 1091
T cell receptor–mediated signaling events in $CD4^+CD8^+$ thymocytes, thymic positive but not negative selection, calcineurin activation, 927
FLT3 ligand, stimulates growth and expansion of murine bone marrow progenitor cells, synergistic interactions with IL-11, IL-12, and other hematopoietic growth factors, 1357
Follicular dendritic cells, inhibit apoptosis in human B lymphocytes, irreversible blockade of preexisting endonuclease, 1985
GATA-1, expression of c-*MYC* under control of, erythroleukemia in transgenic mice, 1603
Galectin-1, binds to core 2 O-glycans on thymocytes and T lymphoblastoid cells, human thymic epithelial cells, endogenous lectin, 877
Gap formation, transient perturbation of endothelial integrity, induction by natural antibodies and complement, 21
Gene cassette, characterization of for type 3 capsular polysaccharide biosynthesis in *Streptococcus pneumoniae*, 973
Gene *egr-1*, in B lymphocytes, activation of $p21^{ras}$ pathway, antigen receptor stimulation, 417
Genital herpes, spontaneous reactivation of in latently infected guinea pigs, herpes simplex virus type 2 latency-associated transcript, 297
Germinal centers, role in somatic diversification of IgV_H genes, T cells, 1319
Germline ϵ promoter, immunoglobulin heavy chain, interleukin 4 responsive region, regulation by NF–IL-4, NF-κB/p50, 181
Glucocorticoids
inhibition of Fas ligand expression by, apoptosis of T cell hybridomas, retinoic acid, 1673
role in experimental viral infections, interleukin 12–mediated toxicities, tumor necrosis factor, 901
Glutamic acid decarboxylase, cytotoxic T cells specific for, autoimmune diabetes, 1923
Glycosylation, potential role for *N*-linked, isolated H-2 K^b subsets serve as TCR ligands, allo-specific CTL clones, 1773
Graft-versus-host disease, implications for Fas regulation, massive upregulation of Fas ligand in *lpr* and *gld* mice, wasting syndrome, 393
Gram-negative bacteria, interferon γ production induced by, interferon β, mice, 953
Granulocytes
colony-stimulating factor of, NF-IL6/CCAAT enhancer-binding protein, tumor necrosis factor α–inducible expression, interleukin 6 gene in human fibroblasts, 793
elimination of, inhibition of tumor growth, 435
Granzyme A, an interleukin 1β–converting enzyme, 1917
Granzyme B, –induced apoptosis, rescue by *wee1* kinase, 2295
Granzyme genes, differentially regulated during lymphoid ontogeny, transcription of granzyme A and B genes, 755
Granzyme-based cytotoxicity, target cell nucleus is not required, Fas-based cytotoxicity, 1905
Granzymes, synergistic roles of granzymes A and B in mediating target cell death, rat basophilic leukemia mast cell tumors, cytolysin/perforin, 1037
Growth factors, Raf-1 protein is required for proliferation of hematopoietic cells induced by, 2189
Guinea pig
constitutive and allergen-induced expression of eotaxin mRNA in lung of, 1211
spontaneous reactivation of genital herpes in latently infected, herpes simplex virus type 2 latency-associated transcript, 297
H-2 K^b subsets, serve as TCR ligands, allo-specific CTL clones, *N*-linked glycosylation, 1773
H-2M3^a, violates the paradigm for major histocompatibility complex class I peptide binding, 1817
Heat shock protein, recognition of self 60-kD, activation of T cells, protection against experimental arthritis, 943
Heavy chains, low HLA-C expression at cell surfaces correlates with increased turnover of mRNA of, 2085
Hemangiomas, middle T antigen-transformed endothelial cells, increased activity of nitric oxide synthase, 9

Hematopoiesis
FLT3 ligand stimulates growth and expansion of murine bone marrow progenitor cells, synergistic interactions with IL-11, IL-12, and other hematopoietic growth factors, 1357
stimulatory effects of interleukin 12 on, antagonism by IL-12–induced interferon γ in vivo, 1893
Hematopoietic cells
cytokines increase adhesiveness of, activation of very late antigen 4 and 5, 1805
Raf-1 protein is required for growth factor–induced proliferation of, 2189
transformation of, genetic requirement for Ras, fibroblasts, *Bcr-Abl* oncogene, 307
from transgenic mice, multi-colony stimulating activity of interleukin 5, IL-5 receptor α subunit, 889
Hematopoietic stem cells
analysis of human thymus at time of initial entry of, early human T cell development, fetal thymic microenvironment, 1445
mobilization of, mice, interleukin 7, 369
Hemopoietic precursor cells, phenotypic analysis of murine cells quantitated competitively in vivo, comparison with more advanced colony-forming progeny, 93
Hemorrhage, lung inflammatory injury in mice, phosphatidic acid signaling mediates lung cytokine expression, 569
Heparanase, functions as extracellular matrix–degrading enzyme or T cell adhesion molecule, pH dependent, 1929
Hepatitis B virus, polymerase epitopes of, cytotoxic T lymphocyte response, acute viral hepatitis, 1047
HER-2 protooncogene, immunodominant peptide of, ovarian tumor/specific cytotoxic T lymphocyte lines, 2109
Herpes simplex virus, enhances spontaneous reactivation of genital herpes, latently infected guinea pigs, 297
Herpesvirus 6, infection of γ/δ T lymphocytes by, transcriptional induction of CD4, susceptibility to HIV infection, 1303
Heterodimers, Class I-b molecule Qa-1 forms, H-2L^d and 50-kD glycoprotein encoded centromeric to *I-E*β, 657
High endothelial venules, dual binding capacity of mucosal immunoblasts, mucosal and synovial endothelium in humans, 137
HLA DRB4, –restricted immunodominant T cell autoepitope of pyruvate dehydrogenase complex in primary biliary cirrhosis, molecular mimicry in human autoimmune diseases, 1835
HLA-A0201, –restricted cytotoxic T lymphocyte recognition, influenza A, domination by T cells bearing Vβ17 gene, 79
HLA-A31, –restricted tumor-infiltrating lymphocytes, gene identification of melanoma tumor antigen, 799
HLA-B molecules, Bw4 public epitope of, reactivity with natural killer cell clones, expression of NKB1, a putative HLA receptor, 1133
HLA-B35
alloreactive T cells sharing homologous T cell receptors, oligoclonally dominated allospecificity, stimulation with autologous MHC/peptide complex, 503
T cell recognition of human minor histocompatibility peptides presented by, polymorphism of human minor histocompatibility antigens, 2037
HLA-C, expression of at cell surfaces, correlation with increased turnover of heavy chain mRNA, 2085
HLA-DR molecules
as a major determinant of T cell recognition of peptide, pocket 4, 915
supermotifs enable natural invariant chain-derived peptides, interaction with class II molecules, 527
HLA-DR transgenic mice, T cell response of, human myelin basic protein and other antigens, human CD4, 867
HLA-DR4 molecule, peptide binding specificity of, rheumatoid arthritis association, 1847
h-lamp-2, lysosomal membrane glycoprotein, autoantigens of anti-neutrophil cytoplasmic antibodies in necrotizing and crescentic glomerulonephritis, membrane protein in glomerular endothelial cells, 585
Human amyloid precursor protein, protection against gp120–induced brain damage by neuronal expression of, 1551
Human B lymphocytes, follicular dendritic cells inhibit apoptosis in, irreversible blockade of preexisting endonuclease, 1985
Human complement, purification of a human membrane protein, activation of alternative complement pathway, deposition of complement C3, 115
Human decay-accelerating factor, complement regulatory protein Crry/p65 uses mechanisms of, mice, membrane cofactor protein, 151
Human histocompatibility leukocyte antigens, chaperone interaction of human and mouse major histocompatibility complex class I molecules, 327
Human immunodeficiency virus
apoptosis of T lymphocytes in individuals with, Fas antigen stimulation, 2029
neutrophils from seronegative donors induce HIV replication from HIV-infected patients' mononuclear cells, in vitro model of HIV transmission facilitated by *Chlamydia trachomatis*, 1493
patients with hyper-IgE, CD8$^+$ T lymphocytes provide helper activity for IgE synthesis, 423
susceptibility to infection of, infection of γ/δ T lymphocytes by human herpesvirus 6, transcriptional induction of CD4, 1303
Human immunodeficiency virus 1
longitudinal analysis of rapid progressors and long-term asymptomatics with, kinetics of Gag-specific cytotoxic T lymphocyte responses, 1365
protection against gp120–induced brain damage by neuronal expression of human amyloid precursor protein, 1551
regulation of nitric oxide synthase activity in, infected monocytes, HIV-associated neurological disease, 735
Human immunodeficiency virus 1 gp120, activates autoreactive CD4-specific T cell responses, unveiling hidden CD4 peptides, 2253
Human T lymphocyte virus 1, mediates in vivo and in vitro lymphocyte apoptosis, leukemogenic cell line, 1575
Humoral immunity, CD4$^+$ Th1 clones mediate protective, transgenic mice, 1285
Hyaluronate binding, of CD44, phosphorylation, point mutations in cytoplasmic domain, 55
Hybridomas, apoptosis of T cell, inhibition of Fas ligand expression by retinoic acid and glucocorticoids, 1673
Hypersensitivity, response in P-selectin–deficient mice, reduced recruitment of inflammatory cells, 2277
IgV genes
immunoglobulin heavy and light chain variable region genes in IgG$^+$CD5$^+$ chronic lymphocytic leukemia B cells, somatic diversification, 1507
somatic diversification of, role of germinal centers and T cells, 1319
Immunity, pressure selects for *Plasmodium falciparum* parasites presenting distinct red blood cell surface antigens, strain-specific protection in *Saimiri sciureus* monkeys, 283
Immunoglobulin
B lymphocyte hyperactivity and autoantibody production of human systemic lupus erythematosus, interleukin 10, 839
dual T cell receptor β chain expression on human T lymphocytes, 1391
heavy chain germline ϵ promoter, interleukin 4 responsive region, regulation by NF–IL-4, NF-κB/p50, 181
human IgG induced deletion of IgM rheumatoid factor B cells in transgenic mice, 599
Immunoglobulin α, expression of B lymphocyte antigen receptor complex, molecular mechanisms, 161
Immunoglobulin β, expression of B lymphocyte antigen receptor complex, molecular mechanisms, 161
Immunoglobulin ϵ receptor, FcεRI γ chain as a function of the receptor context, 247
Immunoglobulin C, CD28/CTLA-4 binding site on, mutational analysis and alternatively spliced product of B7, 1345
Immunoglobulin D, B cell antigen receptor of, protein tyrosine phosphorylation, class IgM, 1005
Immunoglobulin E
activated mast cells produce interleukin 13, 1373
synthesis in human immunodeficiency virus–infected patients, CD8$^+$ T lymphocytes provide helper activity, hyper-IgE, 423
Immunoglobulin heavy and light chain variable region genes, in IgG$^+$CD5$^+$ chronic lymphocytic leukemia B cells, somatic diversification, 1507
Immunoglobulin M, B cell antigen receptor of class IgD induces a stronger protein tyrosine phosphorylation than that of, 1005
Immunoreceptor tyrosine-based activation motifs, turning on and off the B cell antigen receptor, immunoreceptor tyrosine-based inhibitory motifs, 1953
Immunoreceptor tyrosine-based inhibitory motifs, turning on and off the B cell antigen receptor, immunoreceptor tyrosine-based activation motifs, 1953
Influenza
pocket 4 of HLA-DR molecule, T cell recognition of peptide, 915
processing class I–restricted antigens in endoplasmic reticulum, 1481
substantia nigra is major target for, neurovirulent influenza A virus, 2161
transfectant virus of, major histocompatibility complex class I molecule of nucleoprotein peptide, 203

Influenza A, HLA-A0201–restricted cytotoxic T lymphocyte recognition of, domination by T cells bearing Vβ17 gene, 79
Integrin α_L β_2, cytoplasmic domain/cytoskeleton interaction, modulation of cell adhesion, LFA-1, CD11a/CD18, 315
β2-Integrins, in a receptor complex of human monocytes, urokinase plasminogen activator receptor, Src-kinases, 1381
Interferon β, a cofactor in interferon γ production, induction by gram-negative bacteria in mice, 953
Interferon γ
  activation of monocyte effector genes and STAT family transcription factors by inflammatory synovial fluid is independent of, 1015
  dysregulation of gene expression of, interleukin 4, interleukin 5, steroid-resistant asthma, 33
  expression of in neuromuscular junction, induction of Myasthenia gravis-like syndrome, 547
  induced by interleukin 12 in vivo, stimulatory effects of IL-12 on hematopoiesis, 1893
  interferon β is a cofactor in production of, induction by gram-negative bacteria in mice, 953
  interleukin 12 production by macrophages depends on, mycobacterial infection, tumor necrosis factor α, 1615
  regulation of cell death pathway by, apoptosis in human macrophages, colony-stimulating factor, 127
  T helper phenotype and genetic susceptibility in Lyme disease, 1251
Interferon γ receptor, lack of leads to susceptibility to infection with *Leishmania major*, mice, polarized T helper cell 1, CD4+ T cell response, 961
Interferons, Thieler's virus infection of 129Sv mice that lack, interferon α/β or interferon γ receptors, 2069
Interleukin 1
  dendritic cell loss from nonlymphoid tissue after systemic administration of, lipopolysaccharide, tumor necrosis factor, 2237
  intraislet release of, inhibition of β cell function, inducible nitric oxide synthase, 559
Interleukin 1 type II decoy receptor, chemoattractants induce rapid release of, human polymorphonuclear cells, 2181
Interleukin 1β-converting enzyme, granzyme A as, 1917
Interleukin 2
  differential use of Janus family tyrosine kinases by, interleukin 12 induces tyrosine phosphorylation of JAK2 and TYK2, 399
  phosphorylation response to, interleukin 4 and 7, JAK3 expression in human monocytes, 1425
Interleukin 4
  dysregulation of gene expression of, interleukin 5, interferon γ, steroid-resistant asthma, 33
  functional role of CD8 T helper type 2 cells, 5
  production by CD4+ T cells from allergic individuals, modulation by antigen concentration and antigen-presenting cell type, 1081
  responsive region in immunoglobulin heavy chain germline ε promoter, regulation by NF-IL-4, NF-κB/p50, 181
  T helper phenotype and genetic susceptibility in experimental Lyme disease, 1251
  –targeted mice, impaired mucosal immune response, 41
Interleukin 5
  CD8+ cells can switch production of, induction of airway eosinophilia, 1229
  dysregulation of gene expression of, interleukin 4, interferon γ, steroid-resistant asthma, 33
  intracellular signal transduction of, eosinophils, lyn tyrosine kinase, Ras–Raf-1–MEK–microtubule-associated protein kinase pathway, 1827
  multi-colony stimulating activity of, hematopoietic progenitors from transgenic mice, IL-5 receptor α subunit, 889
Interleukin 6, gene in human fibroblasts, NF-IL6/CCAAT enhancer-binding protein, tumor necrosis factor α–inducible expression of granulocyte colony-stimulating factor, 793
Interleukin 7
  effect of in vivo deprivation of, T cell maturation, 1399
  mobilization of hematopoietic stem cells in mice by, 369
  a nonredundant cytokine, lymphopenia in IL-7 gene–deleted mice, 1519
  transgenic expression of, T cell populations in nude mice, 1223
Interleukin 8, fibrin regulates neutrophil migration in response to, leukotriene B4, tumor necrosis factor, formyl-methionyl-leucyl-phenylalanine, 1763
Interleukin 10
  involvement in endotoxin desensitization, transforming growth factor β, 1887
  reduces mortality to lethal endotoxemia and attenuates local inflammatory responses, human tumor necrosis factor receptor, p55, mouse, 2289
  role in B lymphocyte hyperactivity and autoantibody production, human systemic lupus erythematosus, 839
Interleukin 11, synergistic interactions with interleukin 12 and other hematopoietic growth factors, FLT3 ligand stimulates growth and expansion of murine bone marrow progenitor cells, 1357
Interleukin 12
  antibodies against, prevention of autoimmune encephalomyelitis, 381
  as effective treatment for systemic intracellular infection, experimental visceral leishmaniasis, 387
  induces T helper type 1 cells, acceleration of autoimmune disease in NOD mice, 817
  induces tyrosine phosphorylation of JAK2 and TYK2, Janus family tyrosine kinases, interleukin 2, 399
  Leishmania antigen stimulates human peripheral blood mononuclear cells to express Th1-type cytokine profile and to produce, 1527
  –mediated toxicities during viral infections, tumor necrosis factor, glucocorticoids, 901
  production of, bacterial superantigens induce T cell expression of skin-selective homing receptor, cutaneous lymphocyte-associated antigen, 747
  production by macrophages, mycobacterial infection, interferon γ, tumor necrosis factor α, 1615
  prostaglandin-E2 is a potent inhibitor of, 775
  signaling in T helper type 1 cells, tyrosine phosphorylation of signal transducer and activator of transcription 3 and 4, 1755
  stimulatory effects of on hematopoiesis, antagonism by IL-12–induced interferon γ in vivo, 1893
  synergistic interactions with interleukin 11 and other hematopoietic growth factors, FLT3 ligand stimulates growth and expansion of murine bone marrow progenitor cells, 1357
Interleukin 13, activated mast cells produce, 1373
Interleukin-15, chemoattraction of human blood T lymphocytes by, 1255
Interleukins
  T cell genetic background determines default T helper phenotype development in vitro, 713
  effects of IL-4 and IL-13 on production of cytokines by human peripheral blood mononuclear cells, priming for IL-12 and tumor necrosis factor α production, 537
Intracellular infection, interleukin 12 is effective treatment for, experimental visceral leishmaniasis, 387
Intracellular signaling, of interleukin 5 in eosinophils, lyn tyrosine kinase, Ras–Raf-1–MEK–microtubule-associated protein kinase pathway, 1827
Intracellular targeting, of antigens internalized by membrane immunoglobulin in B lymphocytes, 1705
Intracellular transport, peptide influences, free major histocompatibility complex class I heavy chains, 1111
Invariant chain, cleavage, peptide loading in major histocompatibility complex class II vesicles, 1729
Invariant chain–derived peptide, binding of class II to, CLIP, regulation by allelic polymorphism in class II, 677
Isotype switching, in B lymphocytes, γ/δ T lymphocytes express CD40 ligand, 1239
Isotypic exclusion, κ+λ+ dual receptor B cells are present in human peripheral repertoire, 1245
JAK3, expression in human monocytes, phosphorylation in response to interleukins 2, 4, and 7, 1425
Kinases, lyn tyrosine kinase, Ras–Raf-1–MEK–microtubule-associated protein kinase pathway, intracellular signal transduction of interleukin 5 in eosinophils, 1827
Ku autoantigen, absence in mature human neutrophils and human promyelocytic leukemia (HL-60) cells, lymphocytes undergoing apoptosis, 2049
Latency-associated transcript, of herpes simplex virus type 2, enhancement of spontaneous reactivation of genital herpes, latently infected guinea pigs, 297
Lck tyrosine kinase, CD8β chain influences CD8α activity of, 1267
Legionella pneumophila, Mycobacterium tuberculosis phagosome, phagosomal maturation inhibition, 257
Leishmania braziliensis, antigen stimulates human peripheral blood mononuclear cells to express Th1-type cytokine profile and to produce interleukin 12, 1527
Leishmania donovani, stage-specific binding of, sand fly vector midget, regulation by conformational changes in abundant surface lipophosphoglycan, 685

Leishmania major
mice lacking interferon γ receptor susceptible to infection with, polarized T helper cell 1, $CD4^+$ T cell response, 961
T cell genetic background determines default T helper phenotype development in vitro, 713
T cell and non–T cell compartments can independently determine resistance to, 845
Leukemia
cell line mediates in vivo and in vitro lymphocyte apoptosis, human T lymphocyte virus 1, 1575
ligation of CD38 suppresses human B lymphopoiesis, 1101
thymus antigen of, peptide transporter–independent expression of a nonclassical class I molecule, 1433
Leukocytes
inhibition of tumor growth by elimination of granulocytes, 435
L-selectin–deficient mice have impaired, recruitment into inflammatory sites, 2259
mobilization of hematopoietic stem cells in mice, interleukin 7, 369
rolling in vivo, sequential contribution of L- and P-selectin, 669
Leukotriene B4, fibrin regulates neutrophil migration in response to, interleukin 8, tumor necrosis factor, formyl-methionyl-leucyl-phenylalanine, 1763
Ligand 4-1BB, in costimulation of T lymphocyte growth and its upregulation on M12 B lymphomas by cAMP, 985
Ligand-binding domains, of CD22, immunoglobulin superfamily that binds sialic acid–dependent ligand, 1581
Light chains, $\kappa^+\lambda^+$ dual receptor B cells are present in human peripheral repertoire, 1245
Lipid transfer, CD14 acts as a shuttle in neutralization of lipopolysaccharide, LPS-binding protein, high density lipoproteins, 1743
Lipophosphoglycan, conformational changes in abundant surface, stage-specific binding of *Leishmania donovani* to sand fly vector midgut, 685
Lipopolysaccharides
CD11c/CD18 is a transmembrane signaling receptor for, 1473
CD14 acts as a shuttle in neutralization of, LPS-binding protein, high density lipoprotein, 1743
dendritic cell loss from nonlymphoid tissue after systemic administration of, tumor necrosis factor, interleukin 1, 2237
extramyeloid synthesis and regulation by, murine CD14 gene expression in vivo, 857
Lipoproteins, neutralization by high density, CD14 acts as a shuttle, lipopolysaccharide, LPS-binding protein, 1743
Long-term reconstituting cells, phenotypic analysis of murine, quantitated competitively in vivo, comparison with more advanced colony-forming progeny, 93
Low molecular mass polypeptide 2 gene, coordinate regulation of, human TAP1 gene, shared bidirectional promoter, 1459
lpr gene, reduction in lymphoproliferation, class I, mice, 631
lpr mice, autoantibodies produced spontaneously by young, transforming growth factor β, suppression of cytotoxic T lymphocytes, 1875
L-selectin, sequential contribution of, P-selectin, leukocyte rolling in vivo, 669
L-selectin–deficient mice have impaired leukocyte recruitment into inflammatory sites, 2259
Lung, antigen-presenting activities of Ia^+ dendritic cells shift from, to lymph node after airway challenge with soluble antigen, 1275
Lung
constitutive and allergen-induced expression of eotaxin mRNA in, guinea pig, 1211
inflammatory injury of, hemorrhage in mice, phosphatidic acid signaling mediates lung cytokine expression, 569
Ly-49, –independent natural killer cells, NK cell clones derived from p53-deficient mice, 1785
Lyme disease
T helper phenotype and genetic susceptibility in, 1251
vaccination against, diverse *Borrelia burgdorferi*, 215
Lymph node, antigen-presenting activities of Ia^+ dendritic cells shift from lung to, airway challenge with soluble antigen, 1275
Lymphocyte function–associated antigen 3, amino acid residues required for binding of, CD58, counter receptor CD2, 429
Lymphocytes
absence of autoantigen Ku in, mature human neutrophils, human promyelocytic leukemia line (HL-60) cells, lymphocytes undergoing apoptosis, 2049
cell death of induced by monoclonal antibody without participation of complement, 2007
dual binding capacity of mucosal immunoblasts, mucosal and synovial endothelium in humans, 137
in vivo programmed cell death of, reduction in mitochondrial potential, early irreversible step, 1661
tumor-infiltrating, gene identification of melanoma tumor antigen, HLA-A31, 799
Lymphocytic choriomeningitis virus, interleukin 12–mediated toxicities during viral infections, tumor necrosis factor, glucocorticoids, 901
Lymphoid ontogeny, transcription of granzyme A and B genes is differentially regulated during, 755
Lymphoma
of B cells in SCID mice, tumor dormancy and cell signaling, antibody as agonist in inducing dormancy, 1539
costimulation of T lymphocyte growth and upregulation on, 4-1BB ligand, cAMP, 985
Lymphopenia, in IL-7 gene–deleted mice identifies IL-7 as nonredundant cytokine, 1519
Lymphopoiesis, control by $p50^{csk}$, regulatory protein tyrosine kinase, 463
Lymphoproliferation, reduction in *lpr* mice, class I, 631
Lyn tyrosine kinase, involvement of in intracellular signal transduction mechanism of interleukin 5 in eosinophils, Ras–Raf-1–MEK–microtubule-associated protein kinase pathway, 1827
Lysosomes, *Mycobacterium tuberculosis* phagosome, phagosomal maturation inhibition, 257
Macrophages
apoptosis in human, novel cell death pathway, colony-stimulating factor, interferon γ, 127
induce structural abnormalities of T cell receptor–CD3 complex, 1881
interleukin 12 production by, mycobacterial infection, interferon γ, tumor necrosis factor α, 1615
Major histocompatibility complex molecules, binding of self peptides to, MHC-linked susceptibility to human autoimmune diseases, 1597
Male antigen, anergy and exhaustion are independent mechanisms of peripheral T cell tolerance, 993
Mammary tumor virus superantigen, of mice, tumors induced by polyoma virus, 1683
Marrow, murine long-term hemopoietic reconstituting cells quantitated competitively in vivo, comparison with more advanced colony-forming progeny, 93
Mast cells, produce interleukin 13, 1373
Melanoma
mass spectrometric identification of peptide of, $CD8^+$ cytotoxic T lymphocytes, 363
murine K-1735, transfection with nitric oxide synthase gene suppresses tumorigenicity and abrogates metastasis, 1333
suppression of, endothelial vascular cell adhesion molecule 1 expression, carcinoma, 811
tumor antigen of, gene identification, HLA-A31–restricted tumor-infiltrating lymphocytes, 799
μ Membrane, is not required for B cell maturation, λ5, γ2b transgenic mouse line, 1059
Membrane cofactor protein, complement regulatory protein Crry/p65 uses the mechanisms of, mice, human decay-accelerating factor, 151
Membrane immunoglobulin
in B lymphocytes, intracellular targeting of antigens, 1705
expression of B lymphocyte antigen receptor complex, molecular mechanisms, 161
traditional B cells are target of negative selection in B cell compartment, 2129
Membrane immunoglobulin D, cross-linking in absence of T cell help, death of mature B cells in vivo, 515
Membrane protein M161Ag, activates the alternative complement pathway, deposition of complement C3, 115
Metalloprotease inhibitor, blocks shedding of 80-kD TNF receptor and TNF processing in T lymphocytes, 1205
Metastasis, transfection with nitric oxide synthase gene suppresses, tumorigenicity, K-1735 murine melanoma cells, 1333
Mice
CD14 gene expression in vivo in, extramyeloid synthesis and regulation by lipopolysaccharide, 857
complement regulatory protein Crry/p65 in, human decay-accelerating factor, membrane cofactor protein, 151
deficient in L-selectin have impaired leukocyte recruitment into inflammatory sites, 2259
deficient in P-selectin, reduced recruitment of inflammatory cells in contact hypersensitivity response, 2277
with deleted IL-7, lymphopenia, IL-7 as nonredundant cytokine, 1519

gram-negative bacteria in, interferon β, a cofactor in interferon γ production, 953
interleukin 4–targeted, impaired mucosal immune response, 41
that lack α/β or interferon γ receptors, Thieler's virus infection, 129Sv mice, 2069
linkage of protection against amyloid fibril formation to a single, autosomal dominant gene in, 2249
major histocompatibility complex class I molecules of, chaperone interactions of human, 327
mammary tumor virus superantigen of, tumors induced by polyoma virus, 1683
model of systemic lupus erythematosus in, breakdown of B cell tolerance, 1157
p53-deficient, Ly-49–independent natural killer cells, NK cell clones, 1785
RAG-deficient, $CD4^+CD8^+$ thymocytes, T cell receptor β chain–independent pathway, 1187
tumor-bearing, Class $II^+B7\text{-}1^+$ tumor cells are potent vaccines for stimulating tumor rejection in tumor-bearing, 619
Microfilament assembly, triggered by nerve growth factor, paxillin phosphorylation, human B lymphocytes, 1071
β_2-Microglobulin, human transgene, increase in positive selection of $CD8^+$ B cells, TAP1-mutant mice, 787
Middle T antigen, -transformed endothelial cells, increased activity of nitric oxide synthase, 9
Minor histocompatibility antigens, polymorphism of, T cell recognition of human minor histocompatibility peptides presented by HLA-B35 subtype molecules, 2037
Mitochondrial transmembrane potential, reduction in, early irreversible step of programmed lymphocyte death in vivo, 1661
Mitogenesis, ceramide as signal for, apoptosis, 1949
Monoclonal antibodies
cell death of lymphocytes induced by, without participation of complement, 2007
for murine p55 and p75 tumor necrosis factor receptors, in vivo role for p75, 607
protective and nonprotective, *Cryptococcus neoformans* originating from one B cell, 405
T cell and non–T cell compartments can independently determine resistance to *Leishmania major*, 845
treatment on development of diabetes in nonobese diabetic mouse, anti-B7-1 and anti-B7-2, 1145
Monocyte chemoattractant protein 1, antagonists of, identification by modification of critical NH_2-terminal residues, 631
Monocyte chemotactic protein-3, allergen-induced transcription of messenger RNA for, RANTES, skin of human atopic subjects, relationship to eosinophil, T cell, and macrophage recruitment, 2153
Monocytes
activation of effector genes of, STAT family transcription factors, inflammatory synovial fluid, interferon γ, 1015
HIV-1–infected, regulation of nitric oxide synthase activity, HIV-associated neurological disease, 735
JAK3 expression in, phosphorylation in response to interleukins 2, 4, and 7, 1425
migration to arthritis in rat, CD11/CD18, very late activation antigen 4, 1197
single receptor complex in, urokinase plasminogen activator receptor, β2-integrins, Src-kinases, 1381
Mononuclear cells, of HIV-infected patients, neutrophils from HIV-seronegative donors induce HIV replication, in vitro model of HIV transmission facilitated by *Chlamydia trachomatis*, 1493
Mouse mammary tumor virus, $CD4^+$ thymocytes require thymus to produce long-lived, functional T cells, 235
Mouse mammary tumor virus 7, proteolytic processing is required for viral superantigen activity, 1899
Mucosal immunization, impaired responses in interleukin 4–targeted mice, 41
Mucosal immunoblasts, dual binding capacity of, mucosal and synovial endothelium in humans, 137
Myasthenia gravis-like syndrome induced by expression of interleukin γ in neuromuscular junction, 547
Mycobacterial infection, interleukin 12 production by macrophages in response to, interferon γ, tumor necrosis factor α, 1615
Mycobacterium tuberculosis
activation of T cells recognizing self 60-kD heat shock protein can protect against experimental arthritis, 943
characterization of the phagosome of, phagosomal maturation inhibition, 257
Myelin basic protein, T cell response of HLA-DR transgenic mice to, other antigens, human CD4, 867
Myocarditis, antibody-mediated autoimmune, target o.gan sensitivity, 1123
Myosin, antibody-mediated autoimmune myocarditis, target organ sensitivity, 1123
Natural killer cells
express NKB1, a putative HLA receptor, Bw4 public epitope of HLA-B molecules, reactivity of natural killer cells clones, 1133
Fas-mediated cytotoxicity by, freshly isolated, 1235
Ly-49–independent, NK cell clones derived from p53-deficient mice, 1785
NKR-P1A is a target-specific receptor that activates cytotoxicity of, 1911
receptor-induced death in human, CD16, 339
Necrotizing and crescentic glomerulonephritis, autoantigens of anti-neutrophil cytoplasmic antibodies in, lysosomal membrane glycoprotein h-lamp-2 in neutrophil granulocytes, membrane protein in glomerular endothelial cells, 585
Negative selection, traditional B cells are target of, B cell compartment, 2129
Nerve growth factor, triggers microfilament assembly and paxillin phosphorylation, human B lymphocytes, 1071
neu oncogene, PML suppresses oncogenic transformation of NIH/3T3 cells by, 1965
Neurological diseases, HIV-associated, regulation of nitric oxide synthase activity in HIV-1–infected monocytes, 735
Neuromuscular junction, expression of interferon γ in, induction of Myasthenia gravis-like syndrome, 547
Neurotoxicity, protection against HIV-1 gp120–induced brain damage by neuronal expression of human amyloid precursor protein, 1551
Neurovirulence, substantia nigra is major target for influenza A virus, 2161
Neutral endopeptidase, modulates septic shock, 2271
Neutrophils
absence of autoantigen Ku in, human promyelocytic leukemia (HL-60) cells, lymphocytes undergoing apoptosis, mature human neutrophils, 2049
C3a is not a chemotoxin for, C3a stimulation of neutrophils is secondary to eosinophil activation, 2119
from HIV-seronegative donors induce HIV replication from HIV-infected patients' mononuclear cells, in vitro model of HIV transmission facilitated by *Chlamydia trachomatis*, 1493
NF–IL-4, regulation by, interleukin 4 responsive region, immunoglobulin heavy chain germline ϵ promoter, C/EBP family member, NF-κB/p50, 181
NH_2-terminal residues, modification of, antagonists of monocyte chemoattractant protein 1, 631
NIH/3T3 cells, PML suppresses oncogenic transformation of, activated *neu*, 1965
Nitric oxide synthase
increased activity of, middle T antigen-transformed endothelial cells, 9
induction of β cell expression of, intraislet release of interleukin 1 inhibits β cell function, 559
inhibition of inducible, modulation of alloreactivity, 63
inhibition of viral replication by, reversal by ferrous sulfate and tricarboxylic acid cycle metabolites, 2171
regulation of activity in HIV-1–infected monocytes, HIV-associated neurological disease, 735
suppresses tumorigenicity and abrogates metastasis by K-1735 murine melanoma cells, 1333
NKB1, a putative HLA receptor, Bw4 public epitope of HLA-B molecules, reactivity with natural killer cell clones, 1133
NKR-P1A, is a target-specific receptor that activates natural killer cell cytotoxicity, 1911
NOD mice, diabetes in, pancreatic islet β cells drive T cell–immune responses, 1635
Nonobese diabetic mice, development of diabetes in, anti-B7-1 and anti-B7-2 monoclonal antibody treatment, 1145
Non–T cells
cell lineages from $CD34^+$ human thymic precursors, T cells, expression of CD44, 475
determine resistance in *Leishmania major*, T cells, 845
Nucleoprotein peptide, major histocompatibility complex class I molecule of, influenza virus transfectant, 203
Nude mice, transgenic expression of interleukin 7 restores T cell populations in, 1223
Oncogenes, *Bcr-Abl*, genetic requirement for Ras, transformation of fibroblasts and hematopoietic cells, 307
Oral immunization, impaired mucosal immune response, interleukin 4–targeted mice, 41
Outer surface proteins, vaccination against Lyme disease, diverse *Borrelia burgdorferi*, 215
Ovarian tumors, -specific cytotoxic T lymphocyte lines, immunodominant peptide of HER-2/neu protooncogene, 2109

p21^{ras} pathway, activation of, antigen receptor stimulation, induction of gene *egr-1* in B lymphocytes, 417
p53, -deficient mice, Ly-49–independent natural killer cells, NK cell clones derived from p53-deficient mice, 1785
p55, monoclonal antibodies specific of murine, p75, tumor necrosis factor receptors, in vivo role for p75, 607
p56^{lck}/CD4, Syk and ZAP-70 mediate recruitment of, activated T cell receptor/CD3/ζ complex, 1997
p75, monoclonal antibodies specific of murine, p55, tumor necrosis factor receptors, in vivo role for p75, 607
Pancreatic islet β cells, drive T cell–immune responses in nonobese diabetic mouse, 1635
Pancreatic islets, release of interleukin 1 inhibits β cell function, inducible nitric oxide synthase, 559
Parkinsonism, substantia nigra is major target for neurovirulent influenza T virus, 2161
Paxillin, phosphorylation of in human B lymphocytes, nerve growth factor triggers microfilament assembly, 1071
Peptide binding
  of class II, invariant chain–derived peptide, CLIP, regulation by allelic polymorphism in class II, 677
  of HLA-DR4 molecules, rheumatoid arthritis association, 1847
  of major histocompatibility complex class I, H-2M3^a, 1817
  to major histocompatibility complex molecules, MHC-linked susceptibility to human autoimmune diseases, self peptides, 1597
  T cell recognition, pocket 4 of HLA-DR molecule, 915
Peptide ligands, can control CD4 T lymphocyte differentiation in vivo, 1569
Peptides
  decrypting the structure of MHC class I–restricted cytotoxic T lymphocyte epitopes with libraries of, 2097
  endogenous altered ligand of, modulation of T cell development, 805
  influence folding and intracellular transport of free major histocompatibility complex class I heavy chains, 1111
  loading in major histocompatibility complex class II vesicles, invariant chain cleavage, 1729
Peripheral blood mononuclear cells
  cytotoxic T lymphocyte response to multiple hepatitis B virus polymerase epitopes, acute viral hepatitis, 1047
  effects of IL-4 and IL-13 on production of cytokines by, priming for IL-12 and tumor necrosis factor α production, 537
  express Th1-type cytokine profile and to produce interleukin 12, recombinant *Leishmania* antigen, 1527
  heterogeneity of autoreactive T cell clones, E2 component of pyruvate dehydrogenase complex in primary biliary cirrhosis, 723
Phagocytosis, of cells undergoing apoptosis, CD36 gene transfer, 1857
Phagosomes, of *Mycobacterium tuberculosis*, phagosomal maturation inhibition, 257
Phosphatidic acid, mediates lung cytokine expression, lung inflammatory injury after hemorrhage in mice, 569
Phosphatidylinositol 3-kinase, binding of CTLA-4 to, T cells, 351
Phosphorylation
  defective of CD44, hyaluronate binding, point mutations in cytoplasmic domain, 55
  in response to interleukins 2, 4, and 7, JAK3 expression in human monocytes, 1425
Plasmodium falciparum
  maintenance of in *scid* mice, transmission of gametocytes to mosquitoes, human malarial parasite, 2265
  parasites presenting distinct red blood cell surface antigens, immune pressure, strain-specific protection in *Saimiri sciureus* monkeys, 283
Plasmodium vivax
  Duffy antigen/receptor for chemokines is expressed in endothelial cells, lack of erythrocyte receptor, 1311
  transmission blocking immunity in, antibodies raised against a peptide, parasite development in mosquito vector, 357
Platelet glycoprotein IIb promoter, induction of reversible thrombocytopenia in mice transgenic for thymidine kinase gene targeted by, suppression of erythro-megakaryocytopoiesis, 2141
PML, suppresses oncogenic transformation of NIH/3T3 cells by activated *neu*, 1965
Poliovirus, CD4$^+$ Th1 clones mediate protective humoral immunity against, transgenic mice expressing human poliovirus receptor, 1285
Polymorphism, allelic in class II, binding of class II to the invariant chain–derived peptide, CLIP, 677
Polymorphonuclear cells, chemoattractants induce rapid release of interleukin 1 type II decoy receptor in, 2181
Polymyositis, T cell receptor repertoire in, clonal expansion of autoaggressive CD8$^+$ T cells, 1863
Polynuclear leukocytes, fibrin regulates neutrophil migration, interleukin 8, leukotriene B4, tumor necrosis factor, formyl-methionyl-leucyl-phenylalanine, 1763
Polyoma virus, tumors induced by, endogenous mouse mammary tumor virus superantigen, 1683
Positive selection
  intermediate steps in, differentiation of, CD4$^+$8^{int}TCR^{int} thymocytes into CD4$^-$8$^+$TCR^{hi} thymocytes, 1643
  of T cells, rescue from programmed cell death and differentiation require continual engagement of T cell receptor, 1975
Positive selection signal, indicators of, T cell receptor signaling in immature CD4$^+$CD8$^+$ thymocytes, TCR-α protein synthesis, TCR-α instability, TCR assembly, 193
Primary biliary cirrhosis
  E2 component of pyruvate dehydrogenase complex in, heterogeneity of autoreactive T cell clones, 723
  HLA DRB4 0101–restricted immunodominant T cell autoepitope of pyruvate dehydrogenase complex in, molecular mimicry in human autoimmune diseases, 1835
Programmed cell death
  of lymphocytes, reduction in mitochondrial potential, early irreversible step, in vivo, 1661
  requires continual engagement of T cell receptor, positive selection of T cells, differentiation, 1975
Promastigotes, stage-specific binding of *Leishmania donovani* to sand fly vector midgut, regulation by conformational changes in abundant surface lipophosphoglycan, 685
Promyelocytic leukemia, absence of autoantigen Ku in HL-60 cells of, mature human neutrophils, lymphocytes undergoing apoptosis, 2049
Prostaglandin-E2, as potent inhibitor of human interleukin 12 production, 775
Protein kinase C, downregulated by calcium/calmodulin-dependent protein kinase II, calcineurin, cytokine gene transcription in human T cells, 1217
Protein tyrosine kinase, p50^{csk}, control of lymphopoiesis, 463
Protein tyrosine kinase–deficient mice, impaired development of Vγthree dendritic epidermal T cells, p56^{lck}, CD45 protein tyrosine phosphatase–deficient mice, 345
Protein tyrosine phosphatase–deficient mice, impaired development of Vγthree dendritic epidermal T cells, p56^{lck} protein tyrosine kinase–deficient mice, CD45, 345
Protein tyrosine phosphorylation, induction by B cell antigen receptor of class IgD, class IgM, 1005
Proteolytic processing, is required for viral superantigen activity, 1899
P-selectin
  sequential contribution of, L-selectin, leukocyte rolling in vivo, 669
  and vascular cell adhesion molecule 1 mediate rolling and arrest of CD4$^+$ T lymphocytes, tumor necrosis factor α–activated vascular endothelium under flow, 1179
P-selectin–deficient mice, reduced recruitment of inflammatory cells in contact hypersensitivity response, 2277
PTP1C, tyrosine phosphatase as a B cell antigen receptor–associated protein, regulation of B cell signaling, 2077
Pyruvate dehydrogenase, E2 component of, heterogeneity of autoreactive T cell clones, primary biliary cirrhosis, 723
Pyruvate dehydrogenase complex, in primary biliary cirrhosis, HLA DRB4 0101–restricted immunodominant T cell autoepitope of, molecular mimicry in human autoimmune diseases, 1835
Raf-1, is required for growth factor–induced proliferation of hematopoietic cells, 2189
RANTES, allergen-induced transcription of messenger RNA for, monocyte chemotactic protein-3, skin of human atopic subjects, relationship to eosinophil, T cell, and macrophage recruitment, 2153
Ras, genetic requirement for, transformation of fibroblasts and hematopoietic cells, *Bcr-Abl* oncogene, 307
Rat, monocyte migration to arthritis in, CD11/CD18, very late activation antigen 4, 1197
Rat basophilic leukemia, synergistic roles of granzymes A and B in mediating target cell death by, mast cell tumors, cytolysin/perforin, 1037
Receptor binding, antagonists of monocyte chemoattractant protein 1, identification by modification of critical NH_2-terminal residues, 631
Recombinase activating genes, deficient in mice, CD4$^+$CD8$^+$ thymocytes, T cell receptor β chain–independent pathway, 1187

Red blood cells, *Plasmodium falciparum* parasites presenting distinct surface antigens in, immune pressure, strain-specific protection in *Saimiri sciureus* monkeys, 283
Rel-related factors, role in control of c-*myc* gene transcription, apoptosis, murine B cell WEHI 231 line, 1169
Retinoic acid, inhibition of Fas ligand expression by, apoptosis of T cell hybridomas, glucocorticoids, 1673
Reversible thrombocytopenia, induction of, suppression of erythro-megakaryocytopoiesis, mice transgenic for thymidine kinase gene targeted by platelet glycoprotein IIb promoter, 2141
Rheumatoid arthritis, correlation with peptide binding of HLA-DR4 molecules, 1847
Rheumatoid factor, human IgG induced deletion of, IgM, transgenic mice, 599
2265ria, maintenance of in *scid* mice, *Plasmodium falciparum*, transmission of gametocytes to mosquitoes, 2265
Rous sarcoma virus, electron microscope enters realm of intact cell, 831
Saimiri sciureus, inducing strain-specific protection in, *Plasmodium falciparum* parasites presenting distinct red blood cell surface antigens, immune pressure, 283
Sand fly vector, stage-specific binding of *Leishmania donovani* to, regulation by conformational changes in abundant surface lipophosphoglycan, 685
Schistosoma mansoni, cytokine-mediated immune interactions induced by, alteration of disease outcome in mice infected with *Trichuris muris*, 769
SCID mice, B cell lymphoma in, tumor dormancy and cell signaling, antibody as agonist in inducing dormancy, 1539
scid mice, maintenance of human malarial parasite in, *Plasmodium falciparum*, transmission of gametocytes to mosquitoes, 2265
SDS-stable dimer, requirement for DM in formation of, class II–restricted antigen presentation, allele and species dependent, 223
Septic shock, neutral endopeptidase modulation of, 2271
Sialic acid–dependent ligand, ligand-binding domains of CD22 binds to, immunoglobulin superfamily, 1581
Signal transducers and activators of transcription family transcription factors, activation of monocyte effector genes, inflammatory synovial fluid, interferon γ, 1015
  tyrosine phosphorylation of, Stat3, Stat4, interleukin 12 signaling in T helper type 1 cells, 1755
Signal transduction, leading to T cell activation, prolonged T cell receptor occupancy, role of T cell actin cytoskeleton, 577
Signaling, tumor dormancy and cell signaling, antibody as agonist in inducing dormancy of B cell lymphoma in SCID mice, 1539
Signaling receptor, for lipopolysaccharide, CD11c/CD18, 1473
Skin diseases, autoantibodies to desmoplakin I and II, erythema multiforme, 169
Skin-selective homing receptor, bacterial superantigens induce T cell expression of, cutaneous lymphocyte-associated antigen, interleukin 12 production, 747
Somatic diversity
  of IgV_H genes, role of germinal centers and T cells, 1319
  of immunoglobulin heavy and light chain variable region genes, IgG^+CD5^+ chronic lymphocytic leukemia B cells, 1507
Splenocytes
  cells expressing a class I molecule with a single covalently bound peptide, 493
  human IgG induced deletion of IgM rheumatoid factor B cells in transgenic mice, 599
  interferon β, a cofactor in interferon γ production, induction by gram-negative bacteria in mice, 953
  peptide influences folding and intracellular transport of free major histocompatibility complex class I heavy chains, 1111
Spliceosomal proteins, Sm B/B'-derived PPPGMRPP and PPPGIRGP induce spliceosome autoimmunity, immunoglobulin epitope spreading and autoimmune disease after peptide immunization, 453
Src-kinases, in a receptor complex of human monocytes, urokinase plasminogen activator receptor, β2-integrins, 1381
Staphylococcal enterotoxin B, proliferation is prerequisite for bacterial superantigen–induced T cell apoptosis in vivo, 2283
Streptococcus pneumoniae, type 3 capsular polysaccharide biosynthesis in, cassette containing genes, 973
Substantia nigra, is major target for neurovirulent influenza T virus, 2161
Superantigens
  induce T cell expression of skin-selective homing receptor, cutaneous lymphocyte-associated antigen, interleukin 12 production, 747
  proliferation is prerequisite for T cell apoptosis induced by, bacterial superantigen, in vivo, 2283
  proteolytic processing is required for activity of, viral, 1899
  of toxic shock syndrome toxin 1, identification of class II major histocompatibility complex and T cell receptor binding sites, 2229
Supermotifs, enable natural invariant chain-derived peptides, interaction with class II molecules, 527
Surface immunoglobulin, loss of expression of, B cell death by apoptosis, Bursa of Fabricius, 105
Syk, and ZAP-70 mediate recruitment of $p56^{lck}$/CD4, activated T cell receptor/CD3/ζ complex, 1997
Synovial fluid, is independent of interferon γ, activation of monocyte effector genes, STAT family transcription factors, 1015
Synovium, dual binding capacity of mucosal immunoblasts to, mucosal endothelium in humans, 137
Systemic lupus erythematosus
  autoimmunity in, murine, T cell determinants from autoantibodies to DNA, 2017
  B lymphocyte hyperactivity and autoantibody production of, interleukin 10, 839
  breakdown of B cell tolerance in mouse model of, 1157
  immunoglobulin epitope spreading and autoimmune disease after peptide immunization, Sm B/B'-derived PPPGMRPP and PPPGIRGP induce spliceosome autoimmunity, 453
  novel packages of viral and self-antigens are generated during apoptosis, 1557
Systemic sclerosis, antifibrillarin autoantibodies in, connective tissue disorders, similar epitopes, 1027
T cell development, analysis at time of initial entry of hematopoietic stem cells into fetal thymic microenvironment, human thymus, 1445
T cell maturation, effect of in vivo IL-7 deprivation on, 1399
T cell receptor(s)
  anergy and exhaustion are independent mechanisms of peripheral T cell tolerance, 993
  β chain–independent pathway, $CD4^+CD8^+$ thymocytes in RAG-deficient mice, 1187
  β chains, expression on human T lymphocytes, 1391
  β chains, T lymphocytes can express two different, allelic exclusion, 1587
  –CD3 complex, macrophages induce structural abnormalities, 1881
  /CD3/ζ complex, Syk and ZAP-70 mediate recruitment of $p56^{lck}$/CD4, 1997
  $CD4^+$ memory T cells contain CD40 ligand that is expressed after activation through, 1293
  $CD4^+$ thymocytes require thymus to produce long-lived, functional T cells, 235
  coupling with CD3, Fas-based cytotoxicity, 781
  FcεRI γ chain as a function of, 247
  identification of binding sites of in superantigen toxic shock syndrome toxin 1, identification of class II major histocompatibility complex, 2229
  in immature $CD4^+CD8^+$ thymocytes, TCR-α protein synthesis, TCR signaling, TCR-α instability, TCR assembly, positive selection, 193
  in vivo expansion of HLA-B35 alloreactive T cells sharing homologous, oligoclonally dominated allospecificity, stimulation with autologous MHC/peptide complex, 503
  occupancy of, sustained signaling leading to T cell activation, role of T cell actin cytoskeleton, 577
  in polymyositis, clonal expansion of autoaggressive $CD8^+$ T cells, 1863
  rescue from programmed cell death and differentiation require continual engagement of, positive selection of T cells, 1975
  signals through, ζ chain, insufficient to prime resting T lymphocytes, 1653
  T cell genetic background determines default T helper phenotype development in vitro, 713
  upregulation of surface markers on dying thymocytes, 649
  ZAP-70 binding specificity to, tandem SH2 domains, tyrosine-based activation motifs, 375
T cell receptor–ζ chain, signals through, insufficient to prime resting T lymphocytes, 1653
T cell receptor–mediated signaling events in $CD4^+CD8^+$ thymocytes, thymic positive but not negative selection, calcineurin activation, 927
T cell(s)
  absence of, cross-linking of membrane immunoglobulin D, death of mature B cells in vivo, 515
  apoptosis of hybridomas of, inhibition of Fas ligand expression by retinoic acid and glucocorticoids, 1673

from autoantibodies to DNA can up-regulate autoimmunity, murine systemic lupus erythematosus, 2017
autoepitope of pyruvate dehydrogenase complex, HLA DRB4 0101, primary biliary cirrhosis, molecular mimicry in human autoimmune diseases, 1835
bearing Vβ17 gene segment, HLA-A0201–restricted cytotoxic T lymphocyte recognition, influenza A, 79
CD8β chain influences CD8α chain–associated Lck kinase activity, 1267
CD28 signals through acidic sphingomyelinase, 2059
cell lineages from CD34+ human thymic precursors, non-T cells, expression of CD44, 475
class II major histocompatibility complex presentation of determinants of, modulation of antigen processing by bound antibodies, 1957
cryptic epitopes trigger autoimmunity, 1945
CTLA-4 binding in, lipid kinase phosphatidylinositol 3-kinase, 351
cytokine gene transcription in, calcium/calmodulin-dependent protein kinase II downregulates calcineurin and protein kinase C–mediated pathways, 1217
determine resistance in *Leishmania major*, non–T cells, 845
expression of skin-selective homing receptor, bacterial superantigens, cutaneous lymphocyte-associated antigen, interleukin 12 production, 747
heparanase functions as adhesion molecule of, extracellular matrix–degrading enzyme, pH dependent, 1929
heterogeneity of autoreactive, E2 component of pyruvate dehydrogenase complex in primary biliary cirrhosis, 723
of human minor histocompatibility peptides presented by HLA-B35 subtype molecules, polymorphism of human minor histocompatibility antigens, 2037
increase in positive selection of CD8+, TAP1-mutant mice, human β_2-microglobulin transgene, 787
interleukin 4 production by CD4+, allergic individuals, modulation by antigen concentration and antigen-presenting cell type, 1081
intermediate steps in positive selection, $CD4^+8^{int}TCR^{int}$ thymocytes, $CD4^-8^+TCR^{hi}$ thymocytes, 1643
kinetics of Gag-specific cytotoxic, HIV-1 infection, longitudinal analysis of rapid progressors and long-term asymptomatics, 1365
lymphopenia in IL-7 gene–deleted mice identifies IL-7 as nonredundant cytokine, 1519
modulation of development of, endogenous altered peptide ligand, 805
pancreatic islet β cells drive immune responses of, nonobese diabetic mouse, 1635
from patients with atopic dermatitis and allergic contact dermatitis, skin-selective homing receptor, cutaneous lymphocyte–associated antigen, 1935
proliferation is prerequisite for bacterial superantigen–induced apoptosis of, in vivo, 2283
recognition of peptide, pocket 4 of HLA-DR molecule, 915
recognizing self 60-kD heat shock protein, protection against experimental arthritis, 943
reduction in lymphoproliferation in *lpr* mice lacking class I, 631
role in somatic diversification of IgV_H genes, germinal centers, 1319
stochastic coreceptor shut-off is restricted to CD4 lineage maturation pathway, 1623
transgenic expression of interleukin 7 restores, nude mice, 1223
T cell response
of HLA-DR transgenic mice, human myelin basic protein and other antigens, human CD4, 867
indicates new phenotype in class II–deficient patients, molecular characterization of class II gene expression, 1411
isolated H-2 K^b subsets serve as ligands of, allospecific CTL clones, role for *N*-linked glycosylation, 1773
polarized T helper cell 1–type CD4+, mice lacking interferon γ receptor susceptible to infection with *Leishmania major*, 961
T helper 1, human peripheral blood mononuclear cells express, production of interleukin 12, recombinant *Leishmania* antigen, 1527
T helper cells
CD4+ clones mediate protective humoral immunity against lethal poliovirus infection, transgenic mice, 1285
default phenotype development in vitro, T cell genetic background, 713
phenotype and genetic susceptibility in experimental Lyme disease, 1251
prostaglandin-E2 is potent inhibitor of human interleukin 12 production, 775
T helper type 1 cells
CD4+ T cell response, mice lacking interferon γ receptor susceptible to infection with *Leishmania major*, 961
interleukin 12 induces, acceleration of autoimmune disease in NOD mice, 817
interleukin 12 signaling in, tyrosine phosphorylation of signal transducer and activator of transcription 3 and 4, 1755
T helper type 2 cells, functional role of CD8, 5
T helpers type 1 and 2, CD28-B7 blockade after alloantigenic challenge in vivo inhibits Th1 cytokines but spares Th2, 1869
T lymphoblastoid cells, galectin-1 binds to core 2 O-glycans on, thymocytes, human thymic epithelial cells express endogenous lectin, 877
T lymphocytes
activation-induced cell death in human, Fas ligand, 17
apoptosis of in human immunodeficiency virus–infected individuals, Fas antigen stimulation, 2029
can express two different T cell receptor β chains, allelic exclusion, 1587
CD4+ on tumor necrosis factor α–activated vascular endothelium under flow, P-selectin and vascular cell adhesion molecule 1 mediate rolling and arrest, 1179
chemoattraction of human blood, interleukin-15, 1255
costimulation of growth and upregulation, 4-1BB ligand, M12 B lymphomas, cAMP, 985
differentiation in vivo, CD4, altered peptide ligands, 1569
dual T cell receptor β chain expression on, 1391
express CD40 ligand and induce isotype switching in B lymphocytes, 1239
infection by human herpesvirus 6, transcriptional induction of CD4, susceptibility to HIV infection, 1303
provide helper activity for IgE synthesis, CD8+, human immunodeficiency virus, hyper-IgE, 423
rate of production and extrathymic source of, bone marrow, 2201
signals through T cell receptor–ζ chain are insufficient to prime resting, 1653
TNF processing in, metalloprotease inhibitor blocks shedding of 80-kD TNF receptor, 1205
T lymphoid cells, FK506 inhibits antigen receptor–induction of c-*rel* in, B cells, 1091
Target cell nuclei, not required for cell-mediated granzyme- or Fas-based cytotoxicity, 1905
Target organ sensitivity, genetically determined, antibody-mediated autoimmune myocarditis, 1123
Thieler's virus, infection of 129Sv mice that lack interferon α/β or interferon γ receptors, 2069
Thymic epithelial cells, cloning, mapping, and characterization of activated leukocyte–cell adhesion molecule, CD6 ligand, 2213
Thymidine kinase gene, induction of reversible thrombocytopenia in mice transgenic for, suppression of erythro-megakaryocytopoiesis, platelet glycoprotein IIb promoter, 2141
Thymocytes
galectin-1 binds to core 2 O-glycans on, T lymphoblastoid cells, human thymic epithelial cells express endogenous lectin, 877
intermediate steps in differentiation of, $CD4^+8^{int}TCR^{int}$ thymocytes, $CD4^-8^+TCR^{hi}$ thymocytes, 1643
require thymus to produce long-lived, functional T cells, CD4+, 235
selective apoptosis of $CD4^+CD8^+$, anti-Fas antibody, 485
T and non-T cell lineages, CD34+ human thymic precursors, differential expression of CD44, 475
T cell receptor signaling in immature $CD4^+CD8^+$, TCR-α protein synthesis, TCR-α instability, TCR assembly, positive selection, 193
T cell receptor–mediated signaling events in, $CD4^+CD8^+$, thymic positive but not negative selection, calcineurin activation, 927
transcription of granzyme A and B genes is differentially regulated during lymphoid ontogeny, 755
upregulation of surface markers on, dying, 649
Thymus
analysis of at time of initial entry of hematopoietic stem cells into fetal thymic microenvironment, early human T cell development, 1445
effect of in vivo IL-7 deprivation on T cell maturation, 1399
identification of a 100-kD ligand for CD6 on human epithelial cells of, 1563
modulation of T cell development, endogenous altered peptide ligand, 805
nonclassical behavior of leukemia antigen in, peptide transporter–independent expression of class I molecule, 1433
stochastic coreceptor shut-off is restricted to CD4 lineage maturation pathway, 1623

Tonsils, CD4+ memory T cells contain CD40 ligand, activation through T cell receptor complex, 1293
Toxic shock syndrome toxin 1, identification of class II major histocompatibility complex and T cell receptor binding sites in, 2229
Transfectant virus R10, expression in two genes of influenza, major histocompatibility complex class I molecule of nucleoprotein peptide, 203
Transforming growth factor β
  autoantibodies produced by *lpr* mice carry, suppression of cytotoxic T lymphocytes, 1875
  involvement in endotoxin desensitization, interleukin 10, 1887
Transgene expression, of interleukin 7, T cell populations in nude mice, 1223
Transgenic V region, antibody repertoire via transgene homologous recombination, clone-autonomous regulation, B cell differentiation, 271
Transgenic mice
  erythroleukemia in, c-*MYC* under control of GATA-1 regulatory sequences, 1603
  expressing human poliovirus receptor, CD4+ Th1 clones mediate protective humoral immunity against lethal poliovirus infection, 1285
  hematopoietic progenitors from, multi-colony stimulating activity of interleukin 5, IL-5 receptor α subunit, 889
  induction of reversible thrombocytopenia in, suppression of erythro-megakaryocytopoiesis, thymidine kinase gene targeted by platelet glycoprotein IIb promoter, 2141
  unique γ2b line, λ5 but not μ is required for B cell maturation, 1059
Transmission blocking immunity, in *Plasmodium vivax*, antibodies raised against a peptide, parasite development in mosquito vector, 357
Transplant rejection, modulation of alloreactivity, inhibition of nitric oxide synthase, 63
Transporter associated with antigen processing -1, increase in positive selection of CD8+ T cells, TAP1-mutant mice, human β_2-microglobulin transgene, 787
  1 gene, coordinate regulation of, human LMP2 gene, shared bidirectional promoter, 1459
  nonclassical behavior of thymus leukemia antigen, peptide transporter–independent expression of a class I molecule, 1433
  processing class I–restricted antigens in endoplasmic reticulum, 1481
trans-Sialidase, of *Trypanosoma cruzi*, enhancement of virulence in murine model of Chagas' disease, 1693
Tricarboxylic acid cycle metabolites, inhibition of viral replication by nitric oxide and its reversal by, ferrous sulfate, 2171
Trichuris muris, mice infected with, cytokine-mediated immune interactions induced by *Schistosoma mansoni*, alteration of disease outcome, 769
Trypanosoma cruzi, *trans*-sialidase in, enhancement of virulence in murine model of Chagas' disease, 1693
Tumor necrosis factor
  dendritic cell loss from nonlymphoid tissue after systemic administration of, lipopolysaccharide, interleukin 1, 2237
  fibrin regulates neutrophil migration in response to, interleukin 8, leukotriene B4, formyl-methionyl-leucyl-phenylalanine, 1763
  intraislet release of interleukin 1 inhibits β cell function, inducible nitric oxide synthase, 559
  ligand 4-1BB in costimulation of T lymphocyte growth and upregulation on M12 B lymphomas by cAMP, 985
  monoclonal antibodies specific for, murine p55 and p75, in vivo role for p75, 607
  processing in T lymphocytes, metalloprotease inhibitor blocks shedding of 80-kD TNF receptor, 1205
  role in experimental viral infections, interleukin 12–mediated toxicities, glucocorticoids, 901
Tumor necrosis factor α
  –activated vascular endothelium under flow, P-selectin and vascular cell adhesion molecule 1 mediate rolling and arrest of CD4+ T lymphocytes, 1179
  –inducible expression of granulocyte colony-stimulating factor, NF-IL6/CCAAT enhancer-binding protein, interleukin 6 gene in human fibroblasts, 793
  interleukin 12 production by macrophages depends on, mycobacterial infection, interferon γ, 1615
  production of, effects of IL-4 and IL-13 on production of cytokines by human peripheral blood mononuclear cells, priming for IL-12, 537
Tumor necrosis factor receptor, p55, reduces mortality to lethal endotoxemia and attenuates local inflammatory responses, interleukin 10 gene transfer in mouse, 2289
Tumors
  dormancy of, cell signaling, antibody as agonist in inducing dormancy of B cell lymphoma in SCID mice, 1539
  inhibition of growth by elimination of granulocytes, 435
  ovarian, cytotoxic T lymphocyte lines, immunodominant peptide of HER-2/neu protooncogene, 2109
  of rat basophilic leukemia, synergistic roles of granzymes A and B in mediating target cell death, cytolysin/perforin, 1037
  stimulating rejection in tumor-bearing mice, Class II+B7-1+ tumor cells are potent vaccines, 619
  susceptibility to induced by polyoma virus, mouse mammary tumor virus superantigen, 1683
  transfection with nitric oxide synthase gene suppresses, abrogates metastasis by K-1735 murine melanoma cells, 1333
Tyrosine kinases, differential use of by IL-2 and IL-12, interleukin 12 induces tyrosine phosphorylation of JAK2 and TYK2, 399
Tyrosine phosphatase, PTP1C as a B cell antigen receptor–associated protein, regulation of B cell signaling, 2077
Tyrosine phosphorylation, of signal transducer and activator of transcription 3 and 4, interleukin 12 signaling in T helper type 1 cells, 1755
Tyrosine-based activation motifs, ZAP-70 binding specificity to, T cell receptor, tandem SH2 domains, 375
Urokinase plasminogen activator receptor, in a receptor complex of human monocytes, β2-integrins, Src-kinases, 1381
Vβ17 gene, in T cells, HLA-A0201–restricted cytotoxic T lymphocyte recognition, influenza A, 79
Vaccines
  against Lyme disease, diverse *Borrelia burgdorferi*, 215
  Class II+B7-1+ tumor cells as, stimulation of tumor rejection in tumor-bearing mice, 619
Vascular cell adhesion molecule 1
  expression in endothelium, suppression of melanoma and carcinoma, 811
  interaction with very late activation antigen 4, formation of erythroblastic islands, 411
  and P-selectin mediate rolling and arrest of CD4+ T lymphocytes, tumor necrosis factor α–activated vascular endothelium under flow, 1179
Very late activation antigen 4
  interaction with vascular cell adhesion molecule 1, formation of erythroblastic islands, 411
  monocyte migration to arthritis in rat utilizes, CD11/CD18, 1197
Very late antigens, activation of VLA-4 and VLA-5, cytokines increase human hemopoietic cell adhesiveness, 1805
Viral hepatitis, cytotoxic T lymphocytes response to hepatitis B virus polymerase epitopes during, 1047
Viral replication, inhibition by nitric oxide and its reversal by ferrous sulfate and tricarboxylic acid cycle metabolites, 2171
Virulence, enhancement of in a murine model of Chagas' disease, *Trypanosoma cruzi*, *trans*-sialidase, 1693
Visceral leishmaniasis, experimental, interleukin 12 is effective treatment for systemic intracellular infection, 387
Wasting syndrome, implications for Fas regulation, massive upregulation of Fas ligand in *lpr* and *gld* mice, graft-versus-host disease, 393
Wee1 kinase, rescue from granzyme B–induced apoptosis by, 2295
ZAP-70, and Syk mediate recruitment of $p56^{lck}$/CD4, activated T cell receptor/CD3/ζ complex, 1997
Zeta-associated protein 70, binding specificity of, T cell receptor tyrosine-based activation motifs, tandem SH2 domains, 375